

PCTWORLD INTELLECTUAL PROPERTY ORGANIZATION
International Bureau

INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

(51) International Patent Classification ⁶ : C12N 15/12, 15/18, 15/19		A1	(11) International Publication Number: WO 99/55865
			(43) International Publication Date: 4 November 1999 (04.11.99)
(21) International Application Number: PCT/NZ99/00051		(81) Designated States: AE, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, CA, CH, CN, CU, CZ, DE, DK, EE, ES, FI, GB, GD, GE, GH, GM, HK, HU, ID, IL, IN, IS, JP, KE, KG, KP, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MD, MG, MK, MN, MW, MX, NO, NZ, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TR, TT, UA, UG, UZ, VN, YU, ZA, ZW, ARIPO patent (GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW), Eurasian patent (AM, AZ, BY, KG, KZ, MD, RU, TJ, TM), European patent (AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE), OAPI patent (BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG).	
(22) International Filing Date: 29 April 1999 (29.04.99)		<p>Published <i>With international search report.</i> <i>Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i></p>	
<p>(30) Priority Data: 09/069,726 29 April 1998 (29.04.98) US 09/188,930 9 November 1998 (09.11.98) US</p>			
(71) Applicant: GENESIS RESEARCH AND DEVELOPMENT CORPORATION LIMITED [NZ/NZ]; 1 Fox Street, Parnell, Auckland (NZ).			
(72) Inventors: STRACHAN, Lorna; 11/50 Livingstone Street, Cocks Bay, Auckland (NZ). SLEEMAN, Matthew; 19 Derwent Crescent, Titirangi, Auckland (NZ). WATSON, James, Douglas; 769 Riddell Road, St Heliers, Auckland (NZ). ONRUST, Rene; 21 Duart Avenue, Mt Albert, Auckland (NZ). KUMBLE, Anand; 4 Stanton Terrace, Lynfield, Auckland (NZ). MURISON, James, Greg; 24 Calgary Street, Sandringham, Auckland (NZ).			
(74) Agents: BENNETT, Michael, Roy et al; Russell McVeagh West-Walker, Mobil on the Park, 157 Lambton Quay, Wellington (NZ).			
(54) Title: POLYNUCLEOTIDES ISOLATED FROM SKIN CELLS AND METHODS FOR THEIR USE			
(57) Abstract			
<p>Isolated polynucleotides encoding polypeptides expressed in mammalian skin cells are provided, together with expression vectors and host cells comprising such isolated polynucleotides. Methods for the use of such polynucleotides and polypeptides are also provided.</p>			

FOR THE PURPOSES OF INFORMATION ONLY

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AL	Albania	ES	Spain	LS	Lesotho	SI	Slovenia
AM	Armenia	FI	Finland	LT	Lithuania	SK	Slovakia
AT	Austria	FR	France	LU	Luxembourg	SN	Senegal
AU	Australia	GA	Gabon	LV	Latvia	SZ	Swaziland
AZ	Azerbaijan	GB	United Kingdom	MC	Monaco	TD	Chad
BA	Bosnia and Herzegovina	GE	Georgia	MD	Republic of Moldova	TG	Togo
BB	Barbados	GH	Ghana	MG	Madagascar	TJ	Tajikistan
BE	Belgium	GN	Guinea	MK	The former Yugoslav Republic of Macedonia	TM	Turkmenistan
BF	Burkina Faso	GR	Greece	ML	Mali	TW	Turkey
BG	Bulgaria	HU	Hungary	MN	Mongolia	TT	Trinidad and Tobago
BJ	Benin	IE	Ireland	MR	Mauritania	UA	Ukraine
BR	Brazil	IL	Israel	MW	Malawi	UG	Uganda
BY	Belarus	IS	Iceland	MX	Mexico	US	United States of America
CA	Canada	IT	Italy	NE	Niger	UZ	Uzbekistan
CF	Central African Republic	JP	Japan	NL	Netherlands	VN	Viet Nam
CG	Congo	KE	Kenya	NO	Norway	YU	Yugoslavia
CH	Switzerland	KG	Kyrgyzstan	NZ	New Zealand	ZW	Zimbabwe
CI	Côte d'Ivoire	KP	Democratic People's Republic of Korea	PL	Poland		
CM	Cameroon	KR	Republic of Korea	PT	Portugal		
CN	China	KZ	Kazakhstan	RO	Romania		
CU	Cuba	LC	Saint Lucia	RU	Russian Federation		
CZ	Czech Republic	LI	Liechtenstein	SD	Sudan		
DE	Germany	LK	Sri Lanka	SE	Sweden		
DK	Denmark	LR	Liberia	SG	Singapore		
EE	Estonia						

POLYNUCLEOTIDES ISOLATED FROM SKIN CELLS AND METHODS FOR THEIR USE

5

Technical Field of the Invention

This invention relates to polynucleotides encoding polypeptides, polypeptides expressed in skin cells, and their use in therapeutic methods.

10

Background of the Invention

The skin is the largest organ in the body and serves as a protective cover. The loss of skin, as occurs in a badly burned person, may lead to death owing to the absence of a barrier against infection by external microbial organisms, as well as loss of body temperature and body fluids.

15

Skin tissue is composed of several layers. The outermost layer is the epidermis which is supported by a basement membrane and overlies the dermis. Beneath the dermis is loose connective tissue and fascia which cover muscles or bony tissue. The skin is a self-renewing tissue in that cells are constantly being formed and shed. The deepest cells of the epidermis are the basal cells, which are enriched in cells capable of replication. Such replicating cells are called progenitor or stem cells. Replicating cells in turn give rise to daughter cells called 'transit amplifying cells'. These cells undergo differentiation and maturation into keratinocytes (mature skin cells) as they move from the basal layer to the more superficial layers of the epidermis. In the process, keratinocytes become cornified and are ultimately shed from the skin surface. Other cells in the epidermis include melanocytes which synthesize melanin, the pigment responsible for protection against sunlight. The Langerhans cell also resides in the epidermis and functions as a cell which processes foreign proteins for presentation to the immune system.

20

The dermis contains nerves, blood and lymphatic vessels, fibrous and fatty tissue. Within the dermis are fibroblasts, macrophages and mast cells. Both the epidermis and dermis are penetrated by sweat, or sebaceous, glands and hair follicles. Each strand of

hair is derived from a hair follicle. When hair is plucked out, the hair re-grows from epithelial cells directed by the dermal papillae of the hair follicle.

When the skin surface is breached, for example in a wound, the stem cells proliferate and daughter keratinocytes migrate across the wound to reseal the tissues. The skin cells therefore possess genes activated in response to trauma. The products of these genes include several growth factors, such as epidermal growth factor, which mediate the proliferation of skin cells. The genes that are activated in the skin, and the protein products of such genes, may be developed as agents for the treatment of skin wounds. Additional growth factors derived from skin cells may also influence growth of other cell types. As skin cancers are a disorder of the growth of skin cells, proteins derived from skin that regulate cellular growth may be developed as agents for the treatment of skin cancers. Skin derived proteins that regulate the production of melanin may be useful as agents which protect skin against unwanted effects of sunlight.

Keratinocytes are known to secrete cytokines and express various cell surface proteins. Cytokines and cell surface molecules are proteins which play an important role in the inflammatory response against infection and also in autoimmune diseases affecting the skin. Genes and their protein products that are expressed by skin cells may thus be developed into agents for the treatment of inflammatory disorders affecting the skin.

Hair is an important part of a person's individuality. Disorders of the skin may lead to hair loss. Alopecia areata is a disease characterized by the patchy loss of hair over the scalp. Total baldness is a side effect of drug treatment for cancer. The growth and development of hair are mediated by the effects of genes expressed in skin and dermal papillae. Such genes and their protein products may be usefully developed into agents for the treatment of disorders of the hair follicle.

New treatments are required to hasten the healing of skin wounds, to prevent the loss of hair, enhance the re-growth of hair or removal of hair, and to treat autoimmune and inflammatory skin diseases more effectively and without adverse effects. More effective treatments of skin cancers are also required. There thus remains a need in the art for the identification and isolation of genes encoding proteins expressed in the skin, for use in the development of therapeutic agents for the treatment of disorders including those associated with skin.

Summary of the Invention

The present invention provides polypeptides expressed in skin cells, together with polynucleotides encoding such polypeptides, expression vectors and host cells comprising such polynucleotides, and methods for their use.

In specific embodiments, isolated polynucleotides are provided that comprise a DNA sequence selected from the group consisting of: (a) sequences recited in SEQ ID NO: 1-14, 45-48, 64-68, 77-89, 118, 119, 198-231, 239-249, 254-274, 349-372 and 399-405; (b) complements of the sequences recited in SEQ ID NO: 1-14, 45-48, 64-68, 77-89, 118, 119, 198-231, 239-249, 254-274, 349-372 and 399-405; (c) reverse complements of the sequences recited in SEQ ID NO: 1-14, 45-48, 64-68, 77-89, 118, 119, 198-231, 239-249, 254-274, 349-372 and 399-405; (d) reverse sequences of the sequences recited in SEQ ID NO: 1-14, 45-48, 64-68, 77-89, 118, 119, 198-231, 239-249, 254-274, 349-372 and 399-405; (e) sequences having a 99% probability of being the same as a sequence of (a)-(d); and (f) sequences having at least 50%, 75% or 90% identity to a sequence of (a)-(d).

In further embodiments, the present invention provides isolated polypeptides comprising an amino acid sequence selected from the group consisting of: (a) sequences provided in SEQ ID NO: 120-197, 275-348, 373-398 and 406-409; and (b) sequences having at least 50%, 75% or 90% identity to a sequence provided in SEQ ID NO: 120-197, 275-348, 373-398 and 406-409, together with isolated polynucleotides encoding such polypeptides. Isolated polypeptides which comprise at least a functional portion of a polypeptide comprising an amino acid sequence selected from the group consisting of: (a) sequences provided in SEQ ID NO: 120-197, 275-348, 373-398 and 406-409; and (b) sequences having 50%, 75% or 90% identity to a sequence of SEQ ID NO: 120-197, 275-348, 373-398 and 406-409 are also provided.

In related embodiments, the present invention provides expression vectors comprising the above polynucleotides, together with host cells transformed with such vectors.

In a further aspect, the present invention provides a method of stimulating keratinocyte growth and motility, inhibiting the growth of epithelial-derived cancer cells,

inhibiting angiogenesis and vascularization of tumors, or modulating the growth of blood vessels in a subject, comprising administering to the subject a composition comprising an isolated polypeptide, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (a) sequences provided in SEQ ID NO: 187, 196, 342, 343, 395, 397, and 398; and (b) sequences having at least 50%, 75% or 90% identity to a sequence provided in SEQ ID NO: 187, 196, 342, 343, 395, 397, and 398.

Methods for modulating skin inflammation in a subject are also provided, the methods comprising administering to the subject a composition comprising an isolated polypeptide, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (a) sequences provided in SEQ ID NO: 338 and 347; and (b) sequences having at least 50%, 75% or 90% identity to a sequence provided in SEQ ID NO: 338 and 347. In an additional aspect, the present invention provides methods for stimulating the growth of epithelial cells in a subject. Such methods comprise administering to the subject a composition comprising an isolated polypeptide including an amino acid sequence selected from the group consisting of: (a) sequences provided in SEQ ID NO: 129 and 348; and (b) sequences having at least 50%, 75% or 90% identity to a sequence provided in SEQ ID NO: 129 and 348. In yet a further aspect, methods for inhibiting the binding of HIV-1 to leukocytes, for the treatment of an inflammatory disease or for the treatment of cancer in a subject are provided, the methods comprising administering to the subject a composition comprising an isolated polypeptide including an amino acid sequence selected from the group consisting of: (a) sequences provided in SEQ ID NO: 340, 344, 345 and 346; and (b) sequences having at least 50%, 75% or 90% identity to a sequence provided in SEQ ID NO: 340, 344, 345 and 346.

As detailed below, the isolated polynucleotides and polypeptides of the present invention may be usefully employed in the preparation of therapeutic agents for the treatment of skin disorders.

The above-mentioned and additional features of the present invention, together with the manner of obtaining them, will be best understood by reference to the following more detailed description. All references disclosed herein are hereby incorporated herein by reference in their entirety as if each was incorporated individually.

Brief Description of the Drawings

Fig. 1 shows the results of a Northern analysis of the distribution of huTR1 mRNA in human tissues. Key: He, Heart; Br, Brain; Pl, Placenta; Lu, Lung; Li, Liver; SM, Skeletal muscle; Ki, Kidney; Sp, Spleen; Th, Thymus; Pr, Prostate; Ov, Ovary.

Fig. 2 shows the results of a MAP kinase assay of muTR1a and huTR1a. MuTR1a (500ng/ml), huTR1a (100ng/ml) or LPS (3pg/ml) were added as described in the text.

Fig. 3 shows the stimulation of growth of neonatal foreskin keratinocytes by muTR1a.

Fig. 4 shows the stimulation of growth of the transformed human keratinocyte cell line HaCaT by muTR1a and huTR1a.

Fig. 5 shows the inhibition of growth of the human epidermal carcinoma cell line A431 by muTR1a and huTR1a.

Fig. 6 shows the inhibition of IL-2 induced growth of concanavalin A-stimulated murine splenocytes by KS2a.

Fig. 7 shows the stimulation of growth of rat intestinal epithelial cells (IEC-18) by a combination of KS3a plus apo-transferrin.

Fig. 8 illustrates the oxidative burst effect of TR-1 (100 ng/ml), muKS1 (100 ng/ml), SDF1 α (100 ng/ml), and fMLP (10 μ M) on human PBMC.

Figure 9 shows the chemotactic effect of muKS1 and SDF-1 α on THP-1 cells.

Figure 10 shows the induction of cellular infiltrate in C3H/HeJ mice after intraperitoneal injections with muKS1 (50 μ g), GV14B (50 μ g) and PBS.

Figure 11 demonstrates the induction of phosphorylation of ERK1 and ERK2 in CV1/EBNA and HeLa cell lines by huTR1a.

Figure 12 shows the huTR1 mRNA expression in HeLa cells after stimulation by muTR1, huTR1, huTGF α and PBS (100 ng/ml each).

Figure 13 shows activation of the SRE by muTR1a in PC-12 (Fig. 13a) and HaCaT (Fig. 13b) cells.

Figure 14 shows the inhibition of huTR1a mediated growth on HaCaT cells by an antibody to the EGF receptor.

Detailed Description of the Invention

In one aspect, the present invention provides polynucleotides that were isolated from mammalian skin cells. As used herein, the term "polynucleotide" means a single or double-stranded polymer of deoxyribonucleotide or ribonucleotide bases and includes DNA and RNA molecules, both sense and anti-sense strands. The term comprehends cDNA, genomic DNA, recombinant DNA and wholly or partially synthesized nucleic acid molecules. A polynucleotide may consist of an entire gene, or a portion thereof. A gene is a DNA sequence that codes for a functional protein or RNA molecule. Operable anti-sense polynucleotides may comprise a fragment of the corresponding polynucleotide, and the definition of "polynucleotide" therefore includes all operable anti-sense fragments. Anti-sense polynucleotides and techniques involving anti-sense polynucleotides are well known in the art and are described, for example, in Robinson-Benion et al., "Anti-sense Techniques," *Methods in Enzymol.* 254(23):363-375, 1995; and Kawasaki et al., *Artific. Organs* 20 (8):836-848, 1996.

Identification of genomic DNA and heterologous species DNAs can be accomplished by standard DNA/DNA hybridization techniques, under appropriately stringent conditions, using all or part of a cDNA sequence as a probe to screen an appropriate library. Alternatively, PCR techniques using oligonucleotide primers that are designed based on known genomic DNA, cDNA and protein sequences can be used to amplify and identify genomic and cDNA sequences. Synthetic DNAs corresponding to the identified sequences and variants may be produced by conventional synthesis methods. All the polynucleotides provided by the present invention are isolated and purified, as those terms are commonly used in the art.

In specific embodiments, the polynucleotides of the present invention comprise a DNA sequence selected from the group consisting of sequences provided in SEQ ID NO: 1-119, 198-274, 349-372 and 399-405, and variants of the sequences of SEQ ID NO: 1-119, 198-274, 349-372 and 399-405. Polynucleotides that comprise complements of such DNA sequences, reverse complements of such DNA sequences, or reverse

sequences of such DNA sequences, together with variants of such sequences, are also provided.

The definition of the terms "complement," "reverse complement," and "reverse sequence," as used herein, is best illustrated by the following example. For the sequence
5 5' AGGACC 3', the complement, reverse complement, and reverse sequence are as follows:

complement	3' TCCTGG 5'
reverse complement	3' GGTCCT 5'
reverse sequence	5' CCAGGA 3'.

10 In another aspect, the present invention provides isolated polypeptides encoded, or partially encoded, by the above polynucleotides. As used herein, the term "polypeptide" encompasses amino acid chains of any length, including full length proteins, wherein the amino acid residues are linked by covalent peptide bonds. The term "polypeptide encoded by a polynucleotide" as used herein, includes polypeptides
15 encoded by a polynucleotide which comprises a partial isolated DNA sequence provided herein. In specific embodiments, the inventive polypeptides comprise an amino acid sequence selected from the group consisting of sequences provided in SEQ ID NO: 120-197, 275-348, 373-398 and 406-409, as well as variants of such sequences.

Polypeptides of the present invention may be produced recombinantly by
20 inserting a DNA sequence that encodes the polypeptide into an expression vector and expressing the polypeptide in an appropriate host. Any of a variety of expression vectors known to those of ordinary skill in the art may be employed. Expression may be achieved in any appropriate host cell that has been transformed or transfected with an expression vector containing a DNA molecule that encodes a recombinant polypeptide.
25 Suitable host cells include prokaryotes, yeast, and higher eukaryotic cells. Preferably, the host cells employed are *E. coli*, insect, yeast, or a mammalian cell line such as COS or CHO. The DNA sequences expressed in this manner may encode naturally occurring polypeptides, portions of naturally occurring polypeptides, or other variants thereof.

In a related aspect, polypeptides are provided that comprise at least a functional
30 portion of a polypeptide having an amino acid sequence selected from the group consisting of sequences provided in SEQ ID NO: 120-197, 275-348, 373-398, 406-409,

and variants thereof. As used herein, the "functional portion" of a polypeptide is that portion which contains the active site essential for affecting the function of the polypeptide, for example, the portion of the molecule that is capable of binding one or more reactants. The active site may be made up of separate portions present on one or
5 more polypeptide chains and will generally exhibit high binding affinity.

Functional portions of a polypeptide may be identified by first preparing fragments of the polypeptide by either chemical or enzymatic digestion of the polypeptide, or by mutation analysis of the polynucleotide that encodes the polypeptide and subsequent expression of the resulting mutant polypeptides. The polypeptide
10 fragments or mutant polypeptides are then tested to determine which portions retain biological activity, using, for example, the representative assays provided below.

Portions and other variants of the inventive polypeptides may also be generated by synthetic or recombinant means. Synthetic polypeptides having fewer than about 100 amino acids, and generally fewer than about 50 amino acids, may be generated using
15 techniques well known to those of ordinary skill in the art. For example, such polypeptides may be synthesized using any of the commercially available solid-phase techniques, such as the Merrifield solid-phase synthesis method, where amino acids are sequentially added to a growing amino acid chain. See Merrifield, *J. Am. Chem. Soc.* 85:2149-2146, 1963. Equipment for automated synthesis of polypeptides is
20 commercially available from suppliers such as Perkin Elmer/Applied BioSystems, Inc. (Foster City, California), and may be operated according to the manufacturer's instructions. Variants of a native polypeptide may be prepared using standard mutagenesis techniques, such as oligonucleotide-directed site-specific mutagenesis (Kunkel, T., *Proc. Natl. Acad. Sci. USA* 82:488-492, 1985). Sections of DNA sequence
25 may also be removed using standard techniques to permit preparation of truncated polypeptides.

In general, the polypeptides disclosed herein are prepared in an isolated, substantially pure, form. Preferably, the polypeptides are at least about 80% pure, more preferably at least about 90% pure, and most preferably at least about 99% pure. In
30 certain preferred embodiments, described in detail below, the isolated polypeptides are

incorporated into pharmaceutical compositions or vaccines for use in the treatment of skin disorders.

As used herein, the term "variant" comprehends nucleotide or amino acid sequences different from the specifically identified sequences, wherein one or more nucleotides or amino acid residues is deleted, substituted, or added. Variants may be naturally occurring allelic variants, or non-naturally occurring variants. Variant sequences (polynucleotide or polypeptide) preferably exhibit at least 50%, more preferably at least 75%, and most preferably at least 90% identity to a sequence of the present invention. The percentage identity is determined by aligning the two sequences to be compared as described below, determining the number of identical residues in the aligned portion, dividing that number by the total number of residues in the inventive (queried) sequence, and multiplying the result by 100.

Polynucleotide or polypeptide sequences may be aligned, and percentage of identical nucleotides in a specified region may be determined against another polynucleotide or polypeptide, using computer algorithms that are publicly available. Two exemplary algorithms for aligning and identifying the similarity of polynucleotide sequences are the BLASTN and FASTA algorithms. The alignment and similarity of polypeptide sequences may be examined using the BLASTP and algorithm. BLASTX and FASTX algorithms compare nucleotide query sequences translated in all reading frames against polypeptide sequences. The BLASTN, BLASTP and BLASTX algorithms are available on the NCBI anonymous FTP server (<ftp://ncbi.nlm.nih.gov>) under /blast/executables/. The FASTA and FASTX algorithms are available on the Internet at the ftp site <ftp://ftp.virginia.edu/pub/>. The FASTA algorithm, set to the default parameters described in the documentation and distributed with the algorithm, may be used in the determination of polynucleotide variants. The readme files for FASTA and FASTX v1.0x that are distributed with the algorithms describe the use of the algorithms and describe the default parameters. The use of the FASTA and FASTX algorithms is also described in Pearson, WR and Lipman, DJ, "Improved Tools for Biological Sequence Analysis," *PNAS* 85:2444-2448, 1988; and Pearson WR, "Rapid and Sensitive Sequence Comparison with FASTP and FASTA," *Methods in Enzymology* 183:63-98, 1990.

The BLASTN algorithm version 2.0.4 [Feb-24-1998], set to the default parameters described in the documentation and distributed with the algorithm, is preferred for use in the determination of polynucleotide variants according to the present invention. The BLASTP algorithm version 2.0.4, set to the default parameters described in the documentation and distributed with the algorithm, is preferred for use in the determination of polypeptide variants according to the present invention. The use of the BLAST family of algorithms, including BLASTN, BLASTP and BLASTX is described at NCBI's website at URL <http://www.ncbi.nlm.nih.gov/BLAST/newblast.html> and in the publication of Altschul, Stephen F., *et al.*, "Gapped BLAST and PSI-BLAST: a new generation of protein database search programs," *Nucleic Acids Res.* 25:3389-3402, 1997.

The following running parameters are preferred for determination of alignments and similarities using BLASTN that contribute to the E values and percentage identity for polynucleotides: Unix running command with default parameters thus: `blastall -p blastn -d embldb -e 10 -G 0 -E 0 -r 1 -v 30 -b 30 -i queryseq -o results`; and parameters are: -p Program Name [String]; -d Database [String]; -e Expectation value (E) [Real]; -G Cost to open a gap (zero invokes default behavior) [Integer]; -E Cost to extend a gap (zero invokes default behavior) [Integer]; -r Reward for a nucleotide match (blastn only) [Integer]; -v Number of one-line descriptions (V) [Integer]; -b Number of alignments to show (B) [Integer]; -i Query File [File In]; -o BLAST report Output File [File Out]

Optional. The following running parameters are preferred for determination of alignments and similarities using BLASTP that contribute to the E values and percentage identity for polypeptides: `blastall -p blastp -d swissprot -e 10 -G 1 -E 11 -r 1 -v 30 -b 30 -i queryseq -o results`; and the parameters are: -p Program Name [String]; -d Database [String]; -e Expectation value (E) [Real]; -G Cost to open a gap (zero invokes default behavior) [Integer]; -E Cost to extend a gap (zero invokes default behavior) [Integer]; -v Number of one-line descriptions (v) [Integer]; -b Number of alignments to show (b) [Integer]; -I Query File [File In]; -o BLAST report Output File [File Out]

Optional.

The "hits" to one or more database sequences by a queried sequence produced by BLASTN, BLASTP, FASTA, or a similar algorithm, align and identify similar portions of sequences. The hits are arranged in order of the degree of similarity and the length of

sequence overlap. Hits to a database sequence generally represent an overlap over only a fraction of the sequence length of the queried sequence.

The percentage similarity of a polynucleotide or polypeptide sequence is determined by aligning polynucleotide and polypeptide sequences using appropriate algorithms, such as BLASTN or BLASTP, respectively, set to default parameters; identifying the number of identical nucleic or amino acids over the aligned portions; dividing the number of identical nucleic or amino acids by the total number of nucleic or amino acids of the polynucleotide or polypeptide of the present invention; and then multiplying by 100 to determine the percentage similarity. By way of example, a queried polynucleotide having 220 nucleic acids has a hit to a polynucleotide sequence in the EMBL database having 520 nucleic acids over a stretch of 23 nucleotides in the alignment produced by the BLASTN algorithm using the default parameters. The 23 nucleotide hit includes 21 identical nucleotides, one gap and one different nucleotide. The percentage identity of the queried polynucleotide to the hit in the EMBL database is thus $21/220$ times 100, or 9.5%. The similarity of polypeptide sequences may be determined in a similar fashion.

The BLASTN and BLASTX algorithms also produce "Expect" values for polynucleotide and polypeptide alignments. The Expect value (E) indicates the number of hits one can "expect" to see over a certain number of contiguous sequences by chance when searching a database of a certain size. The Expect value is used as a significance threshold for determining whether the hit to a database indicates true similarity. For example, an E value of 0.1 assigned to a polynucleotide hit is interpreted as meaning that in a database of the size of the EMBL database, one might expect to see 0.1 matches over the aligned portion of the sequence with a similar score simply by chance. By this criterion, the aligned and matched portions of the sequences then have a probability of 90% of being the same. For sequences having an E value of 0.01 or less over aligned and matched portions, the probability of finding a match by chance in the EMBL database is 1% or less using the BLASTN algorithm. E values for polypeptide sequences may be determined in a similar fashion using various polypeptide databases, such as the SwissProt database.

According to one embodiment, "variant" polynucleotides and polypeptides, with reference to each of the polynucleotides and polypeptides of the present invention, preferably comprise sequences having the same number or fewer nucleic or amino acids than each of the polynucleotides or polypeptides of the present invention and producing
5 an E value of 0.01 or less when compared to the polynucleotide or polypeptide of the present invention. That is, a variant polynucleotide or polypeptide is any sequence that has at least a 99% probability of being the same as the polynucleotide or polypeptide of the present invention, measured as having an E value of 0.01 or less using the BLASTN or BLASTX algorithms set at the default parameters. According to a preferred
10 embodiment, a variant polynucleotide is a sequence having the same number or fewer nucleic acids than a polynucleotide of the present invention that has at least a 99% probability of being the same as the polynucleotide of the present invention, measured as having an E value of 0.01 or less using the BLASTN algorithm set at the default parameters. Similarly, according to a preferred embodiment, a variant polypeptide is a
15 sequence having the same number or fewer amino acids than a polypeptide of the present invention that has at least a 99% probability of being the same as the polypeptide of the present invention, measured as having an E value of 0.01 or less using the BLASTP algorithm set at the default parameters.

Variant polynucleotide sequences will generally hybridize to the recited
20 polynucleotide sequences under stringent conditions. As used herein, "stringent conditions" refers to prewashing in a solution of 6X SSC, 0.2% SDS; hybridizing at 65°C, 6X SSC, 0.2% SDS overnight; followed by two washes of 30 minutes each in 1X SSC, 0.1% SDS at 65 °C and two washes of 30 minutes each in 0.2X SSC, 0.1% SDS at 65 °C.

25 As used herein, the term "x-mer," with reference to a specific value of "x," refers to a polynucleotide or polypeptide, respectively, comprising at least a specified number ("x") of contiguous residues of: any of the polynucleotides provided in SEQ ID NO: 1-119, 198-274, 349-372 and 399-405; or any of the polypeptides set out in SEQ ID NO: 120-197, 275-348, 373-398 and 406-409. The value of x may be from about 20 to about
30 600, depending upon the specific sequence.

Polynucleotides of the present invention comprehend polynucleotides comprising at least a specified number of contiguous residues (x-mers) of any of the polynucleotides identified as SEQ ID NO: 1-119, 198-274, 349-372 and 399-405, or their variants. Polypeptides of the present invention comprehend polypeptides comprising at least a specified number of contiguous residues (x-mers) of any of the polypeptides identified as SEQ ID NO: 120-197, 275-348, 373-398, and 406-409. According to preferred embodiments, the value of x is at least 20, more preferably at least 40, more preferably yet at least 60, and most preferably at least 80. Thus, polynucleotides of the present invention include polynucleotides comprising a 20-mer, a 40-mer, a 60-mer, an 80-mer, a 100-mer, a 120-mer, a 150-mer, a 180-mer, a 220-mer, a 250-mer; or a 300-mer, 400-mer, 500-mer or 600-mer of a polynucleotide provided in SEQ ID NO: 1-119, 198-274, 349-372 and 399-405 or a variant of one of the polynucleotides provided in SEQ ID NO: 1-119, 198-274, 349-372, and 399-405. Polypeptides of the present invention include polypeptides comprising a 20-mer, a 40-mer, a 60-mer, an 80-mer, a 100-mer, a 120-mer, a 150-mer, a 180-mer, a 220-mer, a 250-mer; or a 300-mer, 400-mer, 500-mer or 600-mer of a polypeptide provided in SEQ ID NO: 120-197, 275-348, 373-398, and 406-409, or a variant of one of the polynucleotides provided in SEQ ID NO: 120-197, 275-348, 373-398, and 406-409.

The inventive polynucleotides may be isolated by high throughput sequencing of cDNA libraries prepared from mammalian skin cells as described below in Example 1. Alternatively, oligonucleotide probes based on the sequences provided in SEQ ID NO: 1-119, 198-274, 349-372, and 399-405 can be synthesized and used to identify positive clones in either cDNA or genomic DNA libraries from mammalian skin cells by means of hybridization or polymerase chain reaction (PCR) techniques. Probes can be shorter than the sequences provided herein but should be at least about 10, preferably at least about 15 and most preferably at least about 20 nucleotides in length. Hybridization and PCR techniques suitable for use with such oligonucleotide probes are well known in the art (see, for example, Mullis, *et al.*, *Cold Spring Harbor Symp. Quant. Biol.*, 51:263, 1987; Erlich, ed., *PCR Technology*, Stockton Press: NY, 1989; (Sambrook, J, Fritsch, EF and Maniatis, T, eds., *Molecular Cloning: A Laboratory Manual*, 2nd ed., Cold Spring

Harbor Laboratory Press, Cold Spring Harbor: New York, 1989). Positive clones may be analyzed by restriction enzyme digestion, DNA sequencing or the like.

In addition, DNA sequences of the present invention may be generated by synthetic means using techniques well known in the art. Equipment for automated
5 synthesis of oligonucleotides is commercially available from suppliers such as Perkin Elmer/Applied Biosystems Division (Foster City, California) and may be operated according to the manufacturer's instructions.

Since the polynucleotide sequences of the present invention have been derived from skin, they likely encode proteins that have important roles in growth and
10 development of skin, and in responses of skin to tissue injury and inflammation as well as disease states. Some of the polynucleotides contain sequences that code for signal sequences, or transmembrane domains, which identify the protein products as secreted molecules or receptors. Such protein products are likely to be growth factors, cytokines, or their cognate receptors. Several of the polypeptide sequences have more than 25%
15 similarity to known biologically important proteins and thus are likely to represent proteins having similar biological functions.

In particular, the inventive polypeptides have important roles in processes such as: induction of hair growth; differentiation of skin stem cells into specialized cell types; cell migration; cell proliferation and cell-cell interaction. The polypeptides are important in
20 the maintenance of tissue integrity, and thus are important in processes such as wound healing. Some of the disclosed polypeptides act as modulators of immune responses, especially since immune cells are known to infiltrate skin during tissue insult causing growth and differentiation of skin cells. In addition, many polypeptides are immunologically active, making them important therapeutic targets in a whole range of
25 disease states not only within skin, but also in other tissues of the body. Antibodies to the polypeptides of the present invention and small molecule inhibitors related to the polypeptides of the present invention may also be used for modulating immune responses and for treatment of diseases according to the present invention.

In one aspect, the present invention provides methods for using one or more of the
30 inventive polypeptides or polynucleotides to treat disorders in a patient. As used herein, a "patient" refers to any warm-blooded animal, preferably a human.

In this aspect, the polypeptide or polynucleotide is generally present within a pharmaceutical composition or a vaccine. Pharmaceutical compositions may comprise one or more polypeptides, each of which may contain one or more of the above sequences (or variants thereof), and a physiologically acceptable carrier. Vaccines may
5 comprise one or more of the above polypeptides and a non-specific immune response amplifier, such as an adjuvant or a liposome, into which the polypeptide is incorporated.

Alternatively, a vaccine or pharmaceutical composition of the present invention may contain DNA encoding one or more polypeptides as described above, such that the polypeptide is generated *in situ*. In such vaccines and pharmaceutical compositions, the
10 DNA may be present within any of a variety of delivery systems known to those of ordinary skill in the art, including nucleic acid expression systems, and bacterial and viral expression systems. Appropriate nucleic acid expression systems contain the necessary DNA sequences for expression in the patient (such as a suitable promoter and terminator signal). Bacterial delivery systems involve the administration of a bacterium (such as
15 *Bacillus-Calmette-Guerin*) that expresses an immunogenic portion of the polypeptide on its cell surface. In a preferred embodiment, the DNA may be introduced using a viral expression system (e.g., vaccinia or other poxvirus, retrovirus, or adenovirus), which may involve the use of a non-pathogenic, or defective, replication competent virus. Techniques for incorporating DNA into such expression systems are well known in the
20 art. The DNA may also be "naked," as described, for example, in Ulmer, *et al.*, *Science* 259:1745-1749, 1993 and reviewed by Cohen, *Science* 259:1691-1692, 1993. The uptake of naked DNA may be increased by coating the DNA onto biodegradable beads, which are efficiently transported into the cells.

Routes and frequency of administration, as well as dosage, will vary from
25 individual to individual. In general, the pharmaceutical compositions and vaccines may be administered by injection (e.g., intradermal, intramuscular, intravenous, or subcutaneous), intranasally (e.g., by aspiration) or orally. In general, the amount of polypeptide present in a dose (or produced *in situ* by the DNA in a dose) ranges from about 1 pg to about 100 mg per kg of host, typically from about 10 pg to about 1 mg per
30 kg of host, and preferably from about 100 pg to about 1 µg per kg of host. Suitable dose

sizes will vary with the size of the patient, but will typically range from about 0.1 ml to about 5 ml.

While any suitable carrier known to those of ordinary skill in the art may be employed in the pharmaceutical compositions of this invention, the type of carrier will vary depending on the mode of administration. For parenteral administration, such as subcutaneous injection, the carrier preferably comprises water, saline, alcohol, a lipid, a wax, or a buffer. For oral administration, any of the above carriers or a solid carrier, such as mannitol, lactose, starch, magnesium stearate, sodium saccharine, talcum, cellulose, glucose, sucrose, and magnesium carbonate, may be employed. Biodegradable microspheres (e.g., polylactic galactide) may also be employed as carriers for the pharmaceutical compositions of this invention. Suitable biodegradable microspheres are disclosed, for example, in U.S. Patent Nos. 4,897,268 and 5,075,109.

Any of a variety of adjuvants may be employed in the vaccines derived from this invention to non-specifically enhance the immune response. Most adjuvants contain a substance designed to protect the antigen from rapid catabolism, such as aluminum hydroxide or mineral oil, and a non-specific stimulator of immune responses, such as lipid A, *Bordetella pertussis*, or *M. tuberculosis*. Suitable adjuvants are commercially available as, for example, Freund's Incomplete Adjuvant and Freund's Complete Adjuvant (Difco Laboratories, Detroit, Michigan), and Merck Adjuvant 65 (Merck and Company, Inc., Rahway, New Jersey). Other suitable adjuvants include alum, biodegradable microspheres, monophosphoryl lipid A, and Quil A.

The polynucleotides of the present invention may also be used as markers for tissue, as chromosome markers or tags, in the identification of genetic disorders, and for the design of oligonucleotides for examination of expression patterns using techniques well known in the art, such as the microarray technology available from Synteni (Palo Alto, California). Partial polynucleotide sequences disclosed herein may be employed to obtain full length genes by, for example, screening of DNA expression libraries using hybridization probes or PCR primers based on the inventive sequences.

The polypeptides provided by the present invention may additionally be used in assays to determine biological activity, to raise antibodies, to isolate corresponding ligands or receptors, in assays to quantitatively determine levels of protein or cognate

corresponding ligand or receptor, as anti-inflammatory agents, and in compositions for skin, connective tissue and/or nerve tissue growth or regeneration.

Example 1

ISOLATION OF cDNA SEQUENCES FROM SKIN CELL EXPRESSION LIBRARIES

The cDNA sequences of the present invention were obtained by high-throughput sequencing of cDNA expression libraries constructed from specialized rodent or human skin cells as shown in Table 1.

Table 1

<u>Library</u>	<u>Skin cell type</u>	<u>Source</u>
DEPA	dermal papilla	rat
SKTC	keratinocytes	human
HNFF	neonatal foreskin fibroblast	human
MEMS	embryonic skin	mouse
KSCL	keratinocyte stem cell	mouse
TRAM	transit amplifying cells	mouse

These cDNA libraries were prepared as described below.

cDNA Library from Dermal Papilla (DEPA)

Dermal papilla cells from rat hair vibrissae (whiskers) were grown in culture and the total RNA extracted from these cells using established protocols. Total RNA, isolated using TRIzol Reagent (BRL Life Technologies, Gaithersburg, Maryland), was used to obtain mRNA using a Poly(A) Quik mRNA isolation kit (Stratagene, La Jolla, California), according to the manufacturer's specifications. A cDNA expression library was then prepared from the mRNA by reverse transcriptase synthesis using a Lambda ZAP cDNA library synthesis kit (Stratagene).

cDNA Library from Keratinocytes (SKTC)

Keratinocytes obtained from human neonatal foreskins (Mitra, R and Nikoloff, B in *Handbook of Keratinocyte Methods*, pp. 17-24, 1994) were grown in serum-free KSFM (BRL Life Technologies) and harvested along with differentiated cells (10^8 cells). Keratinocytes were allowed to differentiate by addition of fetal calf serum at a final

concentration of 10% to the culture medium and cells were harvested after 48 hours. Total RNA was isolated from the two cell populations using TRIzol Reagent (BRL Life Technologies) and used to obtain mRNA using a Poly(A) Quik mRNA isolation kit (Stratagene). cDNAs expressed in differentiated keratinocytes were enriched by using a
5 PCR-Select cDNA Subtraction Kit (Clontech, Palo Alto, California). Briefly, mRNA was obtained from either undifferentiated keratinocytes ("driver mRNA") or differentiated keratinocytes ("tester mRNA") and used to synthesize cDNA. The two populations of cDNA were separately digested with *RsaI* to obtain shorter, blunt-ended molecules. Two tester populations were created by ligating different adaptors at the
10 cDNA ends and two successive rounds of hybridization were performed with an excess of driver cDNA. The adaptors allowed for PCR amplification of only the differentially expressed sequences which were then ligated into T-tailed pBluescript (Hadjeb, N and Berkowitz, GA, *BioTechniques* 20:20-22 1996), allowing for a blue/white selection of cells containing vector with inserts. White cells were isolated and used to obtain plasmid
15 DNA for sequencing.

cDNA library from human neonatal fibroblasts (HNFF)

Human neonatal fibroblast cells were grown in culture from explants of human neonatal foreskin and the total RNA extracted from these cells using established protocols. Total RNA, isolated using TRIzol Reagent (BRL Life Technologies,
20 Gaithersburg, Maryland), was used to obtain mRNA using a Poly(A) Quik mRNA isolation kit (Stratagene, La Jolla, California), according to the manufacturer's specifications. A cDNA expression library was then prepared from the mRNA by reverse transcriptase synthesis using a Lambda ZAP cDNA library synthesis kit (Stratagene).

cDNA library from mouse embryonic skin (MEMS)

25 Embryonic skin was micro-dissected from day 13 post coitum Balb/c mice. Embryonic skin was washed in phosphate buffered saline and mRNA directly isolated from the tissue using the Quick Prep Micro mRNA purification kit (Pharmacia, Sweden). The mRNA was then used to prepare cDNA libraries as described above for the DEPA library.

30 cDNA library from mouse stem cells (KSCL) and transit amplifying (TRAM) cells

Pelts obtained from 1-2 day post-partum neonatal Balb/c mice were washed and

incubated in trypsin (BRL Life Technologies) to separate the epidermis from the dermis. Epidermal tissue was disrupted to disperse cells, which were then resuspended in growth medium and centrifuged over Percoll density gradients prepared according to the manufacturer's protocol (Pharmacia, Sweden). Pelleted cells were labeled using Rhodamine 123 (Bertoncello I, Hodgson GS and Bradley TR, *Exp Hematol.* 13:999-1006, 1985), and analyzed by flow cytometry (Epics Elite Coulter Cytometry, Hialeah, Florida). Single cell suspensions of rhodamine-labeled murine keratinocytes were then labeled with a cross reactive anti-rat CD29 biotin monoclonal antibody (Pharmingen, San Diego, California; clone Ha2/5). Cells were washed and incubated with anti-mouse CD45 phycoerythrin conjugated monoclonal antibody (Pharmingen; clone 30F11.1, 10ug/ml) followed by labeling with streptavidin spectral red (Southern Biotechnology, Birmingham, Alabama). Sort gates were defined using listmode data to identify four populations: CD29 bright rhodamine dull CD45 negative cells; CD29 bright rhodamine bright CD45 negative cells; CD29 dull rhodamine bright CD45 negative cells; and CD29 dull rhodamine dull CD45 negative cells. Cells were sorted, pelleted and snap frozen prior to storage at -80°C. This protocol was followed multiple times to obtain sufficient cell numbers of each population to prepare cDNA libraries. Skin stem cells and transit amplifying cells are known to express CD29, the integrin $\beta 1$ chain. CD45, a leucocyte specific antigen, was used as a marker for cells to be excluded in the isolation of skin stem cells and transit amplifying cells. Keratinocyte stem cells expel the rhodamine dye more efficiently than transit amplifying cells. The CD29 bright, rhodamine dull, CD45 negative population (putative keratinocyte stem cells; referred to as KSCL), and the CD29 bright, rhodamine bright, CD45 negative population (keratinocyte transit amplifying cells; referred to as TRAM) were sorted and mRNA was directly isolated from each cell population using the Quick Prep Micro mRNA purification kit (Pharmacia, Sweden). The mRNA was then used to prepare cDNA libraries as described above for the DEPA library.

cDNA sequences were obtained by high-throughput sequencing of the cDNA libraries described above using a Perkin Elmer/Applied Biosystems Division Prism 377 sequencer.

Example 2

CHARACTERIZATION OF ISOLATED cDNA SEQUENCES

The isolated cDNA sequences were compared to sequences in the EMBL DNA database using the computer algorithms FASTA and/or BLASTN. The corresponding
5 predicted protein sequences (DNA translated to protein in each of 6 reading frames) were compared to sequences in the SwissProt database using the computer algorithms FASTX and/or BLASTP. Comparisons of DNA sequences provided in SEQ ID NO: 1-119 to sequences in the EMBL DNA database (using FASTA) and amino acid sequences provided in SEQ ID NO: 120-197 to sequences in the SwissProt database (using FASTX)
10 were made as of March 21, 1998. Comparisons of DNA sequences provided in SEQ ID NO: 198-274 to sequences in the EMBL DNA database (using BLASTN) and amino acid sequences provided in SEQ ID NO: 275-348 to sequences in the SwissProt database (using BLASTP) were made as of October 7, 1998. Comparisons of DNA sequences provided in SEQ ID NO: 349-372 to sequences in the EMBL DNA database (using
15 BLASTN) and amino acid sequences provided in SEQ ID NO: 373-398 to sequences in the SwissProt database (using BLASTP) were made as of January 23, 1999.

Isolated cDNA sequences and their corresponding predicted protein sequences were computer analyzed for the presence of signal sequences identifying secreted molecules. Isolated cDNA sequences that have a signal sequence at a putative start site
20 within the sequence are provided in SEQ ID NO: 1-44, 198-238, 349-358, and 399. The cDNA sequences of SEQ ID NO: 1-6, 198-199, 349-352, 354, and 356-358 were determined to have less than 75% identity (determined as described above), to sequences in the EMBL database using the computer algorithms FASTA or BLASTN, as described above. The predicted amino acid sequences of SEQ ID NO: 120-125, 275-276, 373-380,
25 and 382 were determined to have less than 75% identity (determined as described above) to sequences in the SwissProt database using the computer algorithms FASTX or BLASTP, as described above.

Further sequencing of the some of the isolated partial cDNA sequences resulted in the isolation of the full-length cDNA sequences provided in SEQ ID NO: 7-14, 200-231,
30 and 372. The corresponding predicted amino acid sequences are provided in SEQ ID NO: 126-133, 277-308, and 396, respectively. Comparison of the full length cDNA

sequences with those in the EMBL database using the computer algorithm FASTA or BLASTN, as described above, revealed less than 75% identity (determined as described above) to known sequences. Comparison of the predicted amino acid sequences provided in SEQ ID NO: 126-133 and 277-308 with those in the SwissProt database using the
5 computer algorithms FASTX or BLASTP, as described above, revealed less than 75% identity (determined as described above) to known sequences.

Comparison of the predicted amino acid sequences corresponding to the cDNA sequences of SEQ ID NO: 15-23 with those in the EMBL using the computer algorithm FASTA database showed less than 75% identity (determined as described above) to
10 known sequences. These predicted amino acid sequences are provided in SEQ ID NO: 134-142.

Further sequencing of some of the isolated partial cDNA sequences resulted in the isolation of full-length cDNA sequences provided in SEQ ID NO: 24-44 and 232-238. The corresponding predicted amino acid sequences are provided in SEQ ID NO: 143-163
15 and 309-315, respectively. These amino acid sequences were determined to have less than 75% identity, determined as described above to known sequences in the SwissProt database using the computer algorithm FASTX.

Isolated cDNA sequences having less than 75% identity to known expressed sequence tags (ESTs) or to other DNA sequences in the public database, or whose
20 corresponding predicted protein sequence showed less than 75% identity to known protein sequences, were computer analyzed for the presence of transmembrane domains coding for putative membrane-bound molecules. Isolated cDNA sequences that have either one or more transmembrane domain(s) within the sequence are provided in SEQ ID NO: 45-63, 239-253, 359-364, 400-402. The cDNA sequences of SEQ ID NO: 45-48,
25 239-249, 359-361, and 363 were found to have less than 75% identity (determined as described above) to sequences in the EMBL database, using the FASTA or BLASTN computer algorithms. Their predicted amino acid sequences provided in SEQ ID NO: 164-167, 316-326, 383, 385-388 and 407-408 were found to have less than 75% identity, determined as described above, to sequences in the SwissProt database using the FASTX
30 or BLASTP database.

Comparison of the predicted amino acid sequences corresponding to the cDNA sequences of SEQ ID NO: 49-63 and 250-253 with those in the SwissProt database showed less than 75% identity (determined as described above) to known sequences. These predicted amino acid sequences are provided in SEQ ID NO: 168-182 and 327-330.

Using automated search programs to screen against sequences coding for molecules reported to be of therapeutic and/or diagnostic use, some of the cDNA sequences isolated as described above in Example 1 were determined to encode predicted protein sequences that appear to be family members of known protein families. A family member is here defined to have at least 25% identity in the translated polypeptide to a known protein or member of a protein family. These cDNA sequences are provided in SEQ ID NO: 64-76, 254-264, 365-369, and 403, with the corresponding predicted amino acid sequences being provided in SEQ ID NO: 183-195, 331-341, 389-393 and 409, respectively. The cDNA sequences of SEQ ID NO: 64-68, 254-264, and 365-369 show less than 75% identity (determined as described above) to sequences in the EMBL database using the FASTA or BLASTN computer algorithms. Similarly, the amino acid sequences of SEQ ID NO: 183-195, 331-341, and 389-393 show less than 75% identity to sequences in the SwissProt database.

The likely utility for each of the proteins encoded by the DNA sequences of SEQ ID NO: 64-76, 254-264, 365-369, and 403, based on similarity to known proteins, is provided below:

Table 2
FUNCTIONS OF NOVEL PROTEINS

P/N SEQ ID NO:	A/A SEQ. ID NO.	SIMILARITY TO KNOWN PROTEINS
64 372	183 396	Slit, a secreted molecule required for central nervous system development
65	184	Immunoglobulin receptor family. About 40% of leucocyte membrane polypeptides contain immunoglobulin superfamily domains
66 403	185 409	RIP protein kinase, a serine/threonine kinase that contains a death domain to mediate apoptosis
67	186	Extracellular protein with epidermal growth factor domain capable of stimulating fibroblast proliferation
68	187	Transforming growth factor alpha, a protein which binds epidermal growth factor receptor and stimulates growth and mobility of keratinocytes
69	188	DRS protein which has a secretion signal component and whose expression is suppressed in cells transformed by oncogenes
70	189	A33 receptor with immunoglobulin-like domains and is expressed in greater than 95% of colon tumors
71	190	Interleukin-12 alpha subunit, component of a cytokine that is important in the immune defense against intracellular pathogens. IL-12 also stimulates proliferation and differentiation of TH1 subset of lymphocytes
72	191	Tumor Necrosis Factor receptor family of proteins that are involved in the proliferation, differentiation and death of many cell types including B and T lymphocytes.
73	192	Epidermal growth factor family proteins which stimulate growth and mobility of keratinocytes and epithelial cells. EGF is involved in wound healing. It also inhibits gastric acid secretion.
74	193	Fibronectin Type III receptor family. The fibronectin III domains are found on the extracellular regions of cytokine receptors
75	194	Serine/threonine kinases (STK2_HUMAN) which participate in cell cycle progression and signal transduction
76	195	Immunoglobulin receptor family
254	331	Receptor with immunoglobulin-like domains and homology to A33 receptor which is expressed in greater than 95% of colon tumors
255	332	Epidermal growth factor family proteins which stimulate growth and mobility of keratinocytes and epithelial cells. EGF is involved in wound healing. It also inhibits gastric acid secretion.

P/N SEQ ID NO:	A/A SEQ. ID NO.	SIMILARITY TO KNOWN PROTEINS
256	333	Serine/threonine kinases (STK2_HUMAN) which participate in cell cycle progression and signal transduction
257	334	Contains protein kinase and ankyrin domains. Possible role in cellular growth and differentiation.
258	335	Notch family proteins which are receptors involved in cellular differentiation.
259	336	Extracellular protein with epidermal growth factor domain capable of stimulating fibroblast proliferation.
260	337	Fibronectin Type III receptor family. The fibronectin III domains are found on the extracellular regions of cytokine receptors.
261	338	Immunoglobulin receptor family
262	339	ADP/ATP transporter family member containing a calcium binding site.
263	340	Mouse CXC chemokine family members are regulators of epithelial, lymphoid, myeloid, stromal and neuronal cell migration and cancers, agents for the healing of cancers, neuro-degenerative diseases, wound healing, inflammatory autoimmune diseases like psoriasis, asthma, Crohns disease and as agents for the prevention of HIV-1 of leukocytes
264	341	Nucleotide-sugar transporter family member.
365	389	Transforming growth factor betas (TGF-betas) are secreted covalently linked to latent TGF-beta-binding proteins (LTBPs). LTBPs are deposited in the extracellular matrix and play a role in cell growth or differentiation.
366	390	Integrins are Type I membrane proteins that function as laminin and collagen receptors and play a role in cell adhesion.
367	391	Integrins are Type I membrane proteins that function as laminin and collagen receptors and play a role in cell adhesion.
368	392	Cell wall protein precursor. Are involved in cellular growth or differentiation.
369	393	HT protein is a secreted glycoprotein with an EGF-like domain. It functions as a modulator of cell growth, death or differentiation.

These isolated sequences thus encode proteins that influence the growth, differentiation and activation of several cell types. They may usefully be developed as

agents for the treatment and diagnosis of skin wounds, cancers, growth and developmental defects, and inflammatory disease.

The polynucleotide sequences of SEQ ID NO: 77-117, 265-267, and 404-405 are differentially expressed in either keratinocyte stem cells (KSCL) or in transit amplified cells (TRAM) on the basis of the number of times these sequences exclusively appear in either one of the above two libraries; more than 9 times in one and none in the other (Audic S. and Claverie J-M, *Genome Research*, 7:986-995, 1997). The sequences of SEQ ID NO: 77-89, 265-267, and 365-369 were determined to have less than 75% identity to sequences in the EMBL and SwissProt databases using the computer algorithm FASTA or BLASTN, as described above. The proteins encoded by these polynucleotide sequences have utility as markers for identification and isolation of these cell types, and antibodies against these proteins may be usefully employed in the isolation and enrichment of these cells from complex mixtures of cells. Isolated polynucleotides and their corresponding proteins exclusive to the stem cell population can be used as drug targets to cause alterations in regulation of growth and differentiation of skin cells, or in gene targeting to transport specific therapeutic molecules to skin stem cells.

Example 3

ISOLATION AND CHARACTERIZATION OF THE HUMAN HOMOLOG OF MU TRI

The human homolog of muTRI (SEQ ID NO: 68), obtained as described above in Example 1, was isolated by screening 50,000 pfu's of an oligo dT primed HeLa cell cDNA library. Plaque lifts, hybridization, and screening were performed using standard molecular biology techniques (Sambrook, J, Fritsch, EF and Maniatis, T, eds., *Molecular Cloning: A Laboratory Manual*, 2nd ed., Cold Spring Harbor Laboratory Press, Cold Spring Harbor: New York, 1989). The determined cDNA sequence of the isolated human homolog (huTRI) is provided in SEQ ID NO: 118, with the corresponding predicted amino acid sequence being provided in SEQ ID NO: 196. The library was screened using an [α 32 P]-dCTP labeled double stranded cDNA probe corresponding to nucleotides 1 to 459 of the coding region within SEQ ID NO: 118.

The polypeptide sequence of huTRI has regions similar to Transforming Growth Factor-alpha, indicating that this protein functions like an epidermal growth factor (EGF).

This EGF-like protein will serve to stimulate keratinocyte growth and motility, and to inhibit the growth of epithelial-derived cancer cells. This novel gene and its encoded protein may thus be used as agents for the healing of wounds and regulators of epithelial-derived cancers.

5 Analysis of RNA transcripts by Northern Blotting

Northern analysis to determine the size and distribution of mRNA for huTR1 was performed by probing human tissue mRNA blots (Clontech) with a probe comprising nucleotides 93-673 of SEQ ID NO: 118, radioactively labeled with [$\alpha^{32}\text{P}$]-dCTP.

- 10 Prehybridization, hybridization, washing and probe labeling were performed as described in Sambrook, *et al.*, *Ibid.* mRNA for huTR1 was 3.5-4kb in size and was observed to be most abundant in heart and placenta, with expression at lower levels being observed in spleen, thymus prostate and ovary (Fig. 1).

- The high abundance of mRNA for huTR1 in the heart and placenta indicates a role for huTR1 in the formation or maintenance of blood vessels, as heart and placental tissues have an increased abundance of blood vessels, and therefore endothelial cells, compared to other tissues in the body. This, in turn, demonstrates a role for huTR1 in angiogenesis and vascularization of tumors. This is supported by the ability of Transforming Growth Factor- α and EGF to induce *de novo* development of blood vessels (Schreiber, *et al.*, *Science* 232:1250-1253, 1986) and stimulate DNA synthesis in endothelial cells (Schreiber, *et al.*, *Science* 232:1250-1253, 1986), and their over-expression in a variety of human tumors.

Purification of muTR1 and huTR1

- Polynucleotides 177-329 of muTR1 (SEQ ID NO: 268), encoding amino acids 53-103 of muTR1 (SEQ ID NO: 342), and polynucleotides 208-360 of huTR1 (SEQ ID NO: 269), encoding amino acids 54-104 of huTR1 (SEQ ID NO: 343), were cloned into the bacterial expression vector pProEX HT (BRL Life Technologies), which contains a bacterial leader sequence and N-terminal 6xHistidine tag. These constructs were transformed into competent XL1-Blue *E. coli* as described in Sambrook *et al.*, *Ibid.*

- 30 Starter cultures of these recombinant XL1-Blue *E. coli* were grown overnight at 37°C in Terrific broth containing 100 $\mu\text{g/ml}$ ampicillin. This culture was spun down and

used to inoculate 500 ml culture of Terrific broth containing 100 µg/ml ampicillin. Cultures were grown until the OD₅₉₅ of the cells was between 0.4 and 0.8, whereupon IPTG was added to 1 mM. Cells were induced overnight and bacteria were harvested by centrifugation.

Both the polypeptide of muTR1 (SEQ ID NO: 342; referred to as muTR1a) and that of huTR1 (SEQ ID NO: 343; referred to as huTR1a) were expressed in insoluble inclusion bodies. In order to purify the polypeptides muTR1a and huTR1a, bacterial cell pellets were re-suspended in lysis buffer (20 mM Tris-HCl pH 8.0, 10 mM beta mercaptoethanol, 1 mM PMSF). To the lysed cells, 1% NP40 was added and the mix incubated on ice for 10 minutes. Lysates were further disrupted by sonication on ice at 95W for 4 x 15 seconds and then centrifuged for 15 minutes at 14,000 rpm to pellet the inclusion bodies.

The resulting pellet was re-suspended in lysis buffer containing 0.5% w/v CHAPS and sonicated on ice for 5-10 seconds. This mix was stored on ice for 1 hour, centrifuged at 14,000 rpm for 15 minutes at 4 °C and the supernatant discarded. The pellet was once more re-suspended in lysis buffer containing 0.5% w/v CHAPS, sonicated, centrifuged and the supernatant removed as before. The pellet was re-suspended in solubilizing buffer (6 M Guanidine HCl, 0.5 M NaCl, 20 mM Tris HCl, pH 8.0), sonicated at 95 W for 4 x 15 seconds and then centrifuged for 20 minutes at 14,000 rpm and 4 °C to remove debris. The supernatant was stored at 4 °C until use.

Polypeptides muTR1a and huTR1a were purified by virtue of the N-terminal 6x Histidine tag contained within the bacterial leader sequence, using a Nickel-Chelating Sepharose column (Amersham Pharmacia, Uppsala, Sweden) and following the manufacturer's recommended protocol. In order to refold the proteins once purified, the protein solution was added to 5x its volume of refolding buffer (1 mM EDTA, 1.25 mM reduced glutathione, 0.25 mM oxidised glutathione, 20 mM Tris-HCl, pH 8.0) over a period of 1 hour at 4 °C. The refolding buffer was stirred rapidly during this time, and stirring continued at 4 °C overnight. The refolded proteins were then concentrated by ultrafiltration using standard protocols.

Biological Activities of Polypeptides muTR1a and huTR1a

muTR1 and huTR1 are novel members of the EGF family, which includes EGF, TGF α , epiregulin and others. These growth factors are known to act as ligands for the EGF receptor. The pathway of EGF receptor activation is well documented. Upon binding of a ligand to the EGF receptor, a cascade of events follows, including the phosphorylation of proteins known as MAP kinases. The phosphorylation of MAP kinase can thus be used as a marker of EGF receptor activation. Monoclonal antibodies exist which recognize the phosphorylated forms of 2 MAP kinase proteins – ERK1 and ERK2.

In order to examine whether purified polypeptides of muTR1a and huTR1a act as a ligand for the EGF receptor, cells from the human epidermal carcinoma cell line A431 (American Type Culture Collection, No. CRL-1555, Manassas, Virginia) were seeded into 6 well plates, serum starved for 24 hours, and then stimulated with purified muTR1a or huTR1a for 5 minutes in serum free conditions. As a positive control, cells were stimulated in the same way with 10 to 100 ng/ml TGF- α or EGF. As a negative control, cells were stimulated with PBS containing varying amounts of LPS. Cells were immediately lysed and protein concentration of the lysates estimated by Bradford assay. 15 μ g of protein from each sample was loaded onto 12% SDS-PAGE gels. The proteins were then transferred to PVDF membrane using standard techniques.

For Western blotting, membranes were incubated in blocking buffer (10mM Tris-HCl, pH 7.6, 100 mM NaCl, 0.1% Tween-20, 5% non-fat milk) for 1 hour at room temperature. Rabbit anti-Active MAP kinase pAb (Promega, Madison, Wisconsin) was added to 50 ng/ml in blocking buffer and incubated overnight at 4 °C. Membranes were washed for 30 mins in blocking buffer minus non-fat milk before being incubated with anti rabbit IgG-HRP antibody, at a 1:3500 dilution in blocking buffer, for 1 hour at room temperature. Membranes were washed for 30 minutes in blocking buffer minus non-fat milk, then once for 5 minutes in blocking buffer minus non-fat milk and 0.1% Tween-20. Membranes were then exposed to ECL reagents for 2 min, and then autoradiographed for 5 to 30 min.

As shown in Fig. 2, both muTR1a and huTR1a were found to induce the phosphorylation of ERK1 and ERK2 over background levels, indicating that muTR1 and

huTR1 act as ligands for a cell surface receptor that activates the MAP kinase signaling pathway, possibly the EGF receptor. As shown in Fig. 11, huTR1a was also demonstrated to induce the phosphorylation of ERK1 and ERK2 in CV1/EBNA kidney epithelial cells in culture, as compared with the negative control. These assays were
5 conducted as described above. This indicates that huTR1a acts as a ligand for a cell surface receptor that activates the MAP kinase signaling pathway, possibly the EGF receptor in HeLa and CV1/EBNA cells.

The ability of muTR1a to stimulate the growth of neonatal foreskin (NF) keratinocytes was determined as follows. NF keratinocytes derived from surgical
10 discards were cultured in KSFM (BRL Life Technologies) supplemented with bovine pituitary extract (BPE) and epidermal growth factor (EGF). The assay was performed in 96 well flat-bottomed plates in 0.1 ml unsupplemented KSFM. MuTR1a, human transforming growth factor alpha (huTGF α) or PBS-BSA was titrated into the plates and 1×10^3 NF keratinocytes were added to each well. The plates were incubated for 5 days
15 in an atmosphere of 5% CO $_2$ at 37°C. The degree of cell growth was determined by MTT dye reduction as described previously (*J. Imm. Meth.* 93:157-165, 1986). As shown in Fig. 3, both muTR1a and the positive control human TGF α stimulated the growth of NF keratinocytes, whereas the negative control, PBS-BSA, did not.

The ability of muTR1a and huTR1a to stimulate the growth of a transformed
20 human keratinocyte cell line, HaCaT, was determined as follows. The assay was performed in 96 well flat-bottomed plates in 0.1 ml DMEM (BRL Life Technologies) supplemented with 0.2% FCS. MuTR1a, huTR1a and PBS-BSA were titrated into the plates and 1×10^3 HaCaT cells were added to each well. The plates were incubated for 5 days in an atmosphere containing 10% CO $_2$ at 37°C. The degree of cell growth was
25 determined by MTT dye reduction as described previously (*J. Imm. Meth.* 93:157-165, 1986). As shown in Fig. 4, both muTR1a and huTR1a stimulated the growth of HaCaT cells, whereas the negative control PBS-BSA did not.

The ability of muTR1a and huTR1a to inhibit the growth of A431 cells was determined as follows. Polypeptides muTR1a (SEQ ID NO: 342) and huTR1a (SEQ ID
30 NO: 343) and PBS-BSA were titrated as described previously (*J. Cell. Biol.* 93:1-4, 1982) and cell death determined using the MTT dye reduction as described previously

(*J. Imm. Meth.* 93:157-165, 1986). Both muTR1a and huTR1a were found to inhibit the growth of A431 cells, whereas the negative control PBS-BSA did not (Fig. 5).

These results indicate that muTR1 and huTR1 stimulate keratinocyte growth and motility, inhibit the growth of epithelial-derived cancer cells, and play a role in angiogenesis and vascularization of tumors. This novel gene and its encoded protein may thus be developed as agents for the healing of wounds, angiogenesis and regulators of epithelial-derived cancers.

Upregulation of huTR1 and mRNA expression

HeLa cells (human cervical adenocarcinoma) were seeded in 10 cm dishes at a concentration of 1×10^6 cells per dish. After incubation overnight, media was removed and replaced with media containing 100 ng/ml of muTR1, huTR1, huTGF α , or PBS as a negative control. After 18 hours, media was removed and the cells lysed in 2 ml of TRIzol reagent (Gibco BRL Life Technologies, Gaithersburg, Maryland). Total RNA was isolated according to the manufacturer's instructions. To identify mRNA levels of huTR1 from the cDNA samples, 1 μ l of cDNA was used in a standard PCR reaction. After cycling for 30 cycles, 5 μ l of each PCR reaction was removed and separated on a 1.5% agarose gel. Bands were visualized by ethidium bromide staining. As can be seen from Fig. 12, both mouse and human TR1 up-regulate the mRNA levels of huTR1 as compared with cells stimulated with the negative control of PBS. Furthermore, TGF α can also up-regulate the mRNA levels of huTR1.

These results indicate that TR1 is able to sustain its own mRNA expression and subsequent protein expression, and thus is expected to be able to contribute to the progression of diseases such as psoriasis where high levels of cytokine expression are involved in the pathology of the disease. Furthermore, since TGF α can up-regulate the expression of huTR1, the up-regulation of TR1 mRNA may be critical to the mode of action of TGF α .

Serum response element reporter gene assay

The serum response element (SRE) is a promoter element required for the regulation of many cellular immediate-early genes by growth. Studies have demonstrated that the activity of the SRE can be regulated by the MAP kinase signaling pathway. Two cell lines, PC12 (rat pheochromocytoma – neural tumor) and HaCaT (human transformed

keratinocytes), containing eight SRE upstream of an SV40 promoter and luciferase reporter gene were developed in-house. 5×10^3 cells were aliquoted per well of 96 well plate and grown for 24 hours in their respective media. HaCaT SRE cells were grown in 5% fetal bovine serum (FBS) in D-MEM supplemented with 2mM L-glutamine (Sigma, St. Louis, Missouri), 1mM sodium pyruvate (BRL Life Technologies), 0.77mM L-asparagine (Sigma), 0.2mM arginine (Sigma), 160mM penicillin G (Sigma), 70mM dihydrostreptomycin (Roche Molecular Biochemicals, Basel, Switzerland), and 0.5 mg/ml geneticin (BRL Life Technologies). PC12 SRE cells were grown in 5% fetal bovine serum in Ham F12 media supplemented with 0.4 mg/ml geneticin (BRL Life Technologies). Media was then changed to 0.1% FBS and incubated for a further 24 hours. Cells were then stimulated with a titration of TR1 from 1 μ g/ml. A single dose of basic fibroblast growth factor at 100 ng/ml (R&D Systems, Minneapolis, Minnesota) or epidermal growth factor at 10 ng/ml (BRL Life Technologies) was used as a positive control. Cells were incubated in the presence of muTR1 or positive control for 6 hours, washed twice in PBS and lysed with 40 μ l of lysis buffer (Promega). 10 μ l was transferred to a 96 well plate and 10 μ l of luciferase substrate (Promega) added by direct injection into each well by a Victor² fluorimeter (Wallac), the plate was shaken and the luminescence for each well read at 3x1 sec Intervals. Fold induction of SRE was calculated using the following equation: Fold induction of SRE = Mean relative luminescence of agonist/Mean relative luminescence of negative control.

As shown in Fig. 13, muTR1 activates the SRE in both PC-12 (Fig. 13a) and HaCaT (Fig. 13b) cells. This indicates that HaCaT and PC-12 cells are able to respond to muTR1 protein and elicit a response. In the case of HaCaT cells, this is a growth response. In the case of PC-12 cells, this may be a growth, a growth inhibition, differentiation, or migration response. Thus, TR1 may be important in the development of neural cells or their differentiation into specific neural subsets. TR1 may also be important in the development and progression of neural tumors.

Inhibition by the EGF receptor assay

The HaCaT growth assay was conducted as previously described, except that modifications were made as follows. Concurrently with the addition of EGF and TR1 to the media, anti-EGF Receptor (EGFR) antibody (Promega, Madison, Wisconsin) or

negative control antibody, mouse IgG (PharMingen, San Diego, California), were added at a concentration of 62.5 ng/ml.

As seen in Fig. 14, an antibody which blocks the function of the EGFR inhibits the mitogenicity of TR1 on HaCaT cells. This indicates that the EGFR is crucial for transmission of the TR1 mitogenic signal on HaCaT cells. TR1 may bind directly to the EGF receptor. TR1 may also bind to any other members of the EGFR family – ErbB-2, -3, and/or -4 – that are capable of heterodimerizing with the EGFR.

Sequence of splice variant of huTR1, huTR1 β

A variant of huTR1 was isolated from the same library as huTR1 (SEQ ID NO: 118), following the same protocols. This sequence is a splice variant of huTR1 and consists of the ORF of huTR1 minus amino acids 87 to 137. This has the effect of deleting the third cysteine residue of the EGF motif and the transmembrane domain. However, cysteine residue 147 (huTR1 ORF numbering) may replace the deleted cysteine and thus the disulphide bridges are likely not affected. Therefore, huTR1 β is a secreted form of huTR1. It functions as an agonist or an antagonist to huTR1 or other EGF family members, including EGF and TGF α . The determined nucleotide sequence of the splice variant of TR1, referred to as huTR1 β , is given in SEQ ID NO: 371 and the corresponding predicted amino acid sequence is SEQ ID NO: 395.

Example 4

IDENTIFICATION, ISOLATION AND CHARACTERIZATION OF DP3

A partial cDNA fragment, referred to as DP3, was identified by differential display RT-PCR (modified from Liang P and Pardee AB, *Science* 257:967-971, 1992) using mRNA from cultured rat dermal papilla and footpad fibroblast cells, isolated by standard cell biology techniques. This double stranded cDNA was labeled with [α^{32} P]-dCTP and used to identify a full length DP3 clone by screening 400,000 pfu's of an oligo dT-primed rat dermal papilla cDNA library. The determined full-length cDNA sequence for DP3 is provided in SEQ ID NO: 119, with the corresponding amino acid sequence being provided in SEQ ID NO: 197. Plaque lifts, hybridization and screening were performed using standard molecular biology techniques.

Example 5ISOLATION AND CHARACTERIZATION OF THE
HUMAN HOMOLOG OF muKS15 Analysis of RNA transcripts by Northern Blotting

Northern analysis to determine the size and distribution of mRNA for muKS1 (SEQ ID NO: 263) was performed by probing murine tissue mRNA blots with a probe consisting of nucleotides 268-499 of muKS1, radioactively labeled with [α^{32} P]-dCTP. Prehybridization, hybridization, washing, and probe labeling were performed as described in Sambrook, *et al.*, *Ibid.* mRNA for muKS1 was 1.6 kb in size and was observed to be most abundant in brain, lung, muscle, and heart. Expression could also be detected in lower intestine, skin, and kidney. No detectable signal was found in testis, spleen, liver, thymus, stomach.

Human homologue of muKS1

15 MuKS1 (SEQ ID NO: 263) was used to search the EMBL database (Release 50, plus updates to June, 1998) to identify human EST homologues. The top three homologies were to the following ESTs: accession numbers AA643952, HS1301003 and AA865643. These showed 92.63% identity over 285 nucleotides, 93.64% over 283 nucleotides and 94.035% over 285 nucleotides, respectively. Frame shifts were identified in AA643952 and HS1301003 when translated. Combination of all three ESTs identified 20 huKS1 (SEQ ID NO: 270) and translated polypeptide SEQ ID NO: 344. Alignment of muKS1 and huKS1 polypeptides indicated 95% identity over 96 amino acids.

Bacterial expression and purification of muKS1 and huKS1

Polynucleotides 269-502 of muKS1 (SEQ ID NO: 271), encoding amino acids 25 23-99 of polypeptide muKS1 (SEQ ID NO: 345), and polynucleotides 55-288 of huKS1 (SEQ ID NO: 272), encoding amino acids 19-95 of polypeptide huKS1 (SEQ ID NO: 346), were cloned into the bacterial expression vector pET-16b (Novagen, Madison, Wisconsin), which contains a bacterial leader sequence and N-terminal 6xHistidine tag. These constructs were transformed into competent XL1-Blue *E. coli* as described in 30 Sambrook *et al.*, *Ibid.*

Starter cultures of recombinant BL 21 (DE3) *E. coli* (Novagen) containing SEQ ID NO: 271 (muKS1a) and SEQ ID NO: 272 (huKS1a) were grown in NZY broth containing 100 µg/ml ampicillin (Gibco-BRL Life Technologies) at 37°C. Cultures were spun down and used to inoculate 800 ml of NZY broth and 100 µg/ml ampicillin.

5 Cultures were grown until the OD₅₉₅ of the cells was between 0.4 and 0.8. Bacterial expression was induced for 3 hours with 1 mM IPTG. Bacterial expression produced an induced band of approximately 15kDa for muKS1a and huKS1a.

MuKS1a and huKS1a were expressed in insoluble inclusion bodies. In order to purify the polypeptides, bacterial cell pellets were re-suspended in lysis buffer (20 mM Tris-HCl pH 8.0, 10 mM βMercaptoethanol, 1 mM PMSF). To the lysed cells, 1% NP-40 was added and the mix incubated on ice for 10 minutes. Lysates were further disrupted by sonication on ice at 95 W for 4 x 15 seconds and then centrifuged for 10 minutes at 18,000 rpm to pellet the inclusion bodies.

10

The pellet containing the inclusion bodies was re-suspended in lysis buffer containing 0.5% w/v CHAPS and sonicated for 5-10 seconds. This mix was stored on ice for 1 hour, centrifuged at 14000 rpm for 15 minutes at 4°C and the supernatant discarded. The pellet was once more re-suspended in lysis buffer containing 0.5% w/v CHAPS, sonicated, centrifuged, and the supernatant removed as before. The pellet was re-suspended in solubilizing buffer (6 M guanidine HCl, 0.5 M NaCl, 20 mM Tris-HCl pH 8.0), sonicated at 95W for 4 x 15 seconds and centrifuged for 10 minutes at 18000 rpm and 4°C to remove debris. The supernatant was stored at 4°C. MuKS1a and huKS1a were purified by virtue of the N-terminal 6x histidine tag contained within the bacterial leader sequence, using a Nickel-Chelating sepharose column (Amersham Pharmacia, Uppsala, Sweden) and following the manufacturer's protocol. Proteins were purified

15

20

twice over the column to reduce endotoxin contamination. In order to re-fold the proteins once purified, the protein solution was dialysed in a 4 M-2 M urea gradient in 20 mM tris-HCl pH 7.5 + 10% glycerol overnight at 4°C. The protein was then further dialysed 2x against 2 litres of 20 mM Tris-HCl pH 7.5 + 10% glycerol.

Peptide sequencing of muKS1 and huKS1

30 Bacterially expressed muKS1 and huKS1 were separated on polyacrylamide gels and induced bands of 15 kDa were identified. The predicted size of muKS1 is 9.4 kDa.

To obtain the amino acid sequence of the 15 kDa bands, 20 µg recombinant muKS1 and huSK1 was resolved by SDS-PAGE and electroblotted onto Immobilon PVDF membrane (Millipore, Bedford, Massachusetts). Internal amino acid sequencing was performed on tryptic peptides of muKS1 and huKS1 by the Protein Sequencing Unit at the University of Auckland, New Zealand.

The determined amino acid sequences for muKS1 and huKS1 are given in SEQ ID NOS: 397 and 398, respectively. These amino acid sequences confirmed that the determined sequences are identical to that predicted from the cDNA sequences. The size discrepancy has previously been reported for other chemokines (Richmond A, Balentien E, Thomas HG, Flaggs G, Barton DE, Spiess J, Bordoni R, Francke U, Derynck R, "Molecular characterization and chromosomal mapping of melanoma growth stimulatory activity, a growth factor structurally related to beta-thromboglobulin." *EMBO J.* 7:2025-2033, 1988; Liao F, Rabin RL, Yannelli JR, Koniari LG, Vanguri P, Farber JM, "Human Nig chemokine: biochemical and functional characterization," *J. Exp. Med.* 182:1301-1314, 1995). The isoelectric focusing point of these proteins was predicted to be 10.26 using DNASIS (HITACHI Software Engineering, San Francisco, California).

Oxidative burst assay

Oxidative burst assays were used to determine responding cell types. 1 x 10⁷ PBMC cells were resuspended in 5 ml HBSS, 20mM HEPES, 0.5% BSA and incubated for 30 minutes at 37°C with 5 µl 5 mM dichloro-dihydrofluorescein diacetate (H₂DCFDA, Molecular Probes, Eugene, Oregon). 2 x 10⁵ H₂DCFDA-labeled cells were loaded in each well of a flat-bottomed 96 well plate. 10 µl of each agonist was added simultaneously into the well of the flat-bottomed plate to give final concentrations of 100 ng/ml (fMLP was used at 10 µM). The plate was then read on a Victor² 1420 multilabel counter (Wallac, Turku, Finland) with a 485 nm excitation wavelength and 535 nm emission wavelength. Relative fluorescence was measured at 5 minute intervals over 60 minutes.

A pronounced respiratory burst was identified in PBMC with a 2.5 fold difference between control treated cells (TR1) and cells treated with 100 ng/ml muKS1 (Fig. 8).

Human stromal derived factor-1 α (SDF1 α) (100 ng/ml) and 10 μ M formyl-Met-Leu-Phe (fMLP) were used as positive controls.

Chemotaxis assay

Cell migration in response to muKS1 was tested using a 48 well Boyden's chamber (Neuro Probe Inc., Cabin John, Maryland) as described in the manufacturer's protocol. In brief, agonists were diluted in HBSS, 20mM HEPES, 0.5% BSA and added to the bottom wells of the chemotactic chamber. THP-1 cells were re-suspended in the same buffer at 3×10^5 cells per 50 μ l. Top and bottom wells were separated by a PVP-free polycarbonate filter with a 5 μ m pore size for monocytes or 3 μ m pore size for lymphocytes. Cells were added to the top well and the chamber incubated for 2 hours for monocytes and 4 hours for lymphocytes in a 5% CO₂ humidified incubator at 37°C. After incubation, the filter was fixed and cells scraped from the upper surface. The filter was then stained with Diff-Quick (Dade International Inc., Miami, Florida) and the number of migrating cells counted in five randomly selected high power fields. The results are expressed as a migration index (the number of test migrated cells divided by the number of control migrated cells).

Using this assay, muKS1 was tested against T cells and THP-1 cells. MuKS1 induced a titrateable chemotactic effect on THP-1 cells from 0.01 ng/ml to 100 ng/ml (Fig. 9). Human SDF1 α was used as a positive control and gave an equivalent migration. MuKS1 was also tested against IL-2 activated T cells. However, no migration was evidence for muKS1 even at high concentrations, whereas SDF-1 α provided an obvious titrateable chemotactic stimulus. Therefore, muKS1 appears to be chemotactic for THP-1 cells but not for IL-2 activated T cells at the concentrations tested.

Full length sequence of muKS1 clone

The nucleotide sequence of muKS1 was extended by determining the base sequence of additional ESTs. Combination of all the ESTs identified the full-length muKS1 (SEQ ID NO: 370) and the corresponding translated polypeptide sequence in SEQ ID NO: 394.

Analysis of human RNA transcripts by Northern blotting

Northern blot analysis to determine the size and distribution of mRNA for the human homologue of muKS1 was performed by probing human tissue blots (Clontech,

Palo Alto, California) with a radioactively labeled probe consisting of nucleotides 1 to 288 of huKS1 (SEQ ID NO: 270). Prehybridization, hybridization, washing, and probe labeling were performed as described in Sambrook, *et al.*, *Ibid.* mRNA for huKS1 was 1.6 kb in size and was observed to be most abundance in kidney, liver, colon, small intestine, and spleen. Expression could also be detected in pancreas, skeletal muscle, placenta, brain, heart, prostate, and thymus. No detectable signal was found in lung, ovary, and testis.

Analysis of human RNA transcripts in tumor tissue by Northern blotting

Northern blot analysis to determine distribution of huKS1 in cancer tissue was performed as described previously by probing tumor panel blots (Invitrogen, Carlsbad, California). These blots make a direct comparison between normal and tumor tissue. MRNA was observed in normal uterine and cervical tissue but not in the respective tumor tissue. In contrast, expression was up-regulated in breast tumor and down-regulated in normal breast tissue. No detectable signal was found in either ovary or ovarian tumors.

15 *Injection of bacterially expressed muKS1a into nude mice*

Two nude mice were anaesthetised intraperitoneally with 75 µl of 1/10 dilution of Hypnorm (Janssen Pharmaceuticals, Buckinghamshire, England) in phosphate buffered saline. 20ug of bacterially expressed muKS1a (SEQ ID NO: 345) was injected subcutaneously in the left hind foot, ear and left-hand side of the back. The same volume of phosphate buffered saline was injected in the same sites but on the right-hand side of the same animal. Mice were left for 18 hours and then examined for inflammation. Both mice showed a red swelling in the ear and foot sites injected with the bacterially expressed protein. No obvious inflammation could be identified in either back site. Mice were culled and biopsies taken from the ear, back and foot sites and fixed in 3.7% formal saline. Biopsies were embedded, sectioned and stained with Haemotoxylin and eosin. Sites injected with muKS1a had a marked increase in polymorphonuclear granulocytes, whereas sites injected with phosphate buffered saline had a low background infiltrate of polymorphonuclear granulocytes.

Injection of bacterially recombinant muKS1 into C3H/HeJ mice

18 Eighteen C3H/HeJ mice were divided into 3 groups and injected intraperitoneally with muKS1, GV14B, or phosphate buffered saline (PBS). GV14B is a bacterially

expressed recombinant protein used as a negative control. Group 1 mice were injected with 50 µg of muKS1 in 1 ml of PBS; Group 2 mice were injected with 50 µg of GV14B in 1 ml of PBS; and Group 3 mice with 1 ml of PBS. After 18 hours, the cells in the peritoneal cavity of the mice were isolated by intraperitoneal lavage with 2 x 4 ml washes with harvest solution (0.02% EDTA in PBS). Viable cells were counted from individual mice from each group. Mice injected with 50 µg of muKS1 had on average a 3-fold increase in cell numbers (Fig. 10).

20 µg of bacterial recombinant muKS1 was injected subcutaneously into the left hind foot of three C3H/HeJ mice. The same volume of PBS was injected into the same site on the right-hand side of the same animal. After 18 hours, mice were examined for inflammation. All mice showed a red swelling in the foot pad injected with bacterially recombinant KS1. From histology, sites injected with muKS1 had an inflammatory response of a mixed phenotype with mononuclear and polymorphonuclear cells present.

Chemokines are a large superfamily of highly basic secreted proteins with a broad number of functions (Baggiolini, *et al.*, *Annu. Rev. Immunol.*, 15:675-705, 1997; Ward, *et al.*, *Immunity*, 9:1-11, 1998; Horuk, *Nature*, 393:524-525, 1998). The polypeptide sequences of muKS1 and huKS1 have similarity to CXC chemokines, suggesting that this protein will act like other CXC chemokines. The *in vivo* data from nude mice supports this hypothesis. This chemokine-like protein may therefore be expected to stimulate leukocyte, epithelial, stromal, and neuronal cell migration; promote angiogenesis and vascular development; promote neuronal patterning, hemopoietic stem cell mobilization, keratinocyte and epithelial stem cell patterning and development, activation and proliferation of leukocytes; and promotion of migration in wound healing events. It has recently been shown that receptors to chemokines act as co-receptors for HIV-1 infection of CD4+ cells (Cairns, *et al.*, *Nature Medicine*, 4:563-568, 1998) and that high circulating levels of chemokines can render a degree of immunity to those exposed to the HIV virus (Zagury, *et al.*, *Proc. Natl. Acad. Sci. USA* 95:3857-3861, 1998). This novel gene and its encoded protein may thus be usefully employed as regulators of epithelial, lymphoid, myeloid, stromal, and neuronal cells migration and cancers; as agents for the treatment of cancers, neuro-degenerative diseases, inflammatory autoimmune diseases

such as psoriasis, asthma and Crohn's disease for use in wound healing; and as agents for the prevention of HIV-1 binding and infection of leukocytes.

We have also shown that μ KS1 can promote a quantifiable increase in cell numbers in the peritoneal cavity of C3H/HeJ mice injected with μ KS1. Furthermore, we have shown that μ KS1 can induce an oxidative burst in human peripheral blood mononuclear cells and migration in the human monocyte leukemia cell line, THP-1, suggesting that monocyte/macrophages are one of the responsive cell types for KS1. In addition to this, we demonstrated that huKS1 was expressed at high levels in a number of non-lymphoid tissues, such as the colon and small intestine, and in breast tumors. It was also expressed in normal uterine and cervical tissue, but was completely down-regulated in their respective tumors. It has recently been shown that non-ELR chemokines have demonstrated angiostatic properties. IP-10 and Mig, two non-ELR chemokines, have previously been shown to be up-regulated during regression of tumors (Tannenbaum CS, Tubbs R, Armstrong D, Finke JH, Bukowski RM, Hamilton TA, "The CXC Chemokines IP-10 and Mig are necessary for IL-12-mediated regression of the mouse RENCA tumor," *J. Immunol.* 161: 927-932, 1998), with levels of expression inversely correlating with tumor size (Kanegane C, Sgadari C, Kanegane H, Teruya-Feldstine J, Yao O, Gupta G, Farber JM, Liao F, Liu L, Tosato G, "Contribution of the CXC Chemokines IP-10 and Mig to the antitumor effects of IL-12," *J. Leuko. Biol.* 64: 384-392, 1998). Furthermore, neutralizing antibodies to IP-10 and Mig would reduce the anti-tumor effect, indicating the contribution these molecules make to the anti-tumor effects. Therefore, it is expected that in the case of cervical and uterine tumors, KS1 would have similar properties.

The data demonstrates that KS1 is involved in cell migration showing that one of the responsive cell types is monocyte/macrophage. The human expression data in conjunction with the *in vitro* and *in vivo* biology demonstrates that this molecule may be a useful regulator in cell migration, and as an agent for the treatment of inflammatory diseases, such as Crohn's disease, ulcerative colitis, and rheumatoid arthritis; and cancers, such as cervical adenocarcinoma, uterine leiomyoma, and breast invasive ductal carcinoma.

Example 6

CHARACTERIZATION OF KS2

KS2 contains a transmembrane domain and may function as either a membrane-bound ligand or a receptor. Northern analysis indicated that the mRNA for KS2 was expressed in the mouse keratinocyte cell line, Pam212, consistent with the cDNA being identified in mouse keratinocytes.

Mammalian Expression

To express KS2, the extracellular domain was fused to the amino terminus of the constant domain of immunoglobulinG (Fc) that had a C-terminal 6xHistidine tag. This was performed by cloning polynucleotides 20-664 of KS2 (SEQ ID NO: 273), encoding amino acids 1-215 of polypeptide KS2 (SEQ ID NO: 347), into the mammalian expression vector pcDNA3 (Invitrogen, NV Leek, Netherlands), to the amino terminus of the constant domain of immunoglobulinG (Fc) that had a C-terminal 6xHistidine tag. This construct was transformed into competent XL1-Blue *E. coli* as described in Sambrook et al., *Ibid*. The Fc fusion construct of KS2a was expressed by transfecting Cos-1 cells in 5 x T175 flasks with 180 µg of KS1a using DEAE-dextran. The supernatant was harvested after seven days and passed over a Ni-NTA column. Bound KS2a was eluted from the column and dialysed against PBS.

The ability of the Fc fusion polypeptide of KS2a to inhibit the IL-2 induced growth of concanavalin A stimulated murine splenocytes was determined as follows. A single cell suspension was prepared from the spleens of BALB/c mice and washed into DMEM (GIBCO-BRL) supplemented with 2 mM L-glutamine, 1 mM sodium pyruvate, 0.77 mM L-asparagine, 0.2 mM L-arginine, 160 mM penicillin G, 70 mM dihydrostreptomycin sulfate, 5×10^{-2} mM beta mercaptoethanol and 5% FCS (cDMEM). Splenocytes (4×10^6 /ml) were stimulated with 2 ug/ml concanavalin A for 24 hrs at 37°C in 10% CO₂. The cells were harvested from the culture, washed 3 times in cDMEM and resuspended in cDMEM supplemented with 10 ng/ml rhuIL-2 at 1×10^5 cells/ml. The assay was performed in 96 well round bottomed plates in 0.2 ml cDMEM. The Fc fusion polypeptide of KS2a, PBS, LPS and BSA were titrated into the plates and 1×10^4 activated T cells (0.1 ml) were added to each well. The plates were incubated for 2 days in an atmosphere containing 10% CO₂ at 37°C. The degree of proliferation was

determined by pulsing the cells with 0.25 uCi/ml tritiated thymidine for the final 4 hrs of culture after which the cells were harvested onto glass fiber filtermats and the degree of thymidine incorporation determined by standard liquid scintillation techniques. As shown in Fig. 6, the Fc fusion polypeptide of KS2a was found to inhibit the IL-2 induced growth of concanavalin A stimulated murine splenocytes, whereas the negative controls PBS, BSA and LPS did not.

This data demonstrates that KS2 is expressed in skin keratinocytes and inhibits the growth of cytokine induced splenocytes. This suggests a role for KS2 in the regulation of skin inflammation and malignancy.

10

Example 7

Characterization of KS3

KS3 encodes a polypeptide of 40 amino acids (SEQ ID NO: 129). KS3 contains a signal sequence of 23 amino acids that would result in a mature polypeptide of 17 amino acids (SEQ ID NO: 348; referred to as KS3a).

KS3a was prepared synthetically (Chiron Technologies, Victoria, Australia) and observed to enhance transferrin-induced growth of the rat intestinal epithelial cells IEC-18 cells. The assay was performed in 96 well flat-bottomed plates in 0.1 ml DMEM (GIBCO-BRL Life Technologies) supplemented with 0.2% FCS. KS3a (SEQ ID NO: 348), apo-Transferrin, media and PBS-BSA were titrated either alone, with 750 ng/ml Apo-transferrin or with 750 ng/ml BSA, into the plates and 1×10^3 IEC-18 cells were added to each well. The plates were incubated for 5 days at 37°C in an atmosphere containing 10% CO₂. The degree of cell growth was determined by MTT dye reduction as described previously (*J. Imm. Meth.* 93:157-165, 1986). As shown in Fig. 7, KS3a plus Apo-transferrin was found to enhance transferrin-induced growth of IEC-18 cells, whereas KS3a alone or PBS-BSA did not, indicating that KS3a and Apo-transferrin act synergistically to induce the growth of IEC-18 cells.

This data indicates that KS3 is epithelial derived and stimulates the growth of epithelial cells of the intestine. This suggests a role for KS3 in wound healing, protection from radiation- or drug-induced intestinal disease, and integrity of the epithelium of the intestine.

30

SEQ ID NOS: 1-409 are set out in the attached Sequence Listing. The codes for polynucleotide and polypeptide sequences used in the attached Sequence Listing confirm to WIPO Standard ST.25 (1988), Appendix 2.

5 All references cited herein, including patent references and non-patent references, are hereby incorporated by reference in their entireties.

Although the present invention has been described in terms of specific embodiments, changes and modifications can be carried out without departing from the scope of the invention which is intended to be limited only by the scope of the appended claims.

10

We claim:

1. An isolated polynucleotide comprising a nucleotide sequence selected from the group consisting of: (1) the sequences recited in SEQ ID NO: 1-119, 198-274,
5 349-372, and 399-405; (2) complements of the sequences recited in SEQ ID NO: 1-119, 198-274, 349-372, and 399-405; (3) reverse complements of the sequences recited in SEQ ID NO: 1-119, 198-274, 349-372, and 399-405; (4) reverse sequences of the sequences recited in SEQ ID NO: 1-119, 198-274, 349-372, and 399-405; (5) sequences having at least a 99% probability of being the same as a sequence selected from any of
10 the sequences in (1)-(4), above, as measured by the computer algorithm BLASTP using the running parameters described above; and (6) nucleotide sequences having at least 50% identity to any of the sequences in (1)-(4), above, as measured by the computer algorithm BLASTP using the running parameters and identity test defined above.
- 15 2. An expression vector comprising an isolated polynucleotide of claim 1.
3. A host cell transformed with an expression vector of claim 2.
4. An isolated polypeptide comprising an amino acid sequence selected from
20 the group consisting of: (1) sequences provided in SEQ ID NO: 120-197, 275-348, 373-398, and 406-409; (2) sequences having at least a 99% probability of being the same as a sequence of SEQ ID NO: 120-197, 275-348, 373-398, and 406-409, as measured by the computer algorithm BLASTP using the running parameters described above; and (3) sequences having at least 50% identity to a sequence provided in SEQ ID NO:
25 120-197, 275-348, 373-398, and 406-409, as measured by the computer algorithm BLASTP using the running parameters and identity test defined above.
5. An isolated polynucleotide encoding a polypeptide of claim 4.
- 30 6. An expression vector comprising an isolated polynucleotide of claim 5.

7. A host cell transformed with an expression vector of claim 6.

8. An isolated polypeptide comprising at least a functional portion of a polypeptide having an amino acid sequence selected from the group consisting of:
5 (1) sequences provided in SEQ ID NO: 120-197, 275-348, 373-398, and 406-409;
(2) sequences having at least a 99% probability of being the same as a sequence of SEQ ID NO: 120-197, 275-348, 373-398, and 406-409, as measured by the computer algorithm BLASTP using the running parameters described above; and (3) sequences
10 having at least 50% identity to a sequence provided in SEQ ID NO: 120-197, 275-348, 373-398, and 406-409, as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.

9. A method for stimulating keratinocyte growth and motility in a patient, comprising administering to the patient a composition comprising an isolated
15 polypeptide, the polypeptide comprising an amino acid sequence of claim 4.

10. The method of claim 9, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (1) a sequence provided in SEQ ID NO: 187, 196, 342, 343, 397 and 398; (2) sequences having at least about 50% identity to a
20 sequence of SEQ ID NO: 187, 196, 342, 343, 397 and 398 as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.

11. A method for inhibiting the growth of cancer cells in a patient, comprising administering to the patient a composition comprising an isolated polypeptide, the
25 polypeptide comprising an amino acid sequence of claim 4.

12. The method of claim 11, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (1) a sequence provided in SEQ ID NO: 187, 196, 342, 343, 397 and 398; and (2) sequences having at least 50% identity to a
30 sequence of SEQ ID NO: 187, 196, 342, 343, 397, and 398, as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.

13. A method for modulating angiogenesis in a patient, comprising administering to the patient a composition comprising an isolated polypeptide, the polypeptide comprising an amino acid sequence of claim 4.

5

14. A method of claim 13, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (1) a sequence provided in SEQ ID NO: 187, 196, 342, 343, 397 and 398; and (2) sequences having at least 50% identity to a sequence of SEQ ID NO: 187, 196, 342, 343, 397 and 398 as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.

10

15. A method for inhibiting angiogenesis and vascularization of tumors in a patient, comprising administering to a patient a composition comprising an isolated polypeptide, the polypeptide comprising an amino acid sequence of claim 4.

15

16. The method of claim 15, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (1) a sequence provided in SEQ ID NO: 187, 196, 342, 343, 397, and 398; and (2) sequences having at least 50% identity to a sequence of SEQ ID NO: 187, 196, 340, 342-346, 397, and 398, as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.

20

17. A method for modulating skin inflammation in a patient, comprising administering to the patient a composition comprising an isolated polypeptide, the polypeptide comprising an amino acid sequence of claim 4.

25

18. The method of claim 17, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (1) a sequence provided in SEQ ID NO: 338 and 347; and (2) sequences having at least 50% identity to a sequence of SEQ ID NO: 338 and 347 as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.

30

19. A method for stimulating the growth of epithelial cells in a patient, comprising administering to the patient a composition comprising an isolated polypeptide, the polypeptide comprising an amino acid sequence of claim 4.

5

20. The method of claim 19, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (1) a sequence provided in SEQ ID NO: 129 and 348; and (2) sequences having at least 50% identity to a sequence of SEQ ID NO: 129 and 348 as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.

10

21. A method for inhibiting the binding of HIV-1 to leukocytes in a patient, comprising administering to the patient a composition comprising an isolated polypeptide, the polypeptide comprising an amino acid sequence of claim 4.

15

22. A method of claim 21, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (1) a sequence provided in SEQ ID NO: 340, 344, 345 and 346; (2) sequences having at least 50% identity to a sequence of SEQ ID NO: 340, 344, 345 and 346 as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.

20

23. A method for treating an inflammatory disease in a patient, comprising administering to the patient a composition comprising an isolated polypeptide, the polypeptide comprising an amino acid sequence of claim 4.

25

24. The method of claim 23, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (1) a sequence provided in SEQ ID NO: 340, 344, 345 and 346; and (2) sequences having at least 50% identity to a sequence of SEQ ID NO: 340, 344, 345 and 346 as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.

30

25. A method for treating cancer in a patient, comprising administering to the patient a composition comprising an isolated polypeptide, the polypeptide comprising an amino acid sequence of claim 4.

5 26. The method of claim 25, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (1) a sequence provided in SEQ ID NO: 340, 344, 345 and 346; and (2) sequences having at least 50% identity to a sequence of SEQ ID NO: 340, 344, 345 and 346 as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.


10


27. A method for treating neurological disease in a patient, comprising administering to the patient a composition comprising an isolated polypeptide, the polypeptide comprising an amino acid sequence of claim 4.


15


28. The method of claim 27, wherein the polypeptide comprises an amino acid sequence selected from the group consisting of: (1) a sequence provided in SEQ ID NO: 187, 196, 340, 342-346, and 395; and (2) sequences having at least 50% identity to a sequence of SEQ ID NO: 187, 196, 340, 342-346, and 395, as measured by the computer algorithm BLASTP, using the running parameters and identity test defined above.

20

1/14
Figure 1Distribution of human TAK1 mRNA in human tissues

2/14
Figure 2

3/14
Figure 3

4/14
Figure 4




5/14
Figure 5

Figure 6

Key: Br, Brain; Th, Thymus; Sk, Skin; Ht, Heart; Lg, Lung; Spl, Spleen; Sth, Stomach; Kdy, Kidney; Lr, Liver; LI, Lower intestine; Ts, Testis; Mle, Muscle.




7/14
Figure 7

8/14

Figure 8


KS1 induces an oxidative burst in human peripheral blood mononuclear cells



9/14


Figure 9

KS1 stimulates migration of THP-1 cells, a monocytemacrophage cell line




10/14

Figure 10



11/14

Figure 11



12/14

Figure 12


mu and huTR1 upregulate huTR1 mRNA expression in HeLa cells

HeLa cells stimulated with

PBS muTR1 huTR1 huTGF α

huTR1 mRNA

Actin mRNA



13/14

Figure 13A






Figure 13B



14/14

Figure 14

TR1 growth of HaCat cells is inhibited by an antibody to the EGF receptor



SEQUENCE LISTING

<110>

Watson, James D.
 Strachan, Lorna
 Sleeman, Matthew
 Onrust, Rene
 Murison, James Greg
 Kumble, Anand

<120> Compositions isolated from skin cells
 and methods for their use

<130> 11000.1011PCT

<160> 409

<170> FastSEQ for Windows Version 3.0

<210> 1

<211> 696

<212> DNA

<213> Rat

<400> 1

aattcgccac	gagcccgagg	cgggcaggca	ccagccagag	cagctggcgg	cagacagtcg	60
gaccgagaca	gttggaccga	gacagtcgaa	cggtctaaca	gggcttggtc	tgccctacctg	120
gcagctgcac	ccggtccttt	tcccagagct	gggtctgtgg	gtcaacatgg	tcacctgtctt	180
ctctctgtct	ctgctgtctc	tgttgaggcc	tgccgctgtg	gtggcctact	ctgtgtccctt	240
cccggtctcc	ttcctggagg	aagtggcggg	cagtggggaa	gctgaggggt	cttcagcctc	300
ttcccacaagc	ctgctgcgcg	ccgggactcc	agccttcagt	cccacacagg	ggaggagccca	360
gcccacagct	ccggtcgccc	ctgtgcccac	caocaaactc	ctggatggga	tctgtggactt	420
cttcgccag	tatgtgatgc	tcattgaggt	ggtgggctcg	ctgaccttcc	tcactatggt	480
catagtctgc	gcgcgactca	tcacgcgcga	gaagcacaag	gccacagcct	actaccgcgc	540
ctctttcccc	gaaaagaagt	atgtggacca	gagagaccgg	gctggggggc	cccactgcctt	600
cagcgagggtc	cttgacaggg	cacctgacag	ccggcaggaa	gagggcctgg	actctctcca	660
gcagctccag	gctgacattc	tggttgcta	ctcaga			696

<210> 2

<211> 475

<212> DNA

<213> Rat

<400> 2

cggtatcgat	aagcttgata	tcgaattcct	gcaggtcgac	actagtggat	ccaaagaatt	60
cggcacgaga	aaataaccaa	ccaaacaaac	tttctctctc	ccgctagaaa	aaacaaattc	120
tttaagagtg	gagctgctct	actgggtgtt	gctgtgcctc	ctgttaccac	tcacctccag	180
gacctagaag	gtgccaccca	gagatagaga	actttttcag	atgcagatcc	gggataaggc	240
attgtttcac	gattcattccg	tgattccaga	tgagactgaa	atcagcagtt	acctattttg	300
agatacactc	agaaggtatt	tcttcatggt	tgaggaaagt	aacacccccc	tgctcagtcac	360
agtgcacact	tgtgatgcgc	ctttggaaatg	gaagctttagc	ctccaggagc	tgctctaggaa	420
gtccagtgca	gatgggcag	gtgaccacga	accacttgac	cagcagaagc	agcag	475

<210> 3

<211> 381

<212> DNA

<213> Human

<220>

<400> 3

ctggagatcc	tggggatcca	ggtgatcccg	gtagaaccag	gcagatttgt	tgtagatgac	60
tggtggtgga	ggttagtctt	cgttccactg	gacagggaaa	gcttgaaact	tgggctctcg	120
cgctcagaaa	ggtttgtttt	cagaagcact	tccttttctc	cactttcttt	taattctctc	180
ctttccatga	attactctat	tggatccata	atattatcat	catttttagt	tttgtcagat	240
ggagacacta	cagcttctcc	atcttccatg	tcattctcat	ctgtgttaaa	ccacatctct	300
tcctcatctt	ctagtgtctg	gcattctctc	gatatctgtg	attcctcaaa	atggaaacgca	360
tactgtcaag	tttgggggta	a				381

<210> 4

<211> 311

<212> DNA

<213> Human

<400> 4

agcgtggtcg	cgcccgaggt	actacagact	ttgtgataag	gctgaagctt	ggggcatcgt	60
ctcagaaacg	gaggccacag	ctgggggtgt	gacctcggtg	gccttcacgc	tcactctccc	120
gatactctgc	tgcgaaggtg	aggactccaa	caggcgaaaa	attgctgcta	ctcagtttct	180
cttctctctg	gggtgtgttg	gcattcttgg	cctcactctc	gccttcacga	tcggactgtg	240
cggagacaca	ggggccacac	gcttcttctc	ctttgggact	ctcttttcca	ctgcttctct	300
ctgctgctg	g					311

<210> 5

<211> 514

<212> DNA

<213> Mouse

<400> 5

ctggagctcg	cgccgctgca	ggtcgacact	agtggatcca	aagcttaaaa	gagactccac	60
ccactccagt	agaccgggga	ctaaaaacaga	aattctgaga	aagcagcaag	aagcagaaga	120
aatagctatt	tcacagcagt	aacagaaagt	acctgctata	ataaagacct	caacactgct	180
gaccatgac	agcccgacct	ggagcctctt	cctcactcgg	actcaaatgt	ggctgttctt	240
ccaagtggca	ctctctgacg	tgtcggtcaa	atcctgtcca	ctcgtatgic	gctgtgaagc	300
aggtctcatt	tactgtaacg	atcgctctct	gacatccatt	ccagtgggaa	ttccggagga	360
tgtcacaaac	ctctaccttc	agaacaacca	aataaacaat	gttgggattc	cttcgcattt	420
gaagaacttg	ctgaagaatc	aaagaatata	cctataccac	aacagtttag	atgaattccc	480
taccaacctt	ccaaagatgt	tcaaagagt	acat			514

<210> 6

<211> 1059

<212> DNA

<213> Mouse

<400> 6

ggcacgagcc	tgctgccctc	ttgcagacag	gaaagacatg	gtctctgcgc	ccggatccta	60
cagaagctca	tggggagccc	cagactggca	gccttgctcc	tgctctcccc	gctactgctc	120
atcggcctcg	ctgtgtctgc	tcgggttgcc	tgcccctcgc	tgccgagttg	gaccagccac	180
tgctctctgg	ctcactcgtg	ggataaacgt	tttgtctgcc	ttcagtgagg	ctgggttccc	240
ctcttggtga	ggaaatctaa	aagtcctcct	aaatttgaa	actattggag	gcacaggaga	300
ccagactctc	tcagagggaa	gctgtctagg	agccctctcc	tgcttgagg	aagccatcga	360
atttctatcc	ctctctcagc	catctcccac	agaggcccaa	gcacaaaag	ggcccagcct	420
tcagctgacg	aaggaagaga	aatctctccc	gaagcagggt	cacaaaagt	tggaggagct	480
gaaattctct	ttgatttctg	gcccgagggt	caggctgttc	gggtgacat	tcctcgagcg	540
cccaaggcca	gtgtgcgcct	ttgttatcag	tgggcactgg	aatgtgaaga	cttgagtatg	600
ctttttgata	cccagaaaaa	tgtgtctgga	ggccacactg	tagaactgct	ttatgaattc	660
cttctgccct	gcattgtcat	agaggcctcc	tacctccaag	aggacactgt	gaggcgcaaa	720
aagtgtccct	tcacagactg	gcttgaagct	tatggtctag	acttctggca	gtcaatacgc	780
ttcactgact	acagccagca	caatcagatg	gtcatggctc	tgacactctg	ctgcccactg	840

aaactggagg	cctccctctg	ctggaggcag	gacccactca	caccctgcga	aacctctccc	900
aacgcccacg	cacaggagtc	agaaggatgg	tataccctgg	agaatgtgga	cttgcaacccc	960
cagctctctg	ttaagtcttc	atttgaaaac	agcagccacg	ttgaatgtcc	ccaccagagt	1020
ggctctctcc	catcctggac	tgtgagcatg	gataccccag			1059

<210> 7
 <211> 861
 <212> DNA
 <213> Rat

<400> 7

gaattcggca	cgagaggaga	gaaagagaag	tgtgcacaaa	gaaacttgta	ttattatttaa	60
ttagcacccta	gcttgtttgt	gtctgatata	ccaccaagta	gtaattgttg	aaaaaacgaa	120
gaagaaaaaaa	aaaaaacaaa	aaaaccaaac	agtgggtact	caaataagat	aggagaaaaa	180
tgagagaaca	gacccagttc	tcgacccctg	ctttctcaagg	tcctccacc	aggctgccc	240
agcaagatgg	tggtgctctg	atccagtcag	tattcttttg	actttttttt	ttaatctcca	300
ggtttttggt	caggctccca	tattcatacc	ctggctcatt	tagctttccc	tcattgtgtg	360
ggctctctctg	tcctccacc	ccttactctc	cccactgata	ttcttccag	tcaagactgt	420
ggctctggaa	gaaatatacca	ccatttcgag	agctgatgtt	ctgtagatcg	taattgtgaa	480
cgctgggtg	tcctggttgg	cagaatcact	cctgtattac	tcgtgtacat	aggtgtctcc	540
tgatagactc	cctggcctta	gtcatgggtg	gtttcttaga	ggcagactaa	gacaggagtc	600
aaaaagattt	tagaggaaag	agctgaggaa	agaaagacag	ttgtggggagg	aaaatcaagt	660
tcactcagg	atcccgagtg	ttctctgaga	tgtagatggg	aattgtgtcca	taacagagag	720
gcagtgaga	gacatcccca	aggacctgcc	aggtcttcc	tcgtccagg	aagacgacc	780
atcaactaaa	aggggtctcc	tagaaagaaa	gacaagtgc	ttaaaaaatc	tgccagtggg	840
ttcttgaggt	catcgaaact	a				861

<210> 8
 <211> 398
 <212> DNA
 <213> Mouse

<400> 8

gtcaccagca	aaggtggaaa	caaattcttt	gaaggactct	gacagccctg	ggtctccaag	60
gctgctggga	ccagctcttag	cctcttgtag	caagtggtag	gaatgtgaat	ctttgcagcc	120
agggggatca	gaaatggggg	ctcccatctc	tggtgtctcg	ccagtccttc	caggtgggct	180
ctctgtagcc	ctgggggtgga	ttttctctct	cttccacaga	gatgcttttt	ctctgcatac	240
catgtctgct	gggttcccat	aatctccctc	aaaccacac	caccctccac	tgaggtcag	300
cccagagacc	atgaaaaactc	ccaccagttt	ccaggataga	gtctggacag	aactggggcc	360
ctgggtgcc	agtggtgaaa	aaaggaaatg	ccccctcg			398

<210> 9
 <211> 1060
 <212> DNA
 <213> mouse

<220>

<400> 9

agaaacttgg	agaatatgtt	cggtggatga	tgtattggat	tgcttttg	atcttcatgg	60
gagcagaac	cttcacagac	atcttcat	cctggctcgg	cccacggatt	ggcaggccat	120
gggggtggga	agggcctcac	caccacacc	acctggcctc	tggtctcac	aaacccctcc	180
ccctgcttac	acacagggtc	ccgttttatt	acgagttcaa	gatggctttt	gtgcttgagg	240
tgctctcacc	ttacaccaag	ggggccagcc	tgctttacgc	aaagtgtgtc	caacctccc	300
tatcccgcca	tgagaagag	atcgacgat	gtatcgtgca	ggcaagagag	cgcagctatg	360
aaacatcgct	cagttttggg	aagcggagcc	tcacatctgc	tgctcagct	gctgtcgagg	420
ctgtccacca	gagtcgaagg	gctctagctg	gaaggtcaag	gagtttctct	atgcgaagacc	480
tgctctctat	ccctgacacc	cctgtcccca	ctcacaaga	tcacctctac	ctgggaagacc	540
aggtaccgcc	acgttagacc	cctattggat	accggccagg	cggtctgcag	ggcagtgaca	600
cagaggatga	gtgttggtca	gacaatgaga	ttgtcccca	gccacctgtc	cggccccagg	660

agaagcctct	aggcccgagc	cagagccttc	gggtgggtcaa	gaggaagcca	ttgactcgag	720
agggcacctc	acgtccctcg	aaggtccgaa	cccggaaaaa	ggccatgccc	tcagacatcg	780
acagctagag	tctgcagatt	gagggcacct	tacctctgga	gccagcaggg	gacctttcgc	840
tgctacacca	gtacccgggg	ttctgctccg	tctggtctgt	gacctaaatgg	cacatgggct	900
ggtacctctg	acagggagac	attcaactga	ccaaagcagc	ccaggctctgg	ggcctattta	960
ttgccttctc	ctgccttttg	ctttctcaga	catggggacca	gagccccacc	agtcctctacc	1020
gacgaaacca	aaagtccaac	cagctgtggt	cattcctctc			1060

<210> 10
 <211> 353
 <212> DNA
 <213> mouse

<400> 10						
ggaaagtcat	ctacctgctg	gtggcctcca	tcagagccgg	gagatctcca	ctgtgtgtat	60
ggagaccgca	ttgatagctt	actctcttcc	tgaactacag	gatgaaggcc	atggctctga	120
gccttaggagc	aagcccagtg	cttgcttttc	tcctctctgg	gtacagtgat	ggttaccaga	180
tgtgtagttag	gttcggaagc	aaagtgcctc	agttttctgaa	ctagaactac	agctctctct	240
gccttagcac	agacaggcgt	tgtctcattc	ctctcacctg	ccctaccatc	gcctgactcg	300
tccgcttatt	gaggggacag	tgagtcatct	gagatgctat	ttgaaacatg	aga	353

<210> 11
 <211> 969
 <212> DNA
 <213> mouse

<400> 11						
cggcacgaga	gagtagtaag	ccagagctct	agagaagtca	ctgagaaaaa	aatccagaaa	60
caaagagacc	gacaaggtga	agctgacctg	gagggaccga	ttcccagcct	atttcaccaa	120
tcttgtctcc	atcatcttca	tgatcgagct	gacattttga	atcgtcctcg	gagttatcat	180
ctatagaate	ttccacagctg	cagccttggc	catgaactcc	ttcccgtctg	tgcggtccaa	240
catccggggt	acagtcacgg	ccaccgctgt	tatcatcaac	ctcgtggctc	tcattctgct	300
ggatgaagtt	taaggctgca	ttgccaggtg	gctccacaa	attgggtgag	gccatgtgca	360
ggacagcata	ggcagcatgg	gcttagggca	gggcccagct	tgaagtgggc	agcctggcca	420
cagaactgtg	gctagtccca	acttcccctg	gcttggcctg	gctgtgagtg	gctagcagct	480
ggcacagctca	gtaccgttat	tctctctcca	gaggtcccaa	agacagagaa	gagctttgag	540
gagaggctaa	ccttcaaggc	cttctcgctc	aagtttgtga	actcttacac	ttccatcttc	600
tatgtcgctc	tcttcaaaag	cgggtttgtt	ggctggcccg	gtgactacgt	gtacatcttc	660
cgctctttcc	ggaatggagg	gtgtgcccgc	ggcggtcgcc	tcattggagct	ctgtatccag	720
ctgagcatca	ttaatgtggg	caagcagcta	atccagaa	atctcttcga	gattggcacc	780
ccgaagatga	aaaagttcat	cgcctacctg	aagctgcgca	gacagagccc	ctcagacagc	840
gaagagtagc	tgaagcggaa	gcagcgctat	gaggtggaat	ccaaacctga	acctttccgc	900
ggcctcacgc	caggtatcat	ggaaatgata	attcagttcg	gctttgtcac	ctgttttgtt	960
gcgcctcttc						969

<210> 12
 <211> 1411
 <212> DNA
 <213> mouse

<400> 12						
ggcacgagcc	aaacttgaca	ctaaagctag	gtaccagcct	gttagtttca	atgagttcaa	60
aattcaggct	aggggtctctg	aaatggagtc	tgaattttaa	agctttggcc	tctcagtgaa	120
ataatacata	tgtcatgtgt	catttgaata	gtttcagctc	caacacactt	gtattctctt	180
aagtgtaaac	ctgtgttagt	gggtgggtgt	agtagatctt	ctccgtcttt	cttgtttgaa	240
tggttggagt	tgtgcaagctg	tgacatgtgt	tgtgtgtgtg	tgtgtgtgtg	tgtgtgtgtg	300
tgtgtatttg	ctccctgggc	tatgtgcatg	tgccatgtgg	gtgtgtgtgc	tgtgtgtgtg	360
cagaggttag	gtaccttctc	ctatctctcc	acctctgggt	cttttgtttt	gttttgtttt	420
gttttgacc	aggtctatca	ctgataagct	aggttgagtg	gctcttgaga	agagttctgc	480
tctctgtccc	ctctgccccty	ctcccccagc	ccctcaggtt	acagataaag	gccacagctc	540
cttctgcttt	caagttagctt	ctagggatcc	aggtctcatat	ccctgtgctt	actgactgag	600

ccacctctca	getccctcag	ccccgtttta	cacgttaact	ttgtctctcg	tctatgcctg	660
ctctctctcag	tgaccccttc	cgttttctct	tcactctttt	ctctgaatag	atttgtgtgc	720
gagagactat	tatcatatgg	atgcataaat	atcatctgca	aagtcaatcg	caggaaagac	780
ttagagcttc	tttagcttta	tgactgtaaa	ggattccgct	ctctgccatt	gattcagctt	840
ttttgccatt	gactctttat	tagagatcaa	ttagagtcgt	atacaaaagac	cttgctgtggg	900
ccctgagggg	ctatctccagg	ctaggccctg	agggtctatc	tcaggctagg	ccctgagggg	960
ctatctccagg	atagatggat	ttaactgctt	ttctcaagac	gcttttaact	tctcgttgaa	1020
ttctttttta	acttttaatt	gacattgtac	ttgcattctt	atgggaaaca	gggtgaccca	1080
cacacatgtg	tacacaggtg	cacacacagt	caggtccaga	tagctgggat	gttgtgtgtt	1140
atgttgggga	cagtcagatt	ggatttgttt	ttgcactgtg	ctctgggaaca	tgggaaaaac	1200
ttatctgtat	gtgacctgtg	gcctactaac	agccctcaat	aggatacatt	tggagctctc	1260
tggcaaccac	aaatttgcct	tatttccatg	agtcacgat	ctctactact	gcataagaat	1320
aaaaaaaaaa	aaaaaaaaat	cgagagtact	tctagagcgg	ccgcggggcc	ccctctgagg	1380
tgcacgggat	cgataagctt	gatatcgaat	t			1411

<210> 13
 <211> 888
 <212> DNA
 <213> mouse

ggcacgagag	gaccttgacc	gacatccaga	ccaagggacc	cgactggatg	tctcacccctg	60
ccctctgcagg	ccctgtccct	tccaaaaacg	gcactctctg	cacaggatag	tttttttttt	120
aacttaaat	tgcttggggg	aggggagcag	ttctagtctc	atgaggcaca	aatggaggtc	180
aaagagcaac	tgcgcgatgt	ctctctctct	ctccactctg	gtgggtagta	ggaattgaa	240
caggttatcg	atctctgggg	tgagcaatct	ctgtggcccc	cagagcaatt	atatgtgggt	300
actgtttgct	ctcacatgtg	cagtgtagac	ctgtggggcc	tttgtcaatg	gcactgtgtg	360
tgaactctgt	gtgataaaaa	tgttgatgag	tttacacaaa	tctagttaaa	tgaaccaca	420
agccaagtgt	gggtgtgtac	ccttaattcc	agcactttgg	gggcaagttc	aggtagttct	480
ctgaatttga	gagcctcctg	gccacacatg	tgagtctcat	ggctgcgtag	tgcacaaaga	540
acaccaacac	ctttccccca	caaatagaat	tgtactgaag	gtcacagtca	gagaaagcat	600
agcaaggatg	gctgctctga	gccctcctg	tgcactctgt	tagacctagc	cccgctgtct	660
aaatggagtc	tgtattttag	acctgcactt	gactctgtgt	ctccaccctg	accgcctcty	720
tctgtatccc	agattgctag	aactttgacc	aaaatgggac	ttaattggag	ttgtgattgg	780
katgttcaat	gatttaaaat	gctctttaca	ttttaaggaa	actaacccct	tgggtaagaa	840
aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa	aaaaaaaaaa		888

<210> 14
 <211> 547
 <212> DNA
 <213> mouse

gaatttcggca	cgagcctaaa	tgtctgggatt	aaaggcgtgc	gccactactg	ccaggctgtt	60
tttttttttt	tttttttttt	attaatgatc	tgccagacaa	agagatgtcc	ttttttgggc	120
aaaatgcacc	caatgcttga	agtcactata	tttgattagc	tctgtaaactg	atacacaat	180
aaaactttcc	attatggata	atacattatc	tattattatt	tatctcttgt	tcaattttgc	240
aatttctgta	ctgtactccc	agttgagtac	aaagtcctct	tgtgtgtttt	ccaagttgtc	300
tgaagttaca	tgaatttgc	gatgatgtct	gttgaagaca	tgttatggag	gcctgaggtg	360
tatttggcct	gagagcagag	tttttaaaat	agagcctgt	ggaaaaagcta	gctggagctt	420
ctgactactt	tagaaaaggca	ctgtttgaag	cacaggccat	gaagtgaagac	ttgtctttcta	480
gttaaatgtg	ggttttttgt	ttttttaagt	cwttagtgta	tagagatttc	ctacattttt	540
tgtggtt						547

<210> 15
 <211> 318
 <212> DNA
 <213> Rat

ctgacatgaa	gccccctaa	acccaaagat	tggttcctgc	tgtgacatgc	ctaccatgtg	60
------------	-----------	------------	------------	------------	------------	----

gccactctctt	catgtcctct	ggcttgcctct	ggctctgtggt	tctgttccaa	ccaccctgtc	120
aaagtccagat	gccaaaaaa	ctgcctcaaa	gacgtctgtg	gaaaagaatc	agtttccgga	180
taaacctgtc	caagaccggg	gtctgggtgg	gacggacatc	aaagctgagg	atgtgtgtct	240
tgaacatcgt	agctcatgct	cagcaagggt	tcgggagaga	aactttgtct	gagaggtctc	300
aggcatatgt	catctcat					318

<210> 16

<211> 856

<212> DNA

<213> Rat

<400> 16

gaattcggca	cgagcggcac	gagcggcccc	gaaggggggt	gcacggggcg	cttggcggcg	60
atggctcgag	ctcggcgggc	gacgacgggt	gccggaggcg	gcggctcttc	ctccttctcc	120
tctcgggtct	gggcccggcg	gtgatccgag	ctggcggcg	cgccccccck	atgagactgt	180
tggcggggct	gctgtgctct	agcctggcgt	ccgtgtggct	ggcggcgarg	atgtggagcg	240
tcggcgcccc	gctctcccg	tctctgtacg	tgaacatgac	tagcggccct	ggcggggcag	300
cggcggccac	cggcgccggg	aaggacacgc	accagtggta	tgtgtgcaac	agagagaaat	360
tatgtcgaat	acttcagttc	gctcttcttc	agagttaatc	tgaccaagga	acacagatct	420
tcttaaacaa	cagcattgag	aaatctggct	ggctgtttat	ccaactctat	cattcttttg	480
tatcatctgt	ttttaccctg	tttatgtcta	gaacatctat	taacgggttg	ctaggaaagag	540
gctccatgtt	tgtgtcttca	ccagatcagt	tcagagatct	gcttaaaat	aatccggagc	600
ggaaaaccca	tagacttctt	gatttaggtg	ctggagatgg	agaagtccac	aaaatcatga	660
gccttcattt	tgaagaaatt	tatgccactg	aactttctga	aacaatgac	tggcagctcc	720
agaagaagaa	atacagagtg	cttggtataa	atgaatggca	gaatacagg	ttccagtatg	780
atgtcatcag	ctgcttaaat	ctgctggatc	gctgtgatca	gcctctgaca	ttgttaaaag	840
atacagaat	gtcttg					856

<210> 17

<211> 349

<212> DNA

<213> Rat

<400> 17

ccaaagaatt	cggcacgagg	cggctcggga	tggcggcccc	catggaccgg	accctatgtg	60
gcggggcagg	cggggcgctg	cggcggggct	tggcgctggc	ctcgtctggc	gggctatgac	120
tgaacggcct	ggcgggtgct	ctccccaccc	tcgggcggcg	ctggcggcgc	caaaaccccg	180
agccgcggcg	ctcccgcacc	cgcctcgtgc	tgtctggacg	cgtctcggcg	cagctcgccg	240
tggagtacgg	cttccacccc	gatcggtggg	cctgggctaa	ccacaccaac	gccatccgcg	300
agactgggtg	ggcctatctg	gacctgggca	caaatggcag	ctacaagtg		349

<210> 18

<211> 1057

<212> DNA

<213> Rat

<220>

<400> 18

cctgcaggaa	gggtggcccc	cagtatcggg	tcccccaaaa	cccttgctgt	aatgacaggt	60
gtacctcccc	cagagagtag	atggagatca	actgtcccag	ggctgtaggg	aaaagcctgt	120
aatgggacac	tccttcccgc	tgcaggtcga	cactagtggg	tccaaagaat	tcggcacgag	180
gcgggaagcag	cgcaggtgat	ggcggtctgc	atgcgcgtgg	gtttatcgtt	gctgttgctg	240
gtgtctgtgg	ggcagggtct	ctgtggccgc	gtggagggcc	cacgcgacag	cctgcgagag	300
gaactcgtta	tcactccgct	gccttccggc	gacgtggcgc	cccaattcca	gttccgcacg	360
cgttgggaat	cagatctgca	ggggaaagga	gtgtccatct	acaggctctt	ccttaagcct	420
ctgggaacagt	tgatctccaa	gtactctctg	cggagagctac	acctgtcat	cacgaaggcg	480
ttttgggaag	cgcatactg	ggggccaccc	ttcctcaggg	ctccatcagg	tccagagctc	540
tggtgtcgtg	tccaagacac	tgtcacagat	gtggataagt	cttggaaagga	gctcagtaat	600
gtctctctcag	ggatcttctg	cgcgtccctc	aactctacgg	actccaacca	taccgtcact	660

cccacagcct	ccttcaaac	tctggggctg	gccaaatgaca	ctgaccacta	cttctgcgc	720
tatgctgtgc	tgcccgggga	ggtcgctgc	accgagaatc	tcaagccgtg	gaagaagctc	780
ctgcctgtga	gtcccaaggc	aggctgtccc	gtgctaactga	aagcagatcg	attgttccac	840
accagtacc	actccaggc	agtgcatatc	cggcgaatct	gcagaaatgc	tcactgcacc	900
agtatctctc	ggagagctgag	gcagaccctt	tcagtgtctc	tgtgatgcctt	catcacgcga	960
cagggggaaga	aagagcgctg	tccattggca	tctcagagcc	tagttttatg	ggacatcaca	1020
ggctacagcc	aggacaacga	aacactggag	gtgagca			1057

<210> 19

<211> 750

<212> DNA

<213> Rat

<400> 19

ggcacagcgc	gcattccaag	ctgctgcaag	caggactgag	cactaccaga	gcagcaacct	60
cggatgagccc	tgagcgtggc	acgcgggggg	cacagaggca	agaagacttg	atgaagcctc	120
tcttcccacac	ccatatccag	aaagaacgat	ttagatgaca	gttttttagaa	aggtagccac	180
catgatctctc	tggatgtctc	tggcctgtgc	ccttccgtgt	gctgctgacc	caatgctctg	240
tgctcttgct	cgcaggagct	tccagaaggg	tggtctctca	ctggtgtgca	gtctgcctgg	300
tcctccaaagg	ccacttgccc	ctccaggagc	accaggatcc	tcagggaatgg	tggggaagaat	360
yggttttcttc	ggttaaggatg	gccaagacgg	ccaggacgga	gaccgaaggg	acagttggaga	420
agaagatccca	cttggcagga	caggcaacgc	aggaaaaaca	ggaccaaagg	gcataactgtg	480
ggccatttggg	agagcgggtc	ctcagaggacc	caaggggggtc	agtgttacc	ccgggaataca	540
tggtataccg	ggcaagaagg	gacctaaagg	caagaagggg	gaacctgggc	tcaccagccc	600
ctgtagctgc	ggcagtagcc	gagccaaatc	ggccttttcg	gtggcggtaa	ccaagagtta	660
cccacgtgag	cgactgccc	tcaagtttga	caagattctg	atgaatgagg	gaggccacta	720
caatgcattcc	agtggaagct	tcgtctgcag				750

<210> 20

<211> 849

<212> DNA

<213> Rat

<400> 20

gataatycgg	sacgaggggc	cgccgagctc	cgccgggtcg	gtgtagctgc	ctgccgagc	60
tgcgacgctc	gtgggtgccc	tggttcggctt	ttcctgtcta	cttcagtga	ccgctgcagc	120
tcgggctctc	ggtctgagcc	gccacagcat	ggcttccgct	ttggaaggat	tgacagaaga	180
cttagaagag	gtcaaatgctc	tgctggaata	gtccactagg	aaaagactac	gtgatactct	240
tacaaatgaa	aaatccaaga	ttgagacgga	actaaggaa	aagatgcagc	agaaagtcaca	300
gaagaaacca	gaatttgata	atgaaaagcc	agctgctgtg	gttgcctctc	ttacaaacag	360
gtacactgtg	aaaatcagta	attatggatg	ggatcagtc	gataagtttg	tgaaaaatcta	420
cattacttta	actggaagtc	atcagggtcc	tgctgagaat	gtgcagagta	acttccacaga	480
gaggtcattt	gactctttgg	taaaaaaacct	caatggcaag	aattacccca	tgagtgtgaa	540
caactctttg	aaaactatct	ctgtggaaag	cagttcaaaa	aaagtccaaga	ctgatacagt	600
tattatccta	tgtagaaga	aagcagaaaa	cacacgagtg	gactacttaa	ctcaggtgtg	660
aaagaatgc	aaagagaagg	aaaagccttc	ctacacacat	gaggcagatc	ctagtgtagg	720
attaatgaat	gttctaaaga	aaatttatga	agatggagat	gatgacatga	agcgaaacct	780
taataaagcg	tggtgtgaaat	cccagagaaa	gcaagccagg	gaagacacag	aattctctga	840
gcccggggg						849

<210> 21

<211> 312

<212> DNA

<213> Human

<400> 21

ttcagagcgc	cgcccgggca	ggtaaccagca	catgctgtgg	tgatgctggt	ttgtgtctcc	60
acctcactca	cactcagccc	tgggcatctc	ctgtctgggt	ctgtgtgagt	ggcagcgcca	120
atgacctttc	tgctctgag	ctgtctccctg	tgctctctga	agcagttctc	ctcactaaca	180
gtagagagct	cacagtctg	gggtctgcgc	ctgtctctgc	ctctcgaggc	atctctgggt	240
ccaggtccgc	cttctcgga	gtactctgcg	cgcgaccaa	gctaactcaa	cttactcgata	300

ccgtcgacct cg

312

<210> 22
 <211> 1023
 <212> DNA
 <213> mouse

<400> 22

gcgcggcccg	ggggactcac	attcccgggt	ccccctccg	ccccacgcg	ctggggcatg	60
gagccagat	ggggggaggt	agtgttactc	gccacactcc	cttctctggg	agcaggtgga	120
gagtcacccg	aagccctccc	gcagtcctgg	acacagctgt	ggctcttccg	cttcttgttg	180
aattgtacgg	gctatgccag	ctttatggta	cttggctacc	tctctgtgca	gtacttaaga	240
cggagaact	acctggagac	aggcagggtt	ctctgcttcc	ccttgggtgaa	agccttgttg	300
tttggcaatg	agcccaaggc	tctctgatgag	gttctctctgg	ctccgcggac	agagacagcg	360
gaatccacc	cgctctggca	ggtcctgaag	ctggtcttct	gtgcctcggg	tctccaggtg	420
tctctatcga	cttggggcat	actgcaggaa	agagtgtgat	ctggcagcta	cggggccaca	480
gccacatcac	caggagagca	tttcacagac	tcccagtttc	tggtgctgat	gaaccgtgtg	540
ctggcgctgg	tgttggcagg	cctctactgt	gtcctgcgca	agcagcccg	tcatgggtga	600
cccatgtacc	ggactactct	tgccagtctg	tcaaatgtgc	ttagcagctg	gtgccagtat	660
gaagcactta	agttctgtcg	cttccctacc	cagggtgctg	cgaaggcctc	caagggtgatc	720
ctgtctatga	tgatgggaaa	gctgggtgcc	cggcgagctc	atgaacactg	gyaataacctg	780
actgcggcgc	tcatctccat	tggagtgtgc	atgtttcttc	tatccagtgg	accagagcct	840
agaaagcttc	cagccacacc	actctctggc	ttggctctac	tggcaggcta	tattgtcttc	900
gacagcttca	cctcaaatat	gcaggatgcc	ctgtttgctc	ataagatgtc	atcgtgtcag	960
atgatgttgg	gggtcaattt	attctcctgt	cttttcacag	taggctcact	actggaacag	1020
ggg						1023

<210> 23
 <211> 997
 <212> DNA
 <213> mouse

<400> 23

ggcacgagga	cttctgctag	tacttgtccc	tgccgggtgc	tgagcaaccg	gtctcaccag	60
catgtctctg	ctgtgcctgt	atgtgcccat	cgcggggcgc	gctcagactg	agttccagta	120
cttttgatccc	aaggggcttc	ctgccgagct	gaaatccatc	ttcaaaacta	gtgtctttat	180
ccccctctcaa	gagttctcca	cataccgccca	atggaagcag	aaaattgtgc	aagcaggtga	240
caaggacctt	gatgggcaac	tggaacttga	agagtttga	cattacctcc	aaagatcaga	300
gaaaaactcg	aggtctgggt	tcaagagctc	ggacaaaaag	aatgatgtgc	gaatcgatgc	360
tcaggagatc	atgcagtcct	tgccgggacct	gggtgtcaga	atctcggaac	agcagcgga	420
gaagattctt	aagagcatgg	ataagaatgg	cacgatgacc	atcgactgga	acgagtgag	480
gggataccac	ctctgcaccc	ctgtggagaa	catcccgagg	atcatcctgt	actggagcca	540
ctcgagcatc	ttcgatgtcg	gtgagaatct	gacagtccca	gatgagtcca	cagtggaggga	600
gagggcagac	gggatgtgtg	ggaggcacct	ggtggcgaga	ggtggggcag	gggcagtttc	660
cagaaactgc	actgcctccc	tgacagactc	gaaggtgtct	atgcaggtcc	atgctctccc	720
cagcaacaac	atgtgcatcg	taggtggatt	cacacagatg	attcggaga	ggggagccaa	780
gtcactctgg	cggggcaacg	gcacatcatg	cctcaaaatt	gcccctagt	cggccatcaa	840
atctcatgca	tatgacgaga	tgaacggctt	tgtcggtagt	gatcaggaga	cgctcaggat	900
ccacgaaaag	cttgtggcag	gctccttggc	cggagccatt	gccagagta	gcactctacc	960
aattggaggt	ctgaagacc	gaatggccct	gcggaaa			997

<210> 24
 <211> 529
 <212> DNA
 <213> Rat

<400> 24

aaagcttcca	tcttcaacat	gccactagtg	acgacactct	tctacgctg	cttctatcac	60
tacacggagt	ccgaggggac	cttcagcagt	ccagtcacac	tgaagaaaaa	atccaagat	120
ccagacagac	agatgatgct	gacagccttg	gctgcgcggg	ccaaagcttag	agcctgggat	180
gatgtgcagc	ccttgttcc	cacaaaagac	tggttgggtt	acaccaagaa	gagagcacc	240

attggcttcc	atcgagttgt	ggaaattttg	cacaagaaca	gtgcccctgt	ccagatattg	300
caggaaatgt	tcaatctggt	ggaagatgtg	gacacaaagt	tgaactttagc	cactaagttc	360
aagtgcacgt	atgttgtcat	tgtactctgc	cgagacctga	aggaatcgta	acagtgtcct	420
gcatacagg	gcaaaagtga	taaaggatct	gctgaggaag	agaaaaatcg	tgctcatcctc	480
agcagctcgc	aaatttcgatg	gaagaactaa	ggtctctttg	ctaccacaga		529

<210> 25

<211> 1230

<212> DNA

<213> Rat

<400> 25

aagaattcgg	cacgaggcca	tggttggttg	ggcggggggc	gagctctcgg	tcttgaaccc	60
gctgcgtgcg	ctgggctgt	tgctggccgc	cgctctctcg	ctcgcactgc	tgctgcagct	120
ggcgcccgcc	aggctgtcac	cgagctcgcc	gctcttccag	gacctcatcc	gctacgggaa	180
gaccaagcag	tcgggtctgc	ggcgcccgcc	cgctcgcagg	gccttcgacg	tcaccaagag	240
gtactttctc	cacttctacg	tcgtctcagt	gttatggaa	ggctccctgc	tctgttctct	300
gtctcagctc	ctgttctctg	gagcgccgtt	tccaagctgg	ctttgggctt	tgctcagaac	360
tcttggtggc	acgcagttcc	aagccctggg	gatggagttcc	aaggcttctc	ggatacaacg	420
aggcgagctg	gactgtgtcta	ccttcttaag	gttggtgttc	ctctgggtcc	atagtctctc	480
gagactcttc	gagtctctct	acgtcagctc	cttctctaac	acggccatcc	acgtctgtca	540
gtactgtctc	gggctggctc	actatgtctc	tggtggcctg	acgctactga	gcccaagtcg	600
ctgataatgc	aagaacgtgt	acgctctggg	gaagaattcta	ctcgtacaag	ctcgtgggtt	660
ccacatctgt	ggaaatgatga	tgttctctct	gtcctctcgc	cattcagata	agtcgcacgt	720
cattctcagc	aatctcagga	gaaataagaa	aggtgtggct	atccactgcc	agcacaagat	780
cccccttgcg	gactgtgttc	agtatgtgtc	ttctgtctaac	tacctagcag	agctgagtat	840
ctacactctc	atgctgttca	ccttcgggct	ccacaagcta	acctgttggc	tggtgggtac	900
ctatgtcttc	ttcagccaa	cctgtgtctg	gttctctaac	cacaggttct	acaaaagcac	960
atttgtgttc	taaccaaaag	atagaaaagc	tttccctccg	ttcttgtttt	gaacaggctt	1020
tattgtgaag	agcgacagcc	aggtgacagg	ttccctctct	cgagacgctg	agacaggctg	1080
aagtaacatt	tctgcagctg	gcgcccgcga	ggctgctaac	gagctgcgcg	ctcttccag	1140
acctcatcgc	ctacgggaag	accaagcagt	ccggtctcgc	gcgcccgcgc	gtctcagacc	1200
cgggggatac	actagttcta	gagcgccgc				1230

<210> 26

<211> 393

<212> DNA

<213> Rat

<400> 26

ggcagcaaga	agcaaccgcc	aagctaggag	tctgtcagcg	agggcagggg	ctgcctgggt	60
ggggtagggg	tgggagcagg	gccagcagga	gggtctgaag	aagcattcta	aagcgagcag	120
ctgggaagcg	tgggagcgcg	ggaaaggcct	acagactaca	agagaggtac	ctggcgctcg	180
ggcctctcgg	gtcatcacca	tgaggccact	tcttgcctgt	ctgcttctcg	gtctggcatc	240
agggctctct	ctctctggag	acaacaagat	ccccagcctg	tgtccccggc	agccccggct	300
ccccagcaca	ccaggccacc	acggcagcca	agggctgctc	ggcctgacg	gctctgatgg	360
cgcgacggtg	caccgcgagt	ccgggagaga	aac			393

<210> 27

<211> 778

<212> DNA

<213> Rat

<400> 27

ctgcaggtcg	acactagttg	atccaaagat	tcggcagcag	ataaggcaca	tttgcttcat	60
aaaataaaaa	aaaagaaat	ttaatttagc	gcattgtcagt	cccccaaat	ttgagcgta	120
aaatgaatg	gaaacattt	attacacaaa	ttcaattaca	attctaggga	ataaacatgc	180
aaatcagatg	gagctcaatc	tgcaggcgct	gatactctcc	ccctgtgttg	cagtcctgtc	240
acctctctga	ttcgccccgc	accaggcagt	cagaggcctg	gtcttgcag	gcagagagat	300
cactgttgtta	aagaaacagc	tcacatttag	cgcattctgg	gtagtgcag	tttttaaac	360
tttgcgcagc	tgcttcccc	cccccaaccg	cgctttgtta	ggctctacct	tctaaatctc	420

tgccctctctc	gcacagtaag	tgacctctcc	atgacaaaag	gccccagac	agcagttata	480
aatcaatgtg	ttttgggttt	gtttgtttgt	ttgtttttgt	ttaaagaaaa	accgggcat	540
gcttgggtggc	acttgccctt	aatagttagc	cttggtagac	agaggcaagc	ggttctctgt	600
aagttcaagg	ccagcctggt	ctacacagtg	agaccgggtc	tcaaaaaaa	aacaacaaa	660
aacaactcct	attgaatcca	ctacaggaag	ggggggcgcg	gatcactgtc	tgcaaaactaa	720
agtgaactga	gctcctgtca	cagcctttcc	agcaagggca	agctctctta	ttagttat	778

<210> 28

<211> 1123

<212> DNA

<213> Rat

<400> 28

gggccccccc	tcgagtcgac	gktatcgata	agcttgatag	cgaattcctg	caggtcgaca	60
ctagtggatc	caaagaattc	ggcaccgagc	tgaggcgact	acgggtcggg	tgcccgggtg	120
cgggtgctta	cagcccccat	cagcttcccc	ggggagattc	tgccgatttg	tcacgagcca	180
tgctcaggag	cagctctgtc	tggtggcacc	tgctggcttt	gcttttcttc	ccattttgcc	240
tggtcaaga	tgaatacatg	gagttctccc	aaagctggagg	actgccccca	gactgcagca	300
agtgttgcca	tggagattat	ggattccgtg	gttaccgaag	gccccctgga	cccccaggtc	360
ctctctggcat	tcacaggaac	catggaataa	atggaataaa	cggagccact	ggccaagaa	420
ggggcaaaag	tgagaaagga	gacaaaaggc	acctggggcc	tcgaggggaa	cgggggcagc	480
atggccccaa	agatagaag	ggatacccaa	gggtgcccac	agagctgcag	attgcgttca	540
tggtctctct	agcgactcac	ttcagcaatc	agaacagctg	cattatcttc	agcagtgttg	600
agaccaacat	tgaaaccttc	ttcgatgtca	tgactggtag	atttggggcc	cccgtatcac	660
gcgtgtattt	cttcaccttc	agcatgatga	agcatgagga	cgtggaggaa	gtgtatgtgt	720
accttatgca	caatggtaac	acggtgtcca	gcattgacag	ctatgaaaca	aagggaataa	780
cagatacaat	cagcaacat	gcagtgtcga	agtgtggcca	aggagatgaa	gtctggctaa	840
gaatgggcaa	cgtgtccctc	catggggacc	accagcgctt	ctctaccttc	gcagctcttc	900
tgcttttgta	aactaaagtga	tgaggaagtc	aggatagctc	catgctaaag	gcgatttgta	960
ggtagcctag	ggttgtttag	atctgagggg	tggtggagtt	gggcttctct	atggagtatt	1020
taactgttac	attggtcaca	ctgctactca	ttctaattgc	ataccaatta	tggtggatag	1080
tttaggggct	aggaagaata	gaccacaagg	taataattccc	aga		1123

<210> 29

<211> 849

<212> DNA

<213> Rat

<400> 29

aattggcgac	gaggtgccct	ccgcggggtc	gggatgggag	tgccctccgt	gaacttgaag	60
gtatctctcc	gggttacttg	gctgttgaca	acctgggggt	gcttggcggt	ctcaggctcc	120
tatgctgggg	gcaacttcaac	tatctcgggc	ctgggtgctg	tgggctgtgg	cccagcgaga	180
ctctcttgat	gcacattggca	tggtttctgg	tggtcttggt	gcaacacat	tcctggacat	240
tatctacatt	agcatctctc	actcaagcgt	tgccgttggg	gacactggcc	gcttcagtgc	300
cggcctggcc	attcttcagct	tgctgctgca	agcccttctc	ctgctgcctc	gtctaccaca	360
tgcaacggcg	agcgaggggg	tgagctcccc	ctccctctcg	atttcttcgg	accttctcag	420
gaacatagtg	ctcaccagac	aattgactcg	tcagactcac	ctgcagaccc	ccttgcgaag	480
ctggagaaca	atggccaagc	tgccccccgg	gggtactgaa	gctgtccctg	gccgtcctgg	540
ggccccagca	gatgctgtgc	acctcttcta	ctggacctac	aatgggggat	ctctcattcc	600
ctggacacaga	ggtggcctga	gtcatgtgcc	ctcggaggtc	ccagcttgaa	agagccccagt	660
ctcaattcttc	catgctgccc	ctccattcaa	gacacctgtt	aacccttggg	ctagaactgt	720
ggttgggttc	ttccccctct	ccccatcaat	ataacacaca	accgcgagc	tgtgcagagt	780
gttcaggggcc	atccaggcct	tatggggcaa	tgatcactgc	ctctcaggct	acccccagggt	840
gaccaccgc						849

<210> 30

<211> 1015

<212> DNA

<213> Rat

<220>

<400> 30
gaattcggca cgaggagca agaagcaacc cgaagctagg agtctgtcag cgaggcgagg 60
ggctgcctgg ttgggttagg agtgggagca gggccagcag gaaggtctga ggaagccatt 120
caaagcgagc agtgcggaga gctggggagc cgggaaggcg ctacagacta caaagagaga 180
tcctggcgct tgggcctcct gggctcatcac catgaggcca ctcttgcctc tgctgtctct 240
gggtctggca tcaggctctc ctctcttgga cgacaacaag atccccagcc tgtgtccggg 300
gcagcccgcc ctcccaggca caccaggcca ccacggcagc caaggcctgc ctggccgtga 360
cgcccgctat ggccgcgagc gtgcaccggg agctccggga gagaaaggcg agggcgggag 420
accgggacta cctgggccac gtggggagcc cgggcgcgtg ggaaggcgag gacctgtggg 480
ggctatcggg cctggggggg agtgctcggg gcccccacga tcagccttca gtgcacaagc 540
atcagagagc cgggtacctc cgccagccga cacaccccta cctctcgacc gtgtgtctgt 600
caatgagcag ggacattacg atgccactac cggcaagttc acctgccaag tgctgtgtgt 660
ctaactcttt gctgtccatg ccaactgtcta ccggggccagc ctacagtttg atcttgtcaa 720
aaatggccaa tccatagctt ctctcttcca gttttttggg gggtagccaa agccagcctc 780
gctctcaagg ggtagcgatg tgaggctaga acctgaggac caggtatggg ttcaggtagg 840
tgtgggtgat caactggca tctatgcag catcaaaaca gacagtacct tctctggatt 900
tctgtctcat tctgactggc acagctcccc agtcttctgt taaaatacag tgaaccggga 960
gtcgcgactt gctctatgtg gagggtgtga cattgggtcca gcgcgcatac cagga 1015

<210> 31
<211> 452
<212> DNA
<213> Human

<400> 31
ttcagcgccg cgcccgggca ggttgaaact ttagaaagaa gagccgggag gatgtattgg 60
ttggttaggaa aatgtaggct accagtagaa aatgacattc tctattaata agatctgagg 120
tgtagcacac aaattgtgac caatttttaa gattgatggg gagcatgaag cattttttta 180
atgtgttggc agggcccatc aaatgcataa actgcatagg actcatgtgg tctgaatgta 240
tttttaggct ttctggaaat tgccttgaca gagaaccca gctggacaaa gcagccttga 300
tctgagtgag ctaactgaca caatgaaact gtacggcatg ttctgtctc ttctctggc 360
tctttcttgc ttttttaacg gtgtcttcag tcaggaggga cagggtgact gtggtgagtc 420
caggacacca aggcctactg cactcgggaa cc 452

<210> 32
<211> 434
<212> DNA
<213> mouse

<400> 32
accaccaagc agatggaaat gtggcacacc catgcacctg catggcgctca cagggtggaag 60
attgtcaaaa aattgacatc agaaatatct acagaaatag atacctgttt gaataaagtt 120
agagaTgaaa ttttgctaaa acttcaacgc aagcttagat gacattagg tgacatggaa 180
agtcctgtgc tgcgaacttc tgactgttta aagcttgaag ccaatgttga aagctctttc 240
acatattctt ttctctggaa ttgtgaatgt tccatttgtg gacacagtg ccaaaacagg 300
tgtgtgaaga gctcgttcaac ctttaceaat attgttctcg agtggcatcc actcaatgct 360
gcccatctttg gtcacgttaa cagctgcacac agtaaatcac aaataagaaa aatgtgtgtg 420
gaaagagcgt gcgc 434

<210> 33
<211> 903
<212> DNA
<213> mouse

<400> 33
ctgcaacaag gctgttggtt cctctccaat gggctccagt gaaggcgctc tggggcctggg 60
ccctggggcc aaggtcaca gtccactgct gaagacccca ctgggtggcc agaaaacgcag 120
tttttccac ctgcctccc cactcagcgc cagctcagag ggcagctacg tgggcccagca 180
ctcccagggc ctggcgggcc actaacggga ctctaactct aagcggaaga gatttttcta 240
aggggtgcac accagagatg ctccaagggc ctgcaccag ttgtcttttg gttttttctg 300
tgatttttgt ttctcgggat tttattttta ttattttttt taatgtcctt tcttttgggta 360

atagagaaat	ctctgcaaaa	gactttgctg	accaaccagc	tggagctcaa	ggaatgtggg	420
gtatctgggg	ccacaccatt	acctgtgggc	ttgctctcgg	agccaaaccc	tgcagcctta	480
agagagaggg	gcctgacctg	ctctctttcc	ctccctagct	ccaggccctc	ttctcctgct	540
cgctactcct	gtgtctggcg	ctctttgagtg	cttttgaggg	tgctctcgac	ctgtgaggat	600
cagagacagt	ccccgttttt	aaactctgac	aattgacttt	tatttctttt	ttctaattttt	660
atatattttt	aaaaacaaca	ggatgattat	cacatctact	ccccatccg	tccagaaaaa	720
ccccaaattg	attccttcag	ggctctggcct	gcccaagctc	tattccacat	gtgcagggtc	780
caacagcctta	acctctattct	cttccagctc	atctctgctc	gggtatagctg	ttctcatgcc	840
ctgcctgcct	attctggcca	gtaccctaa	ccccaaagtc	tccagccctc	gcccaagctc	900
cct						903

<210> 34

<211> 1359

<212> DNA

<213> mouse

<220>

<221> unsure

<222> (644) ... (644)

<400> 34

caaagaattc	ggcacgagac	cggcctcact	atgtctgcca	ttttcaattt	tcagagtctg	60
ttgactgttaa	tcttctgctg	tatatgtaca	tgtgcttata	tccgatccct	ggcaccagca	120
atctctggaca	gaaataaaac	tggactattg	ggaatatattt	ggaagtgtgc	ccgaattggg	180
gaaccgcaaga	gtccttatgt	cgccatctgc	tgtatagtga	tggccttcag	catctctctc	240
atacagtagc	tttggaaact	accagcatgt	gcttgctatc	agactgtaaa	caaggacttg	300
ccctccagaaa	ataatgggaa	gaatgggttaa	gccatttgct	tctgaacatg	gaatgagata	360
aacttcaaga	tgctgtctctc	tatttttatg	ctattggacc	aattgagctga	atgaataaatt	420
aagatgtaac	agttcaaatc	acaggaatgt	gatgtgtacc	atcaacatca	gtctctctcac	480
tccagttata	cattctgcaa	atgtcatctt	gttgtgtcag	gactgctttt	cataaaggctc	540
ttcgggcacg	aagttagaac	ccagtggcaa	attccaagcg	tcctttgact	agggcttcaa	600
aataatgtct	tccagcaagt	gtacctctag	cgactgtcct	attntatttg	agaaaaaaac	660
ttgttctatt	tttgtgtgtg	ttactgttct	tatggattgc	attcataatt	aaacctcttg	720
gattgtctaac	cagagtacct	ctattcttgg	caaattccgc	agtttatatc	aggtgttttaa	780
agtatatttaa	acaaaactct	gaatttcttt	agttagccta	agagtgtgct	tctagtccaa	840
aagatacagc	tgccacactg	tgacgaagag	caccttagaa	agaaaaagcag	caagtgtgagc	900
gtgagcaagt	aagcaccggt	cagctctcgt	gcaagtaagc	accgtgcagt	cttcgtttctc	960
tgtagtcttg	tcttccaaat	agaacgtcca	tcgtagtata	ccaaaaggtg	tatttgtgtg	1020
gttcttaatt	cagtgcttta	agtcctagtg	atgtctctgc	agcttgaaat	ggaatctctc	1080
ttgttaacttt	gtagggttata	aacatatctc	ataatctgct	tagtctgggt	actatgctct	1140
aagtacattt	cagctttgac	acagaatgtg	aatagacgaa	tatcaaaaga	tacttacaag	1200
ttgttatcca	acattttctc	aggtctcagct	gaaaatcagt	tactgtttca	aaacaaaagag	1260
gaatttaaatc	actagctgaa	actatacata	gcatttata	atcaattact	gggttttaact	1320
gctcttttta	aaagtttgaa	aaaaaaaaaa	aaaaactcg			1359

<210> 35

<211> 797

<212> DNA

<213> mouse

<400> 35

aattcggcac	gaggctagtc	gaatgtccgg	gctgcggacg	ctgctggggc	tggggctgct	60
gggtgcgggc	tcgcgcctgc	cacgggtcat	cagccagcag	agtgctgtgc	gtgcaggagcc	120
catctgggtg	ggaaacacag	gcgggggctc	ggaagacata	gcggggcgctg	cggtgaagta	180
cttaagtcatg	gagggaggtc	agggcggtgga	ccaagagctt	tttaacagct	atcagttctc	240
cgtggatcaa	ctcatggagc	tgggcggggt	gagctgtgac	acggctatgt	ccaaggctta	300
tcgccccacg	ctcatgtcca	agagtcctccc	gactgtcttg	gtcatctgtg	gccccggaaa	360
taacggaggg	gactgggtgg	tcgtgcgcg	acacctcaaa	cttttgtggct	accagoccaa	420
tactctatc	ccccaaagac	ctaaacagac	ctcttccact	gggctcagta	ctcagtgctca	480
gaaaatggac	attcctttcc	ttggtgaat	gccccagag	gattgggatg	agagaaggga	540
aaccttagcg	gaatccaacc	agacttactc	atctcactga	cggcaccocaa	gaagtctgca	600

actcacttta	ctggccgata	tcaattacctt	gggggctcgt	ttgtaccacc	tgctctagag	660
aagaagtacc	agctgaacct	gcacatcttac	cctgacacag	agcgtgtcta	ccgtctacag	720
taaggggagt	gggtaggcag	gattctccaa	aaagacttgg	tactttctgt	cttggaaaaa	780
aaaaaaaa	aaactcg					797

<210> 36
 <211> 896
 <212> DNA
 <213> mouse

<400> 36						
ttaaggtttt	cagactttat	ttcatgggtat	ttgacattga	cacatactga	gttagtaaca	60
agataccatg	cagctccctc	tagcctcgga	tcaccgaagc	aggaagaagg	tcagactgcc	120
ccatcccgag	attgtcttag	tttgtctccc	aatgtgctgg	actttaaaga	cagggaatgg	180
agaagcagat	ggatgcttca	gtttcagtc	tttttggtcc	tatagtgtac	tctgccttcc	240
tgtacctgtc	cttggtcgga	ccctggggcag	taactgtcac	tcagatgagg	acgatcatca	300
ttacaatgga	ccaactgagg	gatgccctca	tattagacca	attaaaagtt	gctgtgagtt	360
aaaccaggaa	tgaccgcact	tcacatcatg	aaatcaasca	aaatcaatgg	ctgaagaaga	420
tggttagagg	cctggctcag	tatctttgag	agatggatgc	agctgggtac	tcaggcaggt	480
aaagcaatga	ggtagcgcac	accctatgct	gatgactctc	ccatgtctcag	ggttaactgaa	540
gaagtggtta	aggccagctg	awggccagtc	agggcaactt	agatgtagcc	tggtctctac	600
tcacagctc	cggggacagg	caaacacatt	ttggggaagta	agatgatgtc	ccaattatta	660
tcagtttttt	garatcacag	tattgtcaca	gggagcactg	ggggtccagg	ctagctcggg	720
gtgaggtcgg	ccctcagcac	acacaggaga	gcagcttaag	tgggacctaa	aaaggaccaca	780
atgttactgt	gtttaatgaa	ggccccctca	accccaacag	ccctcctgc	tcagggacac	840
agttctccac	caattacaca	ttaataaac	acaaacagtg	cctagcaatg	ggccag	896

<210> 37
 <211> 501
 <212> DNA
 <213> mouse

<400> 37						
ctgcaggtcg	acactagttg	atccaaagaa	ttcggaacga	gaatcatggc	gccgtcgtcg	60
tggaaggggc	ttgtaggtgt	cgggtctttt	gccctagccc	acgctgcttt	tcagctcgag	120
cagcatcggt	cttatatgct	actaacagaa	aagggaagatg	aactattacc	aatagatata	180
gtttctcaga	cactctggcg	ctttgcagtt	acctgttatg	gcatagttca	tatcgcaggg	240
gagtccaagat	acatgggacg	cacttcagaa	ttaaagaata	agacatttga	taccttaagg	300
aatcacccat	ctttttatgt	gtttaaccat	cgtggctcag	tgctgttccg	gccttcagat	360
gcacaataat	cttcaaacct	agatgcattg	tcctctaata	catcgttgaa	gttcacgaag	420
tttgactcac	tgccgcctta	agctttttac	aaattaaata	acaggacaga	cacagaattg	480
agtattggag	tttgggggtg	a				501

<210> 38
 <211> 766
 <212> DNA
 <213> mouse

<400> 38						
gcagcaccca	gcgcgaagcg	caccaggcac	cgcgacagac	ggcaggagca	cccctcgagc	60
ggcgctactg	agcgagccga	gcagagcaga	gagaggcgctg	cttgaaaccg	agaacaacag	120
cggcgcgagc	ccccgcgcg	cgcgacgcac	aggccgcgcg	cctccttgcc	tcctctgtcc	180
ccacgcgcgc	cctccggcca	gcataggagc	cctggcgccc	gcgctgtctc	tgctgtctct	240
ggcgctgtgc	gccttcgcgcg	tggaggggtc	caagtgtaa	tgctcccgga	aggggcccga	300
gatccgctac	agcgacgtga	agaagctgga	aatgaagcca	aagtaccacc	actgcagaga	360
gaagatggtt	atcgtcacca	ccaaagagca	tgctccaagt	accggggcca	ggagcactgc	420
ctgcaccctca	agctgcagag	caccaaacgc	ttcatcaagt	ggtacatagc	ctggaaacgag	480
aagcgcaggg	cttcacgaaga	atagggtgga	cgatcatgga	aagaaaaact	ccaggccagt	540
tgagagactc	cagcagagga	ctttgcagat	taaaataaaa	gccctttctt	tctcacaagc	600
acaagacaaa	ctatatattg	ctatgaagct	ctctcttaca	gggtcagttt	ttacatttta	660
tagctgtgtg	tgaaagggtt	ccagatgtga	gacccagctc	gcttgcgcac	cagacttcat	720

tacaagtggc tttttgctgg gcggttgccg gggggcgggg ggaacct

766

<210> 39

<211> 480

<212> DNA

<213> mouse

<400> 39

ggcacgagga	agcctcttcc	catggaagca	cactctagga	gagagaaggc	ctctgggctc	60
cgctctggct	ggcattatga	atgcagtggg	gtcagtggtg	gggtggatgg	tgactggggt	120
tggtctttct	ttttagtttt	tttacttttt	agtttagttt	gtctttttcc	ttccccaaat	180
aatcattgcc	acatgcttcc	atgtttgttt	ctggaaggtg	gggtgtcaaa	tgatagaaaa	240
gaagggccca	gtccataagg	aggtgtgaac	acaccccttt	actgtcttat	accattttga	300
caggaaagcc	caggagggga	ggggaggggg	aagaggtgag	ttctgcacag	tcggacattt	360
ctgtgtcttt	tgcatgttta	atatagacgt	tctgttcgat	ctctgggaga	tcattgacct	420
cagatattga	cacgaccttt	gaattgtgct	tactaatatt	agcagggggc	ttgggtacct	480

<210> 40

<211> 962

<212> DNA

<213> mouse

<400> 40

ggcacgagat	tagcggctcc	tcagcccagc	aaatctctca	ctcatcatgc	ttctctctgc	60
cattcatctcc	ccctgctctg	catctctgat	agaaactggt	tgacttttaa	ggacttttaa	120
aaatgatgcc	acagaaatcc	tttattccaa	tgtgggttaa	ctgtctcccg	cacaccccaa	180
cagcaaacgc	acctgaatc	aagccaggaa	tggaggcagg	catcttcagta	gcacttgact	240
ggatcgaaac	agtcgagttc	aagtgggtctg	cagggaactg	cggtccacca	aatacaatttc	300
ggacggccag	tgacaccagca	tcagccctct	gaaggagctg	gtgtgcgcgg	gcgagtgtct	360
gcctctgctg	gtgcttccca	actggatcgg	aggaggctac	ggaacaaagt	actggagccg	420
gaggagtctc	caggagtggc	gtgtgtgtcaa	cgaacagacg	cgacccacga	ggatccagct	480
gcagtgctag	gacggcagca	cgcgacacct	caaaatcacc	gtggtcacgg	cgtgcaagtg	540
caagaggtac	accgctcagc	acaacagatc	cagccacaac	tttgaagcgg	tgctgccacg	600
caagcccgcc	cagcaccaca	gagagcgga	gagagccagc	aaatccagca	agcacagtct	660
gagctagacc	tggactgact	aggaagcattc	tgctacccag	atttgattgc	ttggaagact	720
ctctctcgag	ctcggcatgt	ctctttctct	acttgaaagt	atatgctttc	tgctttgact	780
aagccacaga	ggctggctct	ctctggagct	agctttctct	tgtgaaggtg	ctcaagatgt	840
aatgagtgg	ttgcagtgaa	agccaggcat	ctgttagttt	ccatctctct	ccccatccca	900
gtcatttctt	taaaagcacc	tgatgtgca	ttctgttaca	gttttaaaaa	aaaaaaaaaa	960
aa						962

<210> 41

<211> 794

<212> DNA

<213> mouse

<400> 41

ggcacgaggc	tagtcgaatg	tcogggctgc	ggaagctgct	ggggctgggg	ctgctgggtg	60
cgggctcgcg	ctgtgccacg	gtcatcaagc	agcagagctg	gtgtctgcga	agggcatctc	120
gggtgggaac	acagcgccgg	ggctcggaag	caabagggcg	cgctgcggtg	aagtaactaa	180
gtcaggaaga	ggctcaggcc	gtggaaccaag	agctttttaa	cgaagtacag	ttcagcgtgtg	240
atcaactcat	ggagctggcc	gggttgagct	gtgccacg	tattgccaag	gcttatcccc	300
ccagctctat	gtccaagagt	cccccgactg	tcttggtcat	ctgtgcccc	ggaataaacg	360
gaggggatgg	gctgtctctg	gcgcgaaccc	tcaacttttt	tggttaccag	ccaactatct	420
attaccctcaa	aagacctaac	aagccctctc	tactctgggt	agtgaactcag	tgctcagaaaa	480
tggaattctc	tttctcttgg	gaaatgcccc	cagaggatgg	gatgtagaga	agggaaaccc	540
tagcggaaat	caaccagact	tactcatctc	actgacggca	cccaagaagt	ctgcaactca	600
ctttactggc	cgatatcatt	accttggggg	tcgcttttga	ccactgtctc	tagagaagaa	660
gtaccagctg	aacctgccat	cttacctgtg	cacagagtgt	gtctacgctc	tacagtaagg	720
gagggtggta	ggcagatttc	tcaataaaga	cttggctatt	ctgtccttga	aaaaaaaaaa	780
aaaaaaaaac	cgag					794

<210> 42
<211> 1152
<212> DNA
<213> mouse

<400> 42
ggcagagact tctcaggggc tgcaccccaa ataagtctgg ccttagcttc aactctctct 60
caggctgggc cacaggaagc tgcgtactgg ccacttgaca cctctccctt aaagctaagt 120
tctgtgacta tagggaggtt agcacttttt ctaattggaa ttcttctctg tctctgtggc 180
ccatccctca cccgctcttg gctcggacca gatacatgca gcctctttct ccagcacagc 240
ctttccctga gctcagggtt agggcgagat ttagagggtg ggctaaagtgt atgttttcat 300
gtatgcattc atgcctgtga gtgtgtggct tgcgtctctg tctctcggga tcccaagcca 360
cgcggtgtct cctctctgat atgggtcctg ggttctatca cctgcttatt tatgtacgag 420
gtttgggggg ggagccaggg tgggttgatt gtctctttgt aaggaagtat gtgtcggggg 480
tgacacgagg ctaagccgga gaaaccccg gagacagcac tgataagaa actggtttcc 540
magactcgag agggagctgc acttttgttt tgacacaaaa caaaaaacaa aacaaaaaaa 600
aaacaaaaaa aaaaataact tgaaggcggg gaggataccc aagcctgatg cctgagagaa 660
gtccctagac ttcagcaact ccgctcgctg gctcagcccc agcgggaggg atggggagag 720
aattttttgc agtcctgtcc tgtgtgtggc agtcctgagc cttcagctga agcagtgctt 780
tttggtctgc ctcaactcgc actacttgac cttgaggclt tgagtatctc ctgtgcacag 840
gagaagctcc tgcactagaa agcaccaaar cccmtgggac cccatcttac tccactctcc 900
ccagggaact ccagggtggg actgtctgtg cagtgagctc agcccgagaa gacactggca 960
accctgtctc ctgacattgg gctccgctc taactccca agcaggggga ggcctcgctc 1020
tctcagccta gcacacactg tccccgagtc tctcagctt gccatcatt ctccggcccc 1080
acacagggtg cagtcccaag tagataacct ccattgggaa agttgggtgt tgccttacc 1140
gcttccccag cc 1152

<210> 43
<211> 446
<212> DNA
<213> mouse

<400> 43
ggcagagact tgaagtctga gtgtgcacaa taatagatg cactatccct gcctggcatg 60
ttgtttgtt aatgtgcaact ggtgttttg ctggatgtgt atactgtga agatgtcaga 120
actcctggag ctgggttagt agacaaatgt gactgtcctt gtgagtggtg ggaattgac 180
ccaggtcttc tggagaataa accagtcttc ttaaccacta agcactctca acagccccaa 240
attatttttt taataagttg cctcgggtcat gttgtcttaa tcagagcgat agaaaagtaa 300
ctaataataga ttatttatga attcagggtg cttaatggta tatgatgaa tttagtagta 360
aacaagaact agggccagca agtggcttaa ggggtgcctc taacctctc agccacctga 420
gttcagtcctc caggaaaccac acagtg 446

<210> 44
<211> 391
<212> DNA
<213> mouse

<400> 44
ggcagagacc cagctctatg ttcaactctg ttgtctgtgt aatcaccatc gtcactctgc 60
tctgcacagt ctgcttttga cacttcaaat acctcagtc ccacaactac aagattgac 120
acacagagac agatgcctgt agctccagaa gtaattggag gcccccact gctggcgctg 180
tccccaaatc tgcgaataac atgcctcagg tgcgtcagga ctcagagggg gacggggagc 240
gagatggggc tctcgggagc tcaggcgatg agccccatc gtctctctcc caagacgaag 300
agttgtctgt gctctctgat ggcctccagg acacagactt ccagtcatgc gaggacagcc 360
tcataagaaa tgagattcac cagtaagggg t 391

<210> 45
<211> 516
<212> DNA
<213> Rat

<400> 45
 cctctctgtct ctgctgtctac ttgtgaggcc tggccctgtg gtggccctact ctgtgtccct 60
 ccgggcccctc ttctctggagg aagctggcggg cagtggggaa gctgagggtt cticagcctc 120
 ttccccaagc ctgctgctgc ccgggactcc agccttcagt ccacacacag ggaggaccca 180
 gccacacagt ccggctgggc ctgtgccacc caaccacttc ctggatggga tegtggactt 240
 cttccggcag katgtgatgc tcattgcggt ggtgggctgc ctgaccttcc teatcatgtt 300
 catagtctgc gcggcactca tcacggccca gaagcacaag gccacagcct actaccgctc 360
 ctctttccccc gaaaagaagt atgtggacca gagagaccgg gctggggggc cccatgcctt 420
 cagcgaggtc cctgacaggg cactgacagc ccggcaggaa gagggcctgg acttcttcca 480
 gcagctccag gctgacattc tggcttgcta ctcaga 516

<210> 46
 <211> 306
 <212> DNA
 <213> mouse

<400> 46
 gtcaccacga aaggtggaaa caaattcttt gaaggactct gacagccctg ggtctccaa 60
 gctgctggga ccaagtcttag cctctgtggt caagtggtag gaatgtgaat ctttgcgacc 120
 agggggattca gaattggggg ctcccaatttc tgglylctgc ccaagtcttc cagggggggt 180
 ctctgtagcct ctggggggga ttctctctct ctccacaga gatgtctttt ctctgcatac 240
 catgtctgct ggtttcccaa aatctccccc aaaccacac caccctccac tgaggctcag 300
 cccacag 306

<210> 47
 <211> 439
 <212> DNA
 <213> mouse

<400> 47
 gaaaactcgc aggacgctca ctggacagct tgggcttttt tcagttgatt ttatggtttg 60
 catctttctc ttctcttttt tctgtttctt gtcccccttt ccccttttcc tggtgagaaa 120
 gcacatatta ctgagccatt gcaagcaatg ggagggggtcc acaatgacac acacacacac 180
 acacacacac atacacatac acacacccc gagacagtcg cagagctaac agctacatg 240
 tgtattttgg ccaactctgg aaaaaggtt tcttctcttg ttgtgctcc agccttttat 300
 ttgcaagtga tcttccatgc agtatgaac atgcagacag cactgagatg tggcaagagt 360
 gactgtgcc cacaagtcct tcggggatgt tgtactcttg tgtgtgttta cagtatcatg 420
 gctgtatcat ctactggctc 439

<210> 48
 <211> 159
 <212> DNA
 <213> mouse

<220>
 <221> unsure
 <222> (3)... (3)

<400> 48
 cangtacgct cactggaaca gcttgggctt ttttcagttg attttatggt ttgcattctt 60
 ctctttctct tttctgctt ctgttcccc ttcccccttt tcttggtgag aaagcacata 120
 ttactgagcc attgcaagca atgggagggg tccacaatg 159

<210> 49
 <211> 465
 <212> DNA
 <213> Rat

<400> 49
 gtgccctccg ccgggtcggg atggagctgc ctgccgtgaa cttgaaggtt atttctctgg 60

ttcactgct	gttgacaacc	tgggctgct	tggcgtctc	aggctccat	gcttggggca	120
acttcactat	cctggccctg	ggtgctgtg	gctgtggccc	agcgggactc	tggtgatgcc	180
atttgcatgt	tcttgggtgg	cctggttgcc	accatctccc	tggacattat	ctacattagc	240
atctctact	caagcggtgc	cattggggac	actggcgct	tcaggtccgg	cacggccatc	300
ttcagcttgc	gtctgcagc	cctctccgc	tacaaatgc	accgggcagc		360
gaggggttga	tcctccgcct	cgtccgatt	tcttcggacc	tctccaggaa	catagtgcct	420
accagacaat	tgactctgca	gactcacctg	cagacccct	tgcaa		465

<210> 50
 <211> 337
 <212> DNA
 <213> Rat

<220>

<400> 50					
ctcgtgcgga	aatcggcaga ggcgcgtcc	tgctgtgtg	gntaaagtg	gncgncgtg	60
gnatcgctcc	cagcgctg	ggagtgtat	tgctgataat	gctcgggata	120
tcacatctgc	tggggaat	tagnatgtcc	ccttcacaga	gaagatttt	180
ctcagaacat	atacaacctg	tacgagcaag	tcagctacaa	ctgtttcatc	240
tctacctct	cctcgggggc	ttctctttct	gnaagttcg	tctcaataag	300
acatggtgag	ctagagcgna	gtcnnactct	ccccatt		337

<210> 51
 <211> 371
 <212> DNA
 <213> Rat

<220>

<221> unsure
 <222> (80) ... (80)

<221> unsure
 <222> (312) ... (312)

<221> unsure
 <222> (319) ... (319)

<221> unsure
 <222> (353) ... (354)

<400> 51						
gatgcgcct	ggagccgact	gggctgcgt	ctgcgcttg	tggccttct	ggcgaccgag	60
ctgctcctc	ccttcacagn	ggcgaatca	gcccgaagag	ctgtggcttt	accggaaccc	120
gtacgtgaag	gcggaaatct	tcccacacg	cccatggtt	gtcattgtct	ttctcaacccc	180
actgtccctg	atcttctctg	ccaagtttt	gaggaaagct	gacgctgacc	gacacgagc	240
aagcttgct	cgctgccagc	cttgccctag	cgctaaatgg	tgtctttacc	aacatcataa	300
gactgatagt	gngcagagnc	acgcccacat	tgcttctacc	gagtgttccc	cgncgggat	360
tgccattct	t					371

<210> 52
 <211> 228
 <212> DNA
 <213> Rat

<400> 52						
ttccgcgggc	gtcatgacgg	ctgcgggtgt	ctttgggtgc	gccttcacg	ccttcggggc	60
cgcgctctc	ctttacgtct	tcaccatcgc	cactgatctt	ttgcagatca	tcttctcatc	120
cgcggtgct	ttctcttgg	tggtgtctc	gtcgctctcg	tctgtgtctt	ggctcttagt	180
gagagtcac	actgacaaac	gagatggacc	agtacagaat	tacctgct		228

<210> 53
 <211> 361
 <212> DNA
 <213> Human

<400> 53
 cgtggacact gctgaggaat gataccgagt ggtaggtcag aagaagatgc tgtgaacacc 60
 aggactttaa tcttatgtctt gaaaatgccca gatgttgttc gggggacaac ttgtatcttt 120
 ctacgacgacg atctgttagtt tgtatagcct caacaacaat ttttaataag atggagaata 180
 aattattgag gggactaggt tatatgcatt tgccttccat caccctatgt tattaagaat 240
 catttgtctt aataatacca agactaagca ccataaccna gaaatactaa tgtcaagatt 300
 gttctctgtt tcagggaatcg ttaattcttc aacgttggtg tgataatgat aacttgtttt 360
 g 361

<210> 54
 <211> 403
 <212> DNA
 <213> Human

<220>

<400> 54
 ttgctgtggtc ggggcccagg tgtctgttcc caggagtcct tcggcgcgctg ttgtgtcagt 60
 ggccctgatcg cgatggggag aaaggcgcaa gtcgagagga aactgttgtt tctctctata 120
 ttggcgatcc ttgttgtctc ccggcgatgg ggcagctgta cagtgcactc ttctgaacct 180
 gaagtcagaa ttctcgagaa taatctctgt aagtgtctct gtgcctactc gggctttctc 240
 tctcccgctg tggagtggaa gtttgaccaa ggaacacaa ccagactcgt ttgtctataat 300
 aacaagatca cagcttcccta tgaggaccgg gtgaccttct tgccaactcg tatcacccttc 360
 aagtccgtga caccggaaga cactgggaca tacacttgta tgg 403

<210> 55
 <211> 413
 <212> DNA
 <213> Human

<400> 55
 tagctgtggtc gcggccgagg tacgactcgg tgcctgcctc gtcgcggcc ttgcaggcca 60
 ctcgagccct aatgggtgtc tccctgggtc tgggctctcc ggcctatgtt gtggccacga 120
 tggcgatgaa gtgcacgcgc tggggggagg acgacaaagt gaagaaggcc cgtatagcca 180
 tgggtggagg cataatttcc atcgtggcag gtcttgcgc cttgttagct tgcctctggt 240
 agggccatca gattgtcaca gacttttata accctttgat ccttaccacac attaaagtatg 300
 atgttgcgcc tgccatcttt attggctggg cagggtctgc cctagtcatc ctgggaggtg 360
 cactgtctcc tgttctctgc ctggggataa gaggcagggt gggtaactgc ccg 413

<210> 56
 <211> 452
 <212> DNA
 <213> Human

<400> 56
 ttcgagcggc gcgccgggca ggttgaaact ttgaaaaaga gagccggagg gatgtattgg 60
 ttgttaggaa aatgtaggct accagttaga aatgacattc tctattaata agatctgagg 120
 tgcgacacac ataattgtcc caatttttaa gattgatggg gagcatgaag cattttttta 180
 atgtgttggc agggcccatc aaatgcataa actgcatagg actcatgtgg tctgaattga 240
 ttttagggct ttctgggaat tgccttgaca gagaacctca gctggacaaa gcagccttga 300
 tctgagtgag ctaactgaca caatgaaact gtcaggcatg tttctgtctc tctctctgctc 360
 tcttttctgc tttttaacag gtgtcttcag tcagggagga caggttgact gtggtgagtc 420
 caggacacaa aggcctactg cactcgggaa cc 452

<210> 57

<211> 190
 <212> DNA
 <213> Rat

 <220>

 <400> 57
 ttccgaggcc ngctgacggc attggcaaat agtcaaacct gggaagtaaa aagcaaaacc 60
 aaaaacaaaa ccaagaaac aaactaaaac aaacaangaa aaaccaacat ttcttcaatt 120
 cagtgtgcga catatataaa acagaaaatac taactctaca ggcagtatgt cgacgcggcc 180
 ggtatttcgg 190

 <210> 58
 <211> 413
 <212> DNA
 <213> mouse

 <400> 58
 ctgcaacaag gctgttggtt cctctccaat gggctccagt gaagggctcc tgggctggg 60
 cccgtggccc aatgggtcaca gtcacctgct gaagacccca ctgggtggcc agaaacgcag 120
 tttttcccaac ctgctgacct caactgagcc cagcccaagw ggcagctacg tgggctggc 180
 ctcccaaggcc ctggcgggcc actacgcgga ctctcaactg aagcggaaga ggaatttcta 240
 aggggtcgac acagagatg ctccaaggcc ctgcaccaag ttgcttttgg gttttttctg 300
 gtatttggtt ttctgggat tttattttta ttatttttt taatgtcctt tctttgggta 360
 atagagaaat ccttcgaaaa gactttgctg accaaccagc tggagctcaa gga 413

 <210> 59
 <211> 325
 <212> DNA
 <213> mouse

 <220>
 <221> unsure
 <222> (213) ... (213)

 <221> unsure
 <222> (223) ... (223)

 <221> unsure
 <222> (227) ... (227)

 <221> unsure
 <222> (243) ... (243)

 <400> 59
 ggtatcaccc aggcccaact atccatctac agcagtagt atggcgccct tccctgtaac 60
 aggccttttc tttctctct tctgtgtgct tgggatggaa cccagggctt tgttttagcc 120
 tgacaaggct ctgcccctga gctgtgccaa gccaccctcc ctctgtgtac aaagctctct 180
 tcttgggtga ccaacatctt cctgtctttg agnaaccagg ggcagatg ggaagccacc 240
 agnagttaat taaacaggt tcatcggaag ttgtctgaaa tgttaagcat actctgttct 300
 agagaggag tgaagaaagg ggcca 325

 <210> 60
 <211> 372
 <212> DNA
 <213> mouse

 <400> 60
 ggcacagcagg accgcggtca tgagcctctg caggtgtcaa caaggtcaa ggagcaggat 60
 ggaatctgat gtggttaaca tgttttgat tgcgggtggg accctggcca ttccaatcct 120
 ggcatttgtt gcgtctttcc tctgtggcc ttcagcactg ataagaatct attattggt 180

ctggcgaggag	acactggggca	tgcaagttcgg	ctacgcacac	catgaggact	atcagttctg	240
ttactctcttc	cggggcaggc	caggacacaa	gccatccatc	cttatgctcc	atggattctc	300
cgacacacaa	ggacatgtgg	ctcagcgtgg	ccaagttcct	tcccgaaga	acctgcactt	360
tggtctgtgtg	ga					372

<210> 61

<211> 363

<212> DNA

<213> mouse

<220>

<221> unsure

<222> (15) ... (15)

<400> 61

gggcgcgcag	gcggnacccg	tggcggcggg	gctgctgctg	gctaattggc	acaggactgc	60
gggcgcgcag	atggactgtc	ctgtgcagcc	cgaattccag	cctcgttgtg	gccagggcaca	120
ccaagagctt	ttcaccaaa	aagccctccc	aagcactgac	catgtctatt	atggaccaca	180
gccccacac	cgggggtgta	acggtcattg	ccatctccat	cgccatagct	gccctggggg	240
gcttgatcct	gggtcgtcgg	tgtcacctgc	ggctgcagcg	catcagccag	tcagaggagt	300
aggagagcat	cgtgggtgat	yycgagacaa	aggagccctt	ttactgggac	agtactctgc	360
taa						363

<210> 62

<211> 399

<212> DNA

<213> mouse

<400> 62

aagggtcctg	aagtcagtgt	ttgcatcaaa	tacttcattt	ttggcttcaa	tgctcatatt	60
tggttttttg	gaataacgtt	tettggaatc	ggactgtggg	cgtggaatga	aaaagggtgc	120
ctctcccaaca	ttctgtccat	caccgaccto	ggcggctttg	accocagtgtg	gctttttctc	180
tgagtgggcca	gcccgagcct	gagctctgtc	aatgacatcc	aaggagaaaa	tgaggttaat	240
gagagacatt	aattaaacac	tctctcaccc	caacgcacaa	aaccagttgg	gtctttctga	300
tattctggaa	tactctgggc	tatgttttat	gcttatttct	tttttaatcg	gtgtattttt	360
ggtctttttt	ttttttcttc	tttttttttt	gctcccaaa			399

<210> 63

<211> 399

<212> DNA

<213> mouse

<220>

<400> 63

caaagcccac	tgtaggctcc	gctgaggtag	cgattgctgt	atttctggtc	atctgcacaa	60
tagcggctctt	aacctctctg	ggctactgtt	ctctcaagaa	ccaagaaaag	gaattccaca	120
gtccctctgca	ccacccacat	ccacacacag	ccagctccac	tgtttccacc	acagaggaca	180
caagagacctt	ggtctcataat	cacacacccc	agcctctctg	agcctgggac	tcttgccagt	240
cttcacagggt	ctcgtctgcc	aagacagaa	ctagaacctg	gaaaaacttg	gggaccagac	300
ttttctctacc	tttttctctg	gcatacttae	gctgtctcag	aagacagatc	tctgggctcc	360
tcgacaggagt	ctcagctgca	ctcaggccag	ttctctgggg			399

<210> 64

<211> 2481

<212> DNA

<213> Rat

<400> 64

gaactgtatc	tgagatggaa	ccagttttaca	ctggtccccg	aggaactctc	caactacaaa	60
catttaacac	ttatagactt	aagtaaacac	agaataagca	ccctttccaa	ccaaagcttc	120

agcaacatga	cccaacttct	caccttaatt	ctcagttaca	accgtctgag	atgtatccct	180
ccacggacct	ttgatggatt	gaatatctct	cgtttactgt	ctctacatgg	aaatgacatt	240
ctctgctgtg	ctgaaggtgc	ctttggtgac	ctttcagcct	tgctcacact	agcaattgta	300
gccaaacctc	ttactctgtg	ttgtaacatg	cagtggttat	ccgactgggt	gaagtccgaa	360
tataaggaaac	ctggaaattgc	ccgctgtgtcc	ggctcccgagg	aaatggcgaga	taaatgttta	420
ctccaaactc	cctccaaaaa	ttttacatgt	caaggtctctg	tggaattgtac	tattcaagccc	480
aagttgaacc	cctgcttgtt	aaatccatgt	aaaatgatg	gcaactgtaa	caatgcaccc	540
gtggattttct	atcgatgcac	ctgcgccat	ggtttcaagg	gccaggaactg	tgatgtcccc	600
attcatgtct	gtacaagtta	tccatgtaaa	catggaggaa	cttgccattt	aaaaaccaagg	660
agagaaaacat	ggattttggt	tactttgtct	gatgggtttg	aaggagaaag	ctgtgcacatc	720
aaatattgatg	attgcgaaga	taattgattg	gaaaataatt	ctacatgcgt	tgatggaaatt	780
aaacaactaca	cggtgtcttt	cccacgggaa	tacacagggc	aactgtgtga	ggaaaaactgt	840
gacttctgtg	cacaagacct	gaatccctgc	cagcatgact	ccaagtgcac	ctctgaccca	900
aagggtattca	agtggtgact	cactccggga	tacatttgtg	agcactgtga	catcgacttt	960
gatgactgcc	aagataacaa	gtgcaaaaac	gggtgctcatt	gcacagatgc	agtgaaacgga	1020
tacacatgtg	tctgtcctga	aggctacagt	ggctgtgtct	gtgagttttc	tccacccatgt	1080
gtcttccctc	gcaccagccc	ctgtgataat	tttgattgtc	agaatggagc	ccagtgtatc	1140
atcagggtgt	atgaaccaat	atgccagagt	ttgcttggtc	acttggggaga	gaagtgtgag	1200
aaatttggtca	gtgtgtcaat	tttggtaaac	aaagagtcct	atcttcagat	tccttcagcc	1260
aaagttccag	ctcagacaaa	catcacactt	cagatttgcca	cagatgaaga	cagcgggactc	1320
ctctgtgtaca	agggtgacaa	ggaccacatt	gc-tgggaaat	ctatcgaggg	atttcagagcc	1380
agctatgaca	coggtctcca	cccggtttct	ggcatttaca	gtgtggagac	aatcaatgat	1440
ggaaactctc	acattgtaga	gctactgacc	ctggagttcga	gtctttccct	ctctgtgat	1500
ggaggaagcc	ctaaaatcat	caccaatttg	tcaaaaacaat	ctactctgaa	ttctgactct	1560
ccactttacg	taggaggtat	gcctggggaaa	aataacgtgg	cttgcgtgcg	ccaggccctct	1620
gggcagagaag	gcaccagctt	ccatggctgt	atccgggaac	tttacctaa	cagtgaaactg	1680
caggactctc	ggaaaagtgc	tatgcataac	ggaattctgc	ctggctgtga	accatgccac	1740
aagaaaagtgt	gttgcctatg	cacatgccag	cccgacagcc	aatcaggctt	ccactgtgaa	1800
tgtgagggaag	ggtggatggg	gccccctctg	gaccagagaa	ccaatgatcc	ctgtctcgga	1860
aacaaatgtg	tacatgggac	ctgtcttgccc	atcaacgctt	tctctacag	ctgcaagtgc	1920
ctggaggggcc	acggcggggg	cctctgtgat	gaagaagaag	atctgtttaa	ccccctgcc	1980
ggtgatccaag	tgcaagcacg	ggaagtgcag	gctctctggg	ctcggggcagc	cctattgtgg	2040
atgcagcagt	ggattccacc	gggacagctg	acacagagaa	tttcttgtcg	aggggaaacgg	2100
ataagggaatt	atatacaaac	cagcagggtta	cgctgcctgt	caaacgacta	gaagtatctc	2160
gcttgagggtg	cagagcgggg	tgtgtcgggg	ggcagtgctg	tggacctctg	agaagcaaga	2220
ggcgggaata	ctctttcgaa	tgcacagatg	gatcttccat	tgtagacagc	gtcgagaagg	2280
tgtgtgaagt	cggtgcacag	agatgtgocct	cctaagtgtg	gctcgagaag	ctctcgtctt	2340
tggtcgaaagt	tgtacacttc	ttgaccatgt	tggactaat	cactgttcat	aattggaaata	2400
tttgaataat	atttgaataa	acagacaga	cttatatttt	tatgataaat	aaagaaattgt	2460
ctgcattttg	aaaaaaaaa	a				2481

<210> 65

<211> 3008

<212> DNA

<213> mouse

<220>

<400> 65

tagacgggag	cctgttgctc	caagccactc	agcctgatga	gcgcggccac	tataacctgtg	60
ttcccgagaa	tggtctttct	catccacogt	cagcttctgc	ctatctcaat	gtgctctacc	120
cagcccagagt	gcagatcatg	cctcccgaga	caccctcgcc	caactggcatg	cgtggggatga	180
tcgggtgtcc	gggtctgctc	aatccccac	tactgtttgt	cacctggacc	aaagacagac	240
agggccttga	gctggacaag	ttccctggct	ggctccctggg	cccgaaaggt	tcctctcatca	300
tgccccctgt	gaatgaggat	gccttgggag	aatactcctg	caccccctac	aacagattctg	360
gtactcgtgt	acctccccc	gtgaccgggg	tgctgtctcaa	ggctcccccg	gcttttaatag	420
accagcccaa	ggagaataat	ttccaagaag	tagggcgagg	gctactcatc	cogtgcctcg	480
ccgggggaga	ccctcctcct	attgtctctt	ggggcgaagt	ggggcggggg	ctcgagggcc	540
agggccaaagt	ggagacacac	aacagcctcg	tccttcgacc	cctgaccaag	gaggcccaag	600
gacgatgtga	atgcagtgcc	agcaatagct	tagccogtgt	gaccacttcc	accaatgtat	660
atgtgtctagg	caccagcccc	catgtcgtca	ccaaatgtgc	tgtggtacct	ttaccgaagg	720
gtgcacatgt	ctcttggggag	cctggctttg	atgggtgcta	ctcgagaga	ttcagtgctc	780

ggatatcccc	actagccaag	cgtcctgacc	gagccccacca	tgactgggta	tctctggcgt	840
tgccatctcg	gggtacacac	ctctcagtgc	cagggtctgca	ggctcacgcg	cagtatcagt	900
tcagtgatct	tgctcagaat	aaagctgggca	gtgggcctct	cagtgagatt	gtcctgtcta	960
taccagaagg	gcttcttaac	acaccggctg	cccttgggct	gcttgcaacc	aggagcagag	1020
tgttgagcctg	acttcccacg	tgaagagaag	atcagagggc	gatcttgggc	cagacgtttt	1080
cgggtggctc	gggcagcctc	gcgcgattc	atcaggcagg	cagctaggat	gtctacaagg	1140
accgcacgcg	ccaagaagca	gactccaccc	acaaacacac	ccaatcacg	ctggggcagg	1200
agactctgta	gctgtgtgcg	ggaggggatc	acctccaagc	cgaagtggga	gatgttggct	1260
agcttctcgg	ggctactgac	gtagctatca	gcgaaggcca	cgaaggcga	ctcatagaga	1320
acgtccttga	tgaggccaag	caccacgacg	tggaattctg	tgcccgccac	accttggctc	1380
aggatctccc	agccttggga	gccttgcctg	ccctccagga	tgtagccatc	cagcctccca	1440
gggagttagtt	ctgggggata	ctctgatctc	tctctccacg	tgggaagtca	ggctcacact	1500
ctgctcctgg	ttcaggcagc	cttgacacgc	tgaccaagtt	caagctccaa	ggctccccc	1560
ttccatctct	acgcagagat	ctgctctggg	gggagcctcg	tcgaccgcct	agcctcaccc	1620
cggattctcc	acttggccgg	ggaaccttac	cattagagcc	catttgcagg	ggcccagatg	1680
ggcgctttgt	gatgggaccc	actgtggccc	cttcacaaga	aaagttatgt	ctggagcgcc	1740
cagaacctcg	gaactcagct	aaacgcttgg	ccagtcctt	tgactgtagc	agtagcagcc	1800
ccagtggggg	ccccacaacc	ctctgcatta	cagacatcag	ccccgtgggg	cagcctcttg	1860
cagcgctggc	tagcccccta	ccaggctcag	gaaccttgct	ccagtatctg	agccttaccct	1920
tctctcgaga	gatgaatgtg	gcggggagct	ggccacctct	tgaggagccc	acgcttgcct	1980
cggctctcaa	attcatggat	agtcuagccc	tgcccacctt	atcttctctt	ccacacccag	2040
actcacctcc	tgcaaatctc	aggccaaagt	ctctctggga	cactgatagg	ggtcggggtc	2100
tctctcagagc	cccccttacac	agctttggct	gattggactc	tgagggagcg	ggctctggcg	2160
ggcctctctt	ctgctgcccc	tcgtgttagc	ctcacaccgc	agagcatggg	aggggcaagc	2220
gcctctctcc	tcgcgccctcc	ctcacagccc	ctccgcagg	ggaagtacc	tcagctcaet	2280
ccaggagaca	caaaagcagc	ggggccagtg	gcgccgaaa	ggtggcccg	caagggaaca	2340
tgtggtgaca	gtcacaaaaa	gaggaacaca	ctctgtgga	tgagaactat	gaatgggatt	2400
cggaaattcc	aggggacatg	gagctgctag	agacctggca	cccaggcttg	gccagttctc	2460
ggaccattcc	tgaacttgag	ccagagttag	gtgtcaagac	tccaggaggag	agcgtctctc	2520
tgaacccaac	ccacgctgcc	ggccccgagg	ccgctgtg	tgcccttcgg	gaggaaattcc	2580
tagcttttcc	cagacgcagg	gatgctacca	gggcccggct	accagcctat	cagcagttcca	2640
tctcttacc	tgaacaggct	actctgctat	gagcccgctt	agtgtgaacc	taagaaaggc	2700
ttatatggat	tgcacaagga	gtccaaagct	tgggtcccaa	gctggggac	tgcccctacc	2760
tctctgtgtc	tcggtggcct	ggtggtaggc	ttgagtagc	tgtgtataga	gttgtagtga	2820
ctgactcttt	aattgagttt	ggagctgtaa	caggaaatgt	tgtgtgtgtg	tgtgtgtgtg	2880
tgtgtgtgtg	tgtgtgcgcg	cgcgaagcga	agccgcagtt	cgaagtgggt	gtttatgggt	2940
tgggtgcagg	tttttttttt	ttaaaaaaca	ggtgataaat	aaatgtttgg	aaccgtataa	3000
aaaaaaaa						3008

<210> 66

<211> 1888

<212> DNA

<213> mouse

<220>

<221> unsure

<222> (1690) ... (1690)

<221> unsure

<222> (1755) ... (1755)

<221> unsure

<222> (1864) ... (1864)

<400> 66

aaagctggagg	gcgagggccg	ggggccggtg	gctctggggc	tgctgcgcac	cttcgacgcc	60
ggcgaaatctg	caggctggga	gaaggtgggc	tggggcggtg	tcgggagagt	gtacaaaggt	120
cgcattgtgc	actggaana	gtggctggcg	atcaagtgtc	gcccagttct	gcacgtcgac	180
gacagggaac	gaatggagct	cctggaggga	gctaagaaga	tggagatggc	caagttccga	240
tacattctac	ctgtgtacgg	catatgccag	gaacctgtcg	gcttgtgtcat	ggagtacatg	300
gagacaggct	ccctggagaga	gctgctggcc	tcagagccat	tgccctggga	cctgogcttt	360

cgcatcgctgc	acgagacagc	cgtgggcatg	aacttctctgc	attgcatgtc	tccgccactg	420
ctgcacctag	acctgaagcc	agcgaacatc	ttgctggatg	cccactacca	aatgtcaaga	480
ttctctgtact	ttgggctggc	caagtgcacat	ggcatgtccc	actctcatga	cctcagcatg	540
gatggcctgt	ttggatacaat	cggttaacct	cctccagagc	gaattctgtga	gaagagccgc	600
ttgtttgaca	ccaaacatga	tgtatacagc	ttgcctatgc	tgatctgggg	tgtgcttaca	660
cagaataaac	catttgcaga	tgaaaagac	atctcaaca	tatgtgatga	agtcggaag	720
ggccacccgc	cagagctgcc	accatctctg	agaccccgcc	cgcgtgcctg	tgccagcctg	780
atagggtctca	tgcacccgtg	ctggcatgca	gaccacacag	tgccgccacc	cttccaaaga	840
attacctctg	aaacagaaga	cctttgtgag	aagctgtgat	aggaggtgaa	agacctggct	900
cagatgccag	gcgagaaaag	ctctcttagag	tccaagagt	aggccaggcc	cgactctctca	960
ccgtccaaag	cgccctctgc	tccccccttc	gataacgact	gcagtctctc	cgagtgtctg	1020
tcacagcttg	actctgggat	cttcccaaga	ctcttgaag	gccccgaaga	gctcagccga	1080
agtctctctg	aatgcgaagc	cccatcgtcc	agcagtggca	agaggctctc	gggggtgtccc	1140
tcagctggact	cagctctttc	ctccagagga	tcgtgtcac	tgtcttttga	gcgggaagct	1200
tcacacggcg	acctgggccc	cacagacatc	cagaagaaga	agctagtggg	tgccatcata	1260
tcagggggaca	ccagcagctg	gatgaagatc	ctacagcccc	aagatgtgga	cttggttcta	1320
gacagcagtg	ccagctcgtc	gcacctggct	gtggaggccg	gacaggagga	gtgtgtcaag	1380
ctgctcgtcg	ttacaatgca	caaccccaac	ctgaccaaca	ggaagggctc	tacacactgt	1440
cagctggctgc	tggaagcgga	gggaagtgga	attgtggagc	tactgtcagc	ccggaagacc	1500
agtgcaaatg	caaagataga	agacagctgg	actgcctctgc	acttctgagc	ccaaatcggt	1560
gatgaagccg	agcacaagcc	tcgtctctga	gaagaattgt	ttctgcaatg	aggtggactt	1620
tgaggggcga	acacccatgc	atgtagcctg	ccagcatgga	caggagaaca	ttgtgcgcac	1680
ctctgctccg	cgtggtgtgg	atgtgggctc	gcagggaaga	gatgcctggt	tgctctcgca	1740
ctatgctgcc	tgacnagcca	ccttcccatt	gttaagctgc	tagccaaaga	gcctgggggtg	1800
agtgctgaatg	cccagacact	aacgggaagg	cacctgacc	tgctgttcaa	aggggcattt	1860
accngtggct	cgcatctcca	ttgacctg				1888

<210> 67

<211> 1260

<212> DNA

<213> Rat

<400> 67

gtcg	ctttgggtat	cagatggatg	aaggcaacca	gtgtgtggat	gtggacgagt	60
gtgcgacaga	ttcacaccag	tgcaacctca	cccagatctg	tatcaacacg	gaaggagggt	120
acacctgctc	ctgcactgat	gggtactggc	ttcttgaagg	gcagttgccta	gatattgtatg	180
aatgtcgctca	ttggttactgc	cagcagctct	gtgcgaatgt	tctctggatcc	tattctccgta	240
cgtgtaaccc	tggcttcacc	ctcaacgcatg	atggaaggtc	ttgcacaagt	gtgaacagagt	300
gtgaaactga	gaacccctgt	gttcagacct	gcgtcaaac	ctatgtttct	ttcatctgcc	360
gctgtgaccc	aggtatgtaa	ctggaagaa	atgcatctca	ctgcagtgat	atggatagtg	420
gcagctcttc	cgagttctct	tgtcaacatg	agtggtgtaa	ccagccgggc	tcatactctc	480
gctcatgcc	tccaggtcac	gtcttgttgg	aagataaccg	aagctgccag	gatataaagt	540
aatgtgagca	ccggaaccac	acatgcaact	ccctgcagac	ttgtacaat	ctgcaagggg	600
gcttcaaaag	tatgaccccc	attcgtctgc	aggagcctta	tctgtctgatt	ggggataaacc	660
gctgcatggt	cctctgtatg	ataactggct	gcagggaaca	ggcatctaac	atctctgttcc	720
gggacatcga	tgtgtgtatca	ggaagctctg	ttctgtctga	catcttcag	acgcaagcaa	780
cgaccctgata	ccctggcgcc	tatatcattt	tccagatcaa	attcgggaac	gaggtgtcgag	840
agtctcatcat	gcggcaacaa	gggacctatca	gtgcacacct	ggatgatgca	cgccccatca	900
aaggggctcg	ggacatccag	ctggagcttg	agatgatcac	cgctcaacact	gtcatcaact	960
tcagaggcag	ctccgtgatc	cgactgcgga	tatacgtgtc	ccagtatccg	ttctgagcct	1020
cggtttaaag	cccttgacac	tgcttttacc	cagccgaggg	gacaggagga	gagaagaacc	1080
ccaacagagg	acagagggag	agaaagaaacc	agcaagaatg	agagcgagac	agacattgca	1140
ctcttctctg	tgaacatctc	cctggggcat	cagcctatga	ctctgacccc	tacctgtact	1200
atcgcaaac	gtcaactctga	aggacacac	gccccagttc	ctatgatcca	gtagtatcca	1260

<210> 68

<211> 1729

<212> DNA

<213> mouse

<400> 68

gaattcggca	cgagcagaat	atggctctgg	gggttctgat	agcagctcgc	ctcttgttca	60
agcaaatgaa	ggcagcactg	agcgaagaag	cagagggtgat	ccctctatgc	acagcacagc	120
agagcaactg	gacatttaac	aaacccgaag	ctgactacat	agaagaacct	gtagctctga	180
agttctctca	tcctgtctgc	gaagaccata	atagttactg	cttaaatgga	gcatgtgcat	240
tccaccatga	gtcgaagcaa	gccatttgca	gatcgtctac	tgggtatagc	ggaacaacgat	300
gtgcagactt	gaacctaac	tctgtatgtg	tgagttctca	tgaanaatac	attgcatggt	360
ggattggcgt	cggattgtca	attagtgcrt	ttcttgcgtg	ctcttatctg	tacataaaga	420
aaaggtgtat	aaatctgaaa	tcacctcata	tcactgtctc	tggagggagc	ccattgtgag	480
accttataag	acatagtcac	caagccattt	gtcnaaagcc	acaggggaac	caatggagat	540
ctttggatga	tacaaaatgt	gataagctaa	cttgaataa	atggtgggtt	gggtccacat	600
gcagtaactg	accattgggt	cttagctttg	gtcatcgttg	gggtccatgg	aaagctatggg	660
aatgagctac	agtaacagaa	gccaaagtca	ctaccctttc	ttgggtttgc	tgttgggtgg	720
ttgttgtcac	tgcagggaaga	tttgttctat	actttcgacc	atctcagatg	tgaattttca	780
ttttaattgt	tttctactac	acatcaatca	agtccaagta	atgccatttc	cgggtttctc	840
gggcactcaa	cattttgggc	caccgccttc	gatggaccta	atagcaaaat	atctgtcctt	900
atggaatttc	aggggaattg	gtatcaattt	ttagtgaata	acagtgaatg	tctcagctcc	960
ttgagtgtac	caaaagtcca	ttacacctaa	accactaaaa	gaaataggaa	tatccaaagg	1020
agcataaatc	ctaccagact	gggtgacaac	gtttgcaaac	ttcattctat	tagtttggaa	1080
gaagcagata	aattcctcag	gactgaaagt	cacctggaca	gcagatccag	agcagcgaaa	1140
ggtagctggg	tcttatatcg	accataaagg	ctgtgtggggc	tcactctgcc	ccatgatgtt	1200
tgtgctatca	tctcagcctt	acattgggaag	actccacactt	gggtatccct	ggttgaactg	1260
aaattcgaca	attcaactaa	tgcataaaag	cttcaaatgt	ttcccaaat	ataatggaa	1320
aacagcatgt	ggaatgtaac	cattttttga	cgtgttgata	gcataattgc	acatgggtta	1380
aaaaaagaaa	cagtcgtaga	aatacttatt	agggaaatcg	tatccctctc	tggaaattgct	1440
ctctgcatcat	gattcaatct	tgggcaagtc	tcttatattc	tttgtgtgtt	gggtccattc	1500
tctacaagac	ccatgcagtt	ccaaaattga	actctaatag	aactaaaaaa	tacccctcat	1560
aactgcatgt	caggcaagat	tatcctcaat	gcttccatct	tcagccccc	ttctaacctc	1620
caaataccaca	cgaattattat	ccttactata	tattgtctat	ttcagtttgt	aaaataataa	1680
cttattttga	aaagaataaa	aaatgaaat	tacaaagcaa	aaaaaaaaa		1729

<210> 69

<211> 355

<212> DNA

<213> Rat

<400> 69

ctcgtgccgc	aattcggcac	gaggattcgc	tatactgcat	atgaccgagc	ctacaaccgg	60
gccagctgca	agttcattgt	aaaagtacaa	gtgagacgct	gtccattctt	gaaacaccca	120
cgcacatgct	acctcacctg	cagctcagcg	ggggacaaact	atgggtcgat	ctgtgaaatc	180
cactgcgatg	gtggttatga	acgccaaagg	accctctccc	gagttctgtca	gtcaagctga	240
caagtgtctg	gatcacacc	tgtctgtact	ccatgaaaga	ttaagtgtca	tgttaactca	300
gctgctggcc	tctctgatca	gttctatgag	aaacagcgac	tctctatagt	ctcag	355

<210> 70

<211> 1421

<212> DNA

<213> Human

<400> 70

gattagcgtg	gtcgcggcgg	agggtctgt	tcccaggagt	cttctggcgg	ctgttgtgtc	60
agtggtcctg	tgcgtagggg	gacaaaggcg	caagtcgaga	ggaaactgtt	gtgtctcttc	120
atattggcga	tctgtttgtg	ctccctggca	ttgggcagtg	ttacagtgtca	ctcttctgaa	180
cttgaagtca	gaattcctga	gaataatcct	gtgaaagtgt	ctgtgtgcta	ctcgggcctt	240
ttctctcccc	gtgtggagtg	gaagtttgac	caaggagagca	ccaccagact	cgtttgctat	300
ataatacaaga	tcacagcttc	ctatgaggac	cgggtgacct	tgttgccaac	tggtatcacc	360
ttcaagtccg	tgacacggga	agacactggg	acatacactt	ctatggcttc	tgaggaaagct	420
ggcaacagct	atggggaggt	caaggtcaag	ctcatcgtgc	tgtgtcctcc	atccaagctt	480
acagtttaaca	tccccctctc	tgccaccatt	gggaaccggg	cagtcgtcag	atgtccaagat	540
caagatgggtt	ccccaccttc	tgaataacac	tggtttcaag	atgggaatgt	gatgcctacg	600
aatcccaaaa	gcacagctgc	cttcagcaac	cttctctatg	cttcagcaac	ccacaacagc	660
gagctgggtc	ttgatccctc	gtcagcctct	gatctggag	aaatacagtg	tgaggcaggg	720

aatgggtatg	ggacacccat	gacttcaaat	gctgtgcgca	tggaaagctgt	ggagcggaaat	780
gtgggggtca	tcgtggcagc	cgctcttgta	accmgtatcc	tccctgggaat	cttgggtttt	840
ggcatctcgt	ttgcctatag	ccgaggccac	tttgacagaa	caaagaaagg	gacttcgagt	900
aagaaggtga	tttacagcca	gcctagtgc	cgaagtgaar	gagaattcaa	acagactctg	960
tcattccctg	tgtgagcctg	gtccggtcac	cgctatacat	ctgcattgc	cttaccacag	1020
tgtcacccga	ctctggcccc	tgatgtctgk	agtttmacag	gatgccttat	ttgtctttta	1080
caccccacag	ggccccctac	ttcttcggat	gtgtttttaa	taattgtcagc	tatgtgcccc	1140
atctcctctc	atgcctctcc	tccctttcct	accactgmrg	agtgccctcg	aacttgttta	1200
aagtgtttat	tcccctattc	tttgagggat	caggaaaggaa	tccrgggtat	gccattgact	1260
tcccctctaa	gtagacagca	aaaatggcgg	gggtgcgacg	aatmtacact	caactgccca	1320
cctggctcgc	agggatcttt	gaataggtat	cttgagcttg	gttctgggct	ctttccttgt	1380
gtacctgccc	gggcggcgcg	tcgaaatcaa	gcttatcgat	a		1421

<210> 71

<211> 378

<212> DNA

<213> Human

<400> 71

tagcgtggtc	gcggccgagc	tacaaaaaaa	ccttacataa	attaagaatg	aatacattta	60
cagcgtcaaa	tgcacaaaccg	tcccaauica	aagcaagtaa	cagcccaacg	tgtttcggcc	120
aaagacatca	gctaagaaga	gaactgggt	ctcacgcctt	ggaatttcca	accctgcagc	180
accgcgaaga	caaaacaact	ggtttctgcc	agcctctaga	gaattccca	aacactcagc	240
cctgacacgt	taataccctg	cacagatcac	aggtctgctg	ccacacagac	tcaccaagcc	300
acagacttgt	ctccacacag	cacgttctta	ccttagccac	gaagtgaacc	aagccacacg	360
tacctgcccc	ggcgccgcg					378

<210> 72

<211> 267

<212> DNA

<213> mouse

<400> 72

ggggcatgag	ccatgctgta	tggagctctg	atgctctgtg	tgttggaacct	aggttcagccg	60
agtgtagttg	aggagcctgg	ctgtggcccc	ggcaaggctc	agaaaggaa	tggcaacac	120
actcgtcgtc	gcagcctgta	tgtctcagcg	aaggaggact	gtccaaaga	aaggtgcata	180
tgtgtcacac	ctgtagtaca	ctgtggagac	cctcagtga	agatctgcaa	gcactacccc	240
tgcacacacg	gccaaaggg	ggaagtc				267

<210> 73

<211> 1633

<212> DNA

<213> mouse

<220>

<400> 73

ggcagcagcg	ggagcctgct	actgcctctg	tgggttcctt	ggggccgaact	gtagcettgc	60
ctgtccacag	ggtcgtcttg	gccccagctg	tgcaccaagt	tgtacatgct	ggcacaagggc	120
ggcactgtgac	ccaggtctgg	ggactttgat	ctgtccctcc	gggaagacgg	gagggccattg	180
tgaagcggcg	tgtccccagg	accggttttg	caagggctgt	gaacacaagt	gtgcctgcag	240
gaatgggggc	ctgtgtcatg	ctaccaatgg	cagctgtctc	tgcgccctgg	gctgtgatgtg	300
gccacactgt	gagcagcctt	gcctctgctg	gcgctatggt	gctgcctgcc	tcttgagagt	360
ttctctgacg	aacaatggca	gctgtgaacc	cacctccgcg	gcttgctctc	gtggccctgg	420
cttctatcgt	caagctttgt	aagacacctg	ccctgcggcg	tctcatggat	ctggttcgca	480
gagagtttgc	gagtgtaaac	agggcgctcc	ctgtgacctc	gtcagtggcc	gggtgctctg	540
ccctgctcgc	ttccgtggcc	agttctgcga	gagggggctg	aagccagcgt	tttttgaga	600
tgggtctgtg	cagcagtgta	actgccccac	gggtgtgccc	tgtgatccca	tcagcgacct	660
ctgcctttgc	ccaccaggcg	gcgcaggaa	cacatgtgac	ctagattgca	gaagagggcg	720
ctttggggcg	ggctgtgccc	tgcgctgtga	tgttgggggt	ggggctgact	gcacacccat	780
cagtggggcag	tgcactgtg	tggacageta	cacggggacc	acttgcgggg	aagtgcaccac	840

acagctgtcc	tctatcagac	cagcaccacca	gcactccagc	agcaagggcca	tgaagcacta	900
actcaagaga	acgcccacag	aggcccacta	ctgtgttcca	gcccaaggga	cccaggcttc	960
tgtctgtgac	taagatagag	gtggcacttt	tggatccaca	cctctcttgg	aaagcatggg	1020
atgtctgtgg	acagctatgg	atagtcakat	agccacacac	ccggggtcca	tggtcatggg	1080
gaagaaggcc	tctcttggac	acaaggaate	caggaagtcg	gctgggcttc	gggccactgt	1140
ttacatgggg	acctctcgag	ctgtgtgtgt	gaatcctggc	cctcttcagc	gactctggat	1200
gggaccaagg	tgggaataga	caaggcccca	cctgctctgc	aggtccttct	gtgtctaggc	1260
catggactgc	tgccagccag	caactgttta	cctggaaatg	tagtccagac	catatttata	1320
taaggtattt	tgggcactct	ccacctgcgc	ttatgtctct	gggtcagatg	gaagctgctc	1380
gaccccagaa	cttaggcagt	ggcctgtggg	gtctccagca	agtgggatac	agggttttgt	1440
aaaaaccagt	gagttaaagg	cacagtgtgt	ccccattgc	ctgggtttct	gtgctttctg	1500
tagactccgtg	ggtccttcca	agagcaggtg	cctgagggtt	cttgaatggg	aacctctgt	1560
accctctctg	aatgacatgc	atgtaatgta	atgcttcagt	caccttaggg	ttcttctcga	1620
cttcacagtc	tag					1633

<210> 74

<211> 1252

<212> DNA

<213> mouse

<400> 74

ggaagagccg	tgcataaatg	ggtctgaaat	ccttgcttat	aacatcgatc	tgggagacag	60
ctgcttactt	ctgggcaaca	ctaccacaca	cgtgatgaag	aacctccttc	cagaaacgac	120
ataccggatc	agaattcagg	ctatcaatga	aattggagtt	ggaccattta	gtcagttctat	180
taaaagcaaa	actcggccat	taccgcttc	gctccttagg	cttgagtgtg	ctgcgtctgg	240
tctctcagag	ctgaagctca	agtggggaga	cagtaactcc	aagacacatg	ctgctgggtga	300
catggtgtac	acactacagc	tggaaagcag	gaacaagagg	tttatctcaa	tctaccgagg	360
accagccac	acctacaagg	tccagagact	gacagagttt	actctgctat	ccttcaggat	420
ccaggccaatg	agcaggcgag	ggggaggccc	ttactcagaa	acctacacct	tcagacaacac	480
caaaagcgtg	ctcccaacct	tcaaaagccc	tcgagtgacg	cagttagaag	ggaattctctg	540
tgaattcttc	tgggagacgg	taccaccgat	gagaggcgac	cctgtgagct	acgtttctata	600
gtgtcggttt	ggaaagagct	ctgagtagaa	gcaggtgtac	aagggaagaa	aagccacatt	660
ccaaactcca	agcttccaga	gcaacacaga	ttacaggttc	cgcgtgtcgg	cctgcgcggg	720
ctgtgtggac	acgtctcagg	agctcagtg	cgcgttcagc	cctcttgagg	ctttcatgtt	780
accaacagct	gaggtttatg	ttacagggga	cctgggagcg	atggaagaac	ccaagttgaa	840
gggcctgatg	cccaccagcg	aacagtttgc	tgcactctat	gtgcttggtc	tcgcgacctc	900
gtccattttt	tttgccttta	tattacagta	cttcttaatg	aagtaaatcc	agcaggccag	960
tggatgtctc	ggaaagccac	acgttttaat	acacatttac	tcagagcctc	ccctttttac	1020
gcctgtttgt	tcttttgatt	atacgtcttc	cttgttttac	acatttagct	aggggaaaga	1080
gtttggctgc	acctatttga	gatgcaaaac	taggaagagg	ttaaacttga	ttttttttta	1140
aacaataata	aataaaaggaa	taagaagag	aagggaagcg	cgggcaagct	ccagacaccg	1200
agagccagtg	tgcccaacga	gcttgcttgc	tcgggcttcc	cgtgtgcttc	tg	1252

<210> 75

<211> 2411

<212> DNA

<213> mouse

<400> 75

tcggcacgag	agtggggtaca	ccttactaca	tgctctccaga	gagaatacat	gaaattggat	60
acaaacttcaa	gtctgacatc	tgtctctctg	gctgtctgtc	atatgagatg	gctgcactgc	120
agagtccttt	ctacggcgac	aagatgaact	tgtattctct	gtgtaagaag	atagagcagt	180
gtgactacc	gcctctcccg	tcagatcact	attcggagga	gctacgacag	ctagttaata	240
tatgcatacaa	ccagatccca	gagaagcgac	cgcagatcgc	ctatgtttat	gatgtgcaca	300
agaggtatga	tgcattgtac	gcaagcactt	aaactgtaca	agatcctgaa	gacggcaaac	360
aagataacct	aaaagtgttt	ttgtgcagat	ctacactccc	cgtttatgtc	tgggtgttaa	420
ttttacttcca	tcagagctaa	tgcgctttga	atccttaaac	agttttcata	tgagcttcac	480
ttttctacga	ggctcaatca	ccttcccacat	ccacaacttt	gggatgctca	gatggaccca	540
agaatgcaag	cccaacaaga	gtttttcgtt	tgagaattgt	tgcagtttcc	tgctgtataga	600
ctgtgtttat	agatagtcag	tgcocgatgg	tgaagcacac	acacataggc	acatgtccag	660
agcgatgcag	aacctgagga	aggacctggg	catttgactt	gtttgtcttt	aagtcaccta	720

atggcagcttg	tagtggacat	gattgtgaac	tcttgatttt	ttctctttta	gtttcaagta	780
catgttttag	ttcttagcat	tagagatctc	aaataaattt	cttataagac	atgcagacat	840
aaactttttg	agaaagattt	aaaattttta	gtttatcat	tcaaaatgca	actactaaat	900
gtgaagacat	ggaggtcaaa	atgtgagttg	gacactgaag	tctatgtttt	aatgctcttg	960
aaagctcttg	tttgtgtgtg	tttaaatggt	ataaargaac	ccattttaaa	acgtgggtta	1020
ggactgtttg	gcctggcgctg	atagtcatgt	ttaactgca	caaagctttg	tggtttttat	1080
gtacatttga	agaaatttct	tggaaataatc	ttgcagtagt	tatagttcaa	ttcttttaca	1140
aaatcaataa	cacttaactc	ataactatata	actgtaaatg	aagcatatata	tggttatcat	1200
atattgaagt	tttgtacagt	tcctcttcag	aatctttttt	atccaaagtt	ctttctttat	1260
tatatgtgtg	gtgcatttca	tcattataat	gtttcagatt	ttctgagaat	gagttccctt	1320
tttaaaat	atttgtgtatg	ccaacacttt	tttaggattg	aaaaaaaatt	tttttaaatg	1380
tttgggtcat	tctaggtgca	ctctgtttct	ctgttagaa	agaaaaggtg	tggtttaaaa	1440
tgctgctgtg	aatgtcgata	tgttttgcca	gggtataata	tttagagtat	gctctagagt	1500
atgttgaaca	cggtgaagac	tggcccttac	tgaagacaga	actgttccaa	gagcagcat	1560
ccogttgaga	tgctttggag	taagtagctg	tgtagacga	tgacagacat	tttagttaag	1620
ggggtgaaaa	aaaaaggagg	ggattattag	aaacctgag	gtggaaattt	ggtgaaatgc	1680
ttcatcttaa	taccagccaa	ttccttcaga	gaattgtgga	gccaaagAAC	agagtaaatc	1740
tggtgtgtgc	agaaacaggt	gtgcacaggt	agagcatggt	gaaggtccat	ctgtccgggtg	1800
tggtgtgtgc	acagccctgt	gttggggagc	ttgtactctg	gccacagag	ctcgcttgat	1860
tttttcaag	agattttctt	ctacagttat	tttcaagaa	ttgtaaattt	ccaaagtaat	1920
atctcatctt	tttaattcaat	atgkatgctg	tcgttagacaa	aggaatctcg	gagttttttt	1980
tggttttgtt	tttgtttttt	tttgtcttga	aggtgaaact	gggtacatcc	cagatcttaag	2040
tggtctcatag	gatataccca	gaggtcatgaa	gaaatggctt	ccgtgaccca	tttgtttgtgk	2100
gktatatccc	attgtaattg	cacaggactg	attgagatga	acagctccct	tcctacaaga	2160
gtgtttttct	ttccatattt	aaaaacatga	ggttctgctt	ggcagtgatg	gtacacacct	2220
tttaactccag	caccggggag	gcagaggcag	gaggatttct	gagttccagg	ccagctctgt	2280
ctacaaagt	agttccagga	cagccaggac	tacacagaga	aatcctgtct	caaaaaacca	2340
aaactaaatg	aaaaatacaag	gcttctcccc	ttgtagtac	tttgctttat	gaattttgtct	2400
caaaaaaaaa	a					2411

<210> 76

<211> 1335

<212> DNA

<213> mouse

<400> 76

accctaaacag	cccgaggacca	tgctgtcgct	ccgctccttg	cttccacacc	tgggactggt	60
ccgtgtgctg	gctctgcaact	tatccccctc	ccctctctgc	agtataaatg	ggctctcggt	120
ggctccttga	aaactctaca	ccctccgacat	cttggaaact	agcactatgg	ctaacgcttc	180
tggtggggat	gtaacctata	cagtgcaggt	ccccgtgaac	gattcagtc	gtcccgctgat	240
ctgcaagaca	gtgaaggagg	acgacagccc	agtgggcacc	tggaagtga	catatgaaa	300
gtgcaacgac	agcagtgctc	actataaact	gacatcccaa	agccagtcg	tcctccagac	360
aaactgggaca	gttctactt	ccgaggatgt	gactaaagt	aaactgcagg	tcctcatctg	420
ogtcaatg	acagcctcaa	agtcacccgt	gaaaaaggaa	caagtacaac	ccctcagctc	480
aaacctatt	ctggagagtt	ctggagaccag	ccagaccata	aacacgactc	caactgtgaa	540
cacagcaag	actacagcca	aggaacagc	caacacacac	gcggtgacca	cagcacaatc	600
cacagccaat	accacagcgc	tgaccaacag	caagacacac	gccaaagcc	tgccatccg	660
caactctggc	agccctcggt	caggtgcctc	ccatatcctg	cttggttttc	tcattagtaa	720
actcctctty	taaaagaaac	tggggaaagca	gatctccaac	ctccaggtca	tcctcccgag	780
ctcatttca	ggcagtgctt	aaacataccc	gaatgaaggt	tttatgtcct	cagtcocgag	840
ctccaccacc	ttggaccaca	gaactgcac	actagtgcac	ttgagggata	caaatgtctg	900
ccgtgatctt	tcaggggaca	aattccgctt	cttgtaataa	cttagtccat	ccatccctgc	960
tgtaacctga	agttctgact	ctcagtttaa	ctgttgata	gccaatctga	actgtgtgtt	1020
cttggccaaag	gtatttccat	gagcctcctg	gggtggggg	tggggagga	atgatccctc	1080
tttactttca	aactgatttc	agatttctgg	ccaaacctac	tcaggttgca	aaggacttat	1140
tgactttatg	tgactgtagg	aaaaagagaa	atgagtgtac	atcctgtggc	tactagcaga	1200
tttccactagt	gcccagacca	ctgcgttaggt	tttgaaggaa	gtatatgaaa	actgtgctct	1260
agagagccat	gacaggacac	atgacttttt	ttttctaaat	caataataaca	atatattgaa	1320
caaggaaaaa	aaaaa					1335

<210> 77

<211> 440
 <212> DNA
 <213> mouse

<220>

<400> 77

gagaagcctt	gccactcaa	ataccctgggc	60		
catcagctgc	accgggtcca	ctcccatctg		ctccaggccc	tgaagagaag ccaacacttt 120
tcaggccctc	caacctccac	atcagaacag		gcagagcctg	tggtgtcagc tgttgatcca 180
aaggcaaccc	ttggtggggt	tggtgttgta		aagtagtgat	gctaatttct aagcaacaag 240
ctctgagctg	cagccccag	gccctccagg		gcagtccagg	gcagtgccag gggtcagggt 300
agttctaggg	gtctagtatc	tggatcaaca		agtcccagag	ttgggcccag tggctgtcga 360
ctgtttcaat	gaccaagaat	atacgaacct		acctttttta	tttggttggg caaccacagc 420
tcggagtaga	tcatacaggc				440

<210> 78
 <211> 204
 <212> DNA
 <213> mouse

<400> 78

ctccataaaa	ttctccaaaa	ttctgtcccc	cagcagattt	cctgtgccat	cttgggctcc 60
ctctccattc	tttccgtctc	ttaggggctc	ctcacagtgt	tgttttctaa	caacgcaggc 120
atgagaaggc	actcaactgt	tgctccctca	ggcctgggct	ctctgggtga	ttgtctttct 180
ctctgtgtgc	ctcttcattc	caat			204

<210> 79
 <211> 300
 <212> DNA
 <213> mouse

<220>

<

<400> 79

tattcatagc	ttgggttaag	ggagtttgct	gtgcaatcat	gaagaccaga	gttcagatcc 60
cagccacctc	atagcaagag	agcatacaag	aagcacctgt	gactgcactc	tgaagaatcc 120
aacacctctt	ttgggctctc	atggcacaca	gaacccccca	acacatgctc	atccaactctc 180
aaagagacat	acataaaaat	aaatatttag	gtcctgggct	cctcagagac	tagtctttcac 240
aggtcctata	tacaacga	gcggaccgca	aagggtgagg	gagtggat	gaagaagcta 300

<210> 80
 <211> 214
 <212> DNA
 <213> mouse

<400> 80

cccagacctc	gtgtcagcta	tcccagcaga	aaaagaagat	gcggaccctc	tcagcaagtc 60
aggtgaggaa	accaggaag	cagggtcatg	acccgcgaga	ggtcggggct	cctgtgtcag 120
aggatcagat	cttgtgtgac	ttctgtcttg	gggcccagcag	agtaagggca	gtgaaatcct 180
gtctgacctg	catggtgaaa	tactgtaagg	agca		214

<210> 81
 <211> 152
 <212> DNA
 <213> mouse

<220>

WO 99/55865

PCT/NZ99/00051

<400> 81
 ccccttaact aacccaggac cttccactaa gtggaaggct ccaccatcca cagagggggc 60
 cagtcatttt taagcacacg gaccttttgt gagacagctg tgatctttaa cgtggtgtca 120
 ctgatggagc tgaacgggtat cccctaaaag ta 152

<210> 82

<211> 181

<212> DNA

<213> mouse

<220>

<400> 82
 tctcagtgat gatgagaagc tccggaggag gcaggagaaa gcaggggccc gccctccct 60
 gggctctcac ccacccacgc ccgctaaggc cactgttctt cccatggaga tgatgaagaa 120
 gctctatagct ggacaaggcc cggaaacctca gcccagtaac cgacctactt cccgctggg 180
 a 181

<210> 83

<211> 332

<212> DNA

<213> mouse

<220>

<400> 83
 tatagagatg gtgatgtaat gggccagggt gtaagcttca acctggggga ttttgctggt 60
 ttgtgtgttt cctctgttag ccttaacaag cctgtgtaga ccaggctggc ttttaacttg 120
 cagatgacat tcaagctcac ttctctctgt gttggggtta tgggtctgca cacttgccca 180
 ggctcaggct gggggatatt gaagtatttt agattatgga gtgagaccag agtttgcaag 240
 tatctgcttt aaagtgcac ataaacatag cctcctgacc atcttccaca gtgggacctt 300
 gatctggcct ctccctggaa gaagagagaa ag 332

<210> 84

<211> 213

<212> DNA

<213> mouse

<400> 84
 gcaggcagat aacatgatt actggacaga gtgcttcaac gcattggaac aggggaggca 60
 atatgtgagt aatccacag gcgggaaagt ggaacaggct ctggtagaaa gtgcaccgc 120
 acattgttgg ccgcacaga acgtgctgga cacaagcatg ctctcatccc cagatgtggt 180
 gcgatgctg ctgtccctgc agcccttctt gca 213

<210> 85

<211> 273

<212> DNA

<213> mouse

<220>

<400> 85
 ccggctctct cctctctctt tcccgccttc ttctgcttc cctgcttga actctgatga 60
 ggaaggacca ggtggctcagg caccacagtc tgatcaggac tctgtggcc tccagagttt 120
 cactcccccg tccatcctga agcgggctcc tgggagcgt ccaggtcacg tggcctttaa 180
 cggcatcac gtctactatt tcccacggtg ccagggttc accagtgtgc ccagccgtg 240
 gtggctgtac cctgggcatg gcttctcggc aca 273

WO 99/55865

PCT/NZ99/00051

<210> 86
 <211> 218
 <212> DNA
 <213> mouse

<400> 86							
ctcagccgcc	tgctctgggg	gctggagggt	ctcccactta	actgtgtctg	ccgttcaggg	60	
ggctcaccca	tgctctgcgt	acacagagggt	tttctctcca	gtctcagttc	gtctctgcta	120	
ctctctcttat	aaccgctctc	aagagctggc	ctcactgttg	ccccggccgg	ataagccctg	180	
cccagcctat	gtggagccta	tgactgtggt	ttgtcacc			218	

<210> 87
 <211> 335
 <212> DNA
 <213> mouse

<400> 87							
gaggtggggg	gggtgcatag	cctgcctgca	attgctgccg	ctgggcttaa	cgtgttgtga	60	
gctggccggg	ttcttacaca	gcagcacctg	ccatggagcc	tggccacaag	gccactcaga	120	
gctgggttga	cagagtgtga	ccagaaactc	ccgtgggttt	ctgataaagg	attctcccat	180	
aggcaagggt	caagaaactc	gggcctcctg	ttctcaggga	ggcctgtcta	tcctccagct	240	
ctgagctgtt	tcgtcctagt	gggtgagtta	agtggcatag	ccctcttgag	gcctctgatg	300	
tggaaagggg	acagaaattg	aattattctt	gcctg			335	

<210> 88
 <211> 410
 <212> DNA
 <213> mouse

<400> 88							
aaaccccgcc	aggaaacaaa	taccggtgta	tcggctttac	tgaatgcatt	tattcccaaa	60	
gggaaactga	aaagcaacct	agggacactg	taagcagaaa	gctgaggctt	ttaaaaacc	120	
accttggcaa	tgtaacttgg	gaggttccca	cacaccagg	gctgtgcatt	gtgaaattct	180	
gtctctctgag	acgtctgagaa	acccttctct	gcagctataa	tgggcctggc	cgccagctgt	240	
ggagctgtag	cttcccacga	cgtagccctc	aggaacttca	ggagggatgc	cacagctcat	300	
ttctgaaaac	aaaacgctgt	caacttcttt	actttacaaa	tgaagtttt	cagaattccac	360	
catctctctg	cacccatacc	ccatgectca	cacccagac	cctgtgttag		410	

<210> 89
 <211> 279
 <212> DNA
 <213> mouse

<400> 89							
gtgcagagag	tggaattgtca	gtggactgct	cagttacaaa	tgggacatct	aacacacaca	60	
cacacacaca	cacacacaca	cacacacaca	caccccaagg	cttagagacc	attgcagaag	120	
agaagagttt	atgggaaatc	ttggagaaaa	cattggatgg	tttagagaaa	tggttaggag	180	
atcacactag	ctagctccagg	aagcagtgaa	ggggggccgg	gttagaagat	gaggtcagaa	240	
gacaggggtg	agggcattgt	ccgacagaa	cattgctgt			279	

<210> 90
 <211> 398
 <212> DNA
 <213> mouse

<400> 90							
ccaccaaccc	agaaatttga	caaaggggtt	gaattgttga	ctttgcgtcc	ttccccggca	60	
gtggatgtac	tgttttgagc	cctgtgtgga	acttctgaac	ttcgtgctgt	aactttcaga	120	

WO 99/55865				PCT/NZ99/00051		
actcttagac	atgggtgtgc	tcaactgaact	ctagggctcg	tgtgctagat	gctgccaaagc	180
ctgtattccag	gaactgaagt	gagtagccgt	gtggatccag	accaatccag	tgtgagacta	240
ctgaagaaca	tctgttgcca	gaacggccac	accaaacaga	tggagtcccc	cagcacttag	300
ctctttaat	aacatcgga	ccattcagcc	agcgagctcg	tgtttgcttt	tgtttaaatt	360
gtccgcgaa	tctaaattcc	tccaaaagcg	tgtgacc			398
<210> 91						
<211> 279						
<212> DNA						
<213> mouse						
<400> 91						
gttgttactt	cagttgtctt	cggcggaat	tcttaaactg	catcctgagt	gaggagagctt	60
tggcagaaaa	gcaagaccca	gtggtagaca	gattagcatt	actgtacagc	ttctttgggt	120
gttcagagaa	gcccgctgg	accatagtgg	ccacggcggt	gaggtaggcg	tggacagggc	180
tgaccagtcc	aagtttaagga	cggtcgggtc	catgttaacc	ctgccttgta	cgtccagcat	240
cgtaagaaaa	aacacttgag	aacccgaaga	ggagatgga			279
<210> 92						
<211> 401						
<212> DNA						
<213> mouse						
<400> 92						
aaaaagtttt	accaaaacct	tttattgact	tttataaatt	agatagtatt	tcaaaagtta	60
tgtagaatcg	tattctttga	aactgtactt	agcagagcag	aagaggcctg	ctgacgctag	120
cacgctctgc	aatgaatcat	gtggcaccca	gtctacgcca	agggccccga	gaactcttat	180
tccatagatg	ggcagatggt	tcccagaatt	acactacaga	actacaaatc	gactcttaaa	240
attaaaaacg	gactttacaa	gcattctaga	agactcaaac	tgaagcaat	ttttgaaaa	300
taaatgtaca	gagaaaaagt	cttgaagcta	ctgaacagag	aacctcatt	aaccgagcaa	360
atacatcccta	tggagcttcc	gaggagtaca	cagacagacc	g		401
<210> 93						
<211> 339						
<212> DNA						
<213> mouse						
<400> 93						
ccactgaact	tcccagaagg	tgacagccgg	cggcggtagt	tgtcaaggag	ccgagatagt	60
ccagcagtgc	ctcggtaacc	agaagacggg	ctgtctcccc	ccaaaagacg	gcgacattcg	120
atgagaatgc	accacagtga	tctcacattt	tgcgagatta	tccatgtgga	gatggagtcc	180
catgatgcag	cctggccttt	cctagagcct	gtgaaccttc	gcttggtag	tggataccga	240
cgtgtcatca	agaacctcat	ggatttttcc	accatgcgag	aacgcctgct	ccgtggaggg	300
tacactagct	cagaagagtt	tgcagctgat	gctctgctg			339
<210> 94						
<211> 55						
<212> DNA						
<213> mouse						
<400> 94						
gggggtgagg	caacttggat	aaactcagct	gcttccatct	gggtgacatc	tttgg	55
<210> 95						
<211> 186						
<212> DNA						
<213> mouse						
<400> 95						
ggactctggc	tctctggggc	tgcggccgac	ctcgggtgat	cccgccttga	ggcgcggcgg	60
ggcggggccc	agaaacaaga	agcgcggctg	gaggaggctc	gccgaaggag	cgctgggggt	120

agaggtcgac cagttcctgg aagacgtccg gctacaggag cgcacgaccg gtggctgtgt 180
ggcaga 186

<210> 96
<211> 244
<212> DNA
<213> mouse

<400> 96
ggtagacaaa acccctctctg cccctctccc agagactctg acttgacctt ctttccaatt 60
ccctctcccc aagggcatgg attatgaagc cctctctgtaa gatggctgagc cagggggccct 120
aagagggcat gaggcacacc ctgatcactg tctcaggcct ttgtgggcac cgactcgacc 180
ctggcccaacc tcacgccccc agggccagtgt gcaactgggt gctcttgagg gctcttacgc 240
cctt 244

<210> 97
<211> 116
<212> DNA
<213> mouse

<220>
<221> unsure
<222> (11) ... (11)

<221> unsure
<222> (13) ... (13)

<221> unsure
<222> (41) ... (41)

<400> 97
accgggtctg ngnactgccc gcctctctgg gcttccctta naggatacag tcttttacc 60
atctaggact cctgccacc tgactgctga cttacagcta tgaggctccc gcttct 116

<210> 98
<211> 307
<212> DNA
<213> mouse

<400> 98
ccccgggcca tctgtcgcca taccgggccc gtgcaagctt ttgcaggttt tagaagatgg 60
cgaattcaag tcactctgga tccaggacaa cccctcaggc tggggctcct gtaccgttcc 120
tgagcaattt cgggatatgc cctaccagcc attcagcaaa ggaagatcgc tgggaaaggt 180
tgacagactgg acaggggcca cataccagga caagaggtac acaaaacaagt attcctctca 240
gttcggtggg gggagtcagt atgcataatt ccatgaggag gatgagacaa gctttccagc 300
tgggtgg 307

<210> 99
<211> 360
<212> DNA
<213> mouse

<220>

<400> 99
ccttggtgca ccagctccag cctcaggact tctcctctct ggccctgaca gccacgtct 60
tgtccacgca gaatccagtg acaggaagga gtttctgagg caggggagga ggctctctca 120
tgggaaccag acagccttgc ttcactgtat aagtgccttg atcacacgca gaatgaagt 180
ccaggttgct cagaagcaca aagggtgtgg ctactggccc taaccatgga ctactgggtt 240
ctaaccaaaag actctagaac tctgggggtgg gggagaaaca atgtgttctg tgcctcagaa 300

WO 99/55865

PCT/NZ99/00051

ctcgccct cctggcccat atggatgggc ttggcaagga acctacacctct tctctaaggt 360

<210> 100
<211> 257
<212> DNA
<213> mouse

<400> 100
tgccgcgctg agaggggggg cgcaccacc agcgcaccaca ccaccaccgc cgcgcgcgcc 60
gggtgggggt ggagggggcg gagccaccgc taccgcgcgc gccctcccggt tgggcgcgcc 120
tctccttaga cgcggcgac ccagacagag ggcttcatca ctgttaattgg ttgcaagccg 180
acaaagctgc acctcctgaa aaagacggac agcccatcgc gtgagctgta gaaattgtgt 240
gacgcatttc tatcggt 257

<210> 101
<211> 203
<212> DNA
<213> mouse

<400> 101
ccaaagtgc catttgtgat caagacgata gccttcccac gggggccccc ccacagatcc 60
gcattcctcaa gagggccacc agcaacgggt tggtcagcag ccccaactcc accagcagcg 120
cagcccttcc tgtcaagtcc ctagcacagc gggaggcgaga gtatgcagag gctcggagac 180
ggatcctagg cagtccacgc cct 203

<210> 102
<211> 300
<212> DNA
<213> mouse

<400> 102
agtcacagaga cctcggctgc agcttaaac tcggacagtg gcaacgcccc tcaatcaagt 60
agccaaacccc aactcagcca tctttggggg agccaggccc agagaggaaag tggttcagaa 120
ggagcaagaa tgagcttagt ttggggggga atggggcggt ggggagcttg agcaagacca 180
cggcctgggt gcagcgggtc gccctacagg ccccatcccc gccctggact gtccctctta 240
cagcggaaac acagagcttg tgagtgcagt tcagctgtta acaagtgggt tctatgatcat 300

<210> 103
<211> 370
<212> DNA
<213> mouse

<220>

<400> 103
cagcaactgt ttcaggagct gcacgggtga cgcctgctga ctgatgcgt ggaactaaca 60
ctgggctggg cccccaaga aaacctcccg gtgatgcttc cagcccaaga gacggagagg 120
gcattggaga tctcctaaat gctctttaat atcacctttg actctgtcaa gagggaaagt 180
gatgaggaa atgctgcctt ttaccggtae ctgggggact ttctgcggca ctgcgtgatg 240
gttgaagctg ctgggggacc cacagaggag ttccacggcc acacggtgaa tctcctgggg 300
aacttgcccc tcaagtgttt ggaatgtgctt ctggccctgg agctccacga aggatcctta 360
gagtcagtgg 370

<210> 104
<211> 423
<212> DNA
<213> mouse

<400> 104
tttcccagcc tggtaggaga gccgactggc gagtgtgcca actgtcccggt gcttcccagc 60

tcttaaccttg	ctgtgtcttct	ctctcctggg	aagatgttcc	tggtggggt	gacgggaggc	120
atcgccctag	gcaagagctc	cgctatccag	gtattccaac	agctgggctg	tgctgtaac	180
gacgtggacg	tcattgcgcg	gcacgttgtc	cagccagggt	atcctgccca	cggcggtata	240
gtagaggcct	ttggcactga	agctctgtgt	gagaatggcg	acatcgaccg	caaggctctc	300
ggagacctga	tcttcaacca	gcctgaccgt	cggcagctgc	tcaactccat	tacccacctt	360
gagatccgca	aggaaatgat	gaaggagacc	ttcaagtact	tctccgaggt	accgatacgt	420
gat						423

<210> 105
 <211> 117
 <212> DNA
 <213> mouse

<400> 105	
agcttgggtgc	tggtcatatt
gacctggctcg	gttccacacag
	gttcagcact
	tgaggacatag
	tgagggtg
	60
	117

<210> 106
 <211> 133
 <212> DNA
 <213> mouse

<400> 106	
tttttttttt	aaaataccac
tccctctctc	attcatcca
cagctctggt	ctg
	catttccaat
	cccaaaagaa
	catggcactt
	gtttgtttct
	60
	120
	133

<210> 107
 <211> 217
 <212> DNA
 <213> mouse

<220>
 <221> unsure
 <222> (1) ... (1)

<221> unsure
 <222> (11) ... (11)

<221> unsure
 <222> (18) ... (23)

<221> unsure
 <222> (34) ... (34)

<221> unsure
 <222> (37) ... (38)

<221> unsure
 <222> (40) ... (42)

<221> unsure
 <222> (50) ... (52)

<221> unsure
 <222> (55) ... (58)

<221> unsure
 <222> (152) ... (152)

<221> unsure

<222> (155) ... (155)

<221> unsure

<222> (165) ... (165)

<400> 107

nttttttttg	ngcgacacnn	nnngnnnnng	ccnngnnngn	nnagcctacn	nnacnnnnng	60
ttttttcttc	aggtcgaaga	cctgaacgtc	aagtgtgaag	gggagccttc	catgcggaaa	120
ccaaagcagc	ggcgcgggcc	ggagcccttc	ancancccca	ccaangcggg	cactttcatc	180
gccccctctg	tctactccaa	catcacccct	taccaga			217

<210> 108

<211> 346

<212> DNA

<213> mouse

<220>

<400> 108

gggcatagaa	ggcatctcga	aaagaatact	tatttgaatt	gaaggaaagt	gaagaggcct	60
gcaggaagcg	tcagaagaca	ggagtgtttt	acctctttca	tgaccttqat	cctttgctcc	120
aggcgtcagg	acatcgatac	ctgggtgcccc	ggcttagccg	agcagagttg	gaagggtctg	180
tgggttaagt	cggacaggat	tcgcaaaaga	ttgaagattc	ggtgctggtt	gggtgctccg	240
agcagcagga	agcatggttt	gctttggatc	taggtctgaa	gagtgcctcc	tccagccctg	300
gacaagtatc	gctgctccag	cagcttgact	gctgtaaaga	ggaatc		346

<210> 109

<211> 242

<212> DNA

<213> mouse

<400> 109

ccacattgtc	cacaactgga	aggcacgatg	gttcattcct	cggcagaaca	cgctctctga	60
ttacaagcta	gagggtggcc	ggcgagtaac	cccgcccaag	gggaggattg	tctttgatgg	120
ctgcaccatc	acctgcccc	gcctggagta	tgaaaaccgg	cgctcctca	ttaaactgaa	180
gacccgaact	tccactgagt	acttctctga	agcctgtttc	cgagaggaga	gagactcttg	240
gg						242

<210> 110

<211> 310

<212> DNA

<213> mouse

<220>

<400> 110

ccggcgccgg	aatccagggt	gtagctgggt	gagtcgcctc	cggagagtga	cgcgcagact	60
cggctcccc	ggggcccgcc	ctctgcccgg	cctgcgcggc	gtctcccttg	ctccctgaga	120
tcgctgagcg	ctgacgacgc	gcccgggaga	ggaggccttg	ggcgacgggg	cgcggagagg	180
gaggcgccgc	gggcagtggt	ggcgcccgcc	atctctatat	ggcgacggct	ctgtcgggtc	240
tggctgtccg	gctgtcgcgc	tcggcccgnc	cgcccgctcc	tatggggctc	tctgcaa-gg	300
ggctgaccgc						310

<210> 111

<211> 228

<212> DNA

<213> mouse

<400> 111

ttcttttttt	acatttgggt	gtttttttct	ttactttttt	tttttttttc	ttctttttct	60
gccttcaacc	cccccaactc	tttggatatg	agttactttt	acatttatat	ttcattgtta	120

cactttaaat	ttgttaagga	aaactctgat	atttcattcc	tcctgaacca	ctaagttag	180
aattttatttc	taagaaatcag	tcaacatgta	tactcttaaat	agtgaatt		228

<210> 112

<211> 292

<212> DNA

<213> mouse

<400> 112						
gtggggtccc	agacttgcca	accaaagggc	cattcctggt	atatggttct	ggcttcagct	60
ctggtggcat	ggactatggt	atggttggtg	gcaaggaggc	tgggaccgag	tctcgcttca	120
aacagtggac	ctcaatgatg	gaagggctgc	catctgtggc	cacacaagaa	gccaccatgc	180
acaaaaacgg	cgctatagtg	gccctcggtg	agacccgagg	aggttcacca	tacaaccagt	240
ttgatataat	ccagggtgac	acactgggtg	gccatacggg	tcctgctggt	ga	292

<210> 113

<211> 255

<212> DNA

<213> mouse

<220>

<400> 113						
ttagatgact	taggacttta	atgttttcca	tgcatgcat	tgaaaacact	gatacatgaa	60
caaccagaaa	aagacctcag	caatgtatag	acctggaata	tatagtgttg	ccctgggttaa	120
actacaagaa	cagccacgtg	atcacagtgt	gagggtggaa	ggcaggggtg	tgactgagtt	180
ttgtttaacg	gcctaaccga	aaagcaaaga	atcaaccatt	tcttctactt	gtggcaagaa	240
acgagagtca	tggtg					255

<210> 114

<211> 197

<212> DNA

<213> mouse

<400> 114						
gaccacatg	tgaacagccg	cgtgtatgtc	acactgctct	gtgtgtgatt	tcttcacgtg	60
tgcatgtgcg	ctcttggctc	ttccacttat	tgccctgttc	tgaagaaacc	aaccataagg	120
tgccaaggag	gttttatctc	tttttttttt	aaagatgaca	aatgtacaga	tgtagtagaca	180
gatgttaatg	tacagat					197

<210> 115

<211> 205

<212> DNA

<213> mouse

<400> 115						
aaaacatttc	acaaacagcg	aaaacaaaat	tgatacaatc	aaaaaaacaa	cactataacc	60
aacataggtg	aaamcagcca	aacacataat	gtacaatctg	gtgtccagg	acaaacatct	120
gtcatatata	tggtatatac	atatataact	tttcaactca	tatatataga	caatatatat	180
ttaaaaatttt	gttatagaca	aaaaa				205

<210> 116

<211> 202

<212> DNA

<213> mouse

<220>

<400> 116						
cctccctcat	cctctacttc	ccttttcctt	cctgcttgat	ttttctatc	cagaccctta	60

tgccacacaca	cacacacaca	cacgaacaca	cgcacacaca	cacacacag	120
cacacacaca	ctgtccatcc	atagttactt	atttagtttt	ccattctctag	180
tcattccctta	gtccagtgcct	aa			202

<210> 117
 <211> 240
 <212> DNA
 <213> mouse

<400> 117					
ccgccaggag	aggagataca	cagccactga	tgtggaccac	cggtaggctg	ttgctgctgc
cgcttctgct	gtgtgaagga	gcgcaagccc	tggagtgcct	cagctgcgctg	cagaaggcgg
acgatggatg	cgctccgcac	aggatgaaga	cagtcacaaatg	tggtcccggtg	gtggacgtct
gtaccgaggg	cgtggagcgc	gtagagacca	tcacacgggca	attctctgtg	cggtgctggg

<210> 118
 <211> 527
 <212> DNA
 <213> Human

<400> 118					
ccgtcagctct	agaagataaa	gagaagaaga	gttaagcaac	tacaggaagt	ggctttggga
gttccaatat	cagctctatct	tttattcaac	gcaatgacac	cactgaccga	agaggcagcc
gtgactgata	cacctccaat	cacagcccgag	caaggttaact	ggacagttaa	caaaacagaa
gtccacacaa	tagaaggacc	catagccctg	aagttctcac	acctttgcct	ggaagatcat
aaagttactg	gcatacaagg	tgctgtgtgca	ttccaccatg	agctagagaa	agccatctgc
aggtgtttta	ctggttatat	tggaagaagg	tgtgagcact	tgactttaac	ttcatatgct
gtggattctc	atgaaaaaata	catcgcaatt	gggattggtg	ttggattact	attaagtggg
ttctctgtta	ttttttactg	ctatataaga	aagaggtgtc	taaaattgaa	atcgctttac
aatgtctgct	ctggagaagg	acgaccactg	tgaggccttt	gtgaaga	527

<210> 119
 <211> 655
 <212> DNA
 <213> Rat

<400> 119					
atggcgccgc	ccgcgccctg	gtgggtggctg	cggccgctgg	cggcgctcgc	cctggcgctg
gcgctggtcc	gggtgccctc	agcccgggcc	gggcaagatg	cgcgccccgc	agagcgcggg
ccccagatc	ggctcttcac	cgaggaggag	ctggcccgct	acagcgccga	ggaggaggat
caaccatctc	acttggcagt	gaagggaagt	gtgttcgatg	tcacctctgg	gaaggagtgt
tatggaogtg	gagcccccta	caagcgcttg	gccgggaagg	actcgagcag	aggtgtggcg
aagatgtcgc	tggaatctgc	agacctcact	catgacattt	ctggtctcac	tgccaaggag
ctggaagccc	tcgatgacat	cttcagcaag	gtgtacaaag	ccaaataccc	catgtgtggc
taacggcgcc	gcaggatctc	caacgaggat	ggcagcccca	acctggactt	caagccttgaa
gacacagccc	actttgacat	aaaggacag	ttctaatgtc	tagctgagaa	gctggtctga
gggagagggt	aggggacagg	agtttaaatgt	ccccaggaac	aagcagggga	agcctctgag
tgtctctgat	ctgaataaaa	ctgatattta	actgggaaaa	aaaaaaaaaa	aaaaaa

<210> 120
 <211> 176
 <212> PRT
 <213> Rat

<400> 120					
Met Val Pro	Cys Phe Leu Leu Ser Leu Leu Leu Val Arg Pro Ala				
1	5	10	15		
Pro Val Val	Ala Tyr Ser Val Ser Leu Pro Ala Ser Phe Leu Glu Glu				
	20	25	30		
Val Ala Gly	Ser Gly Glu Ala Glu Gly Ser Ser Ala Ser Ser Pro Ser				
35	40	45			

Leu Leu Pro Pro Arg Thr Pro Ala Phe Ser Pro Thr Pro Gly Arg Thr
 50 55 60
 Gln Pro Thr Ala Pro Val Gly Pro Val Pro Thr Asn Leu Leu Asp
 65 70 75
 Gly Ile Val Asp Phe Phe Arg Gln Tyr Val Met Leu Ile Ala Val Val
 85 90 95
 Gly Ser Leu Thr Phe Leu Ile Met Phe Ile Val Cys Ala Ala Leu Ile
 100 105 110
 Thr Arg Gln Lys His Lys Ala Thr Ala Tyr Tyr Pro Ser Ser Phe Pro
 115 120 125
 Glu Lys Lys Tyr Val Asp Gln Arg Asp Arg Ala Gly Gly Pro His Ala
 130 135 140
 Phe Ser Glu Val Pro Asp Arg Ala Pro Asp Ser Arg Gln Glu Glu Gly
 145 150 155 160
 Leu Asp Phe Phe Gln Gln Leu Gln Ala Asp Ile Leu Ala Cys Tyr Ser
 165 170 175

<210> 121

<211> 116

<212> PRT

<213> Rat

<400> 121

Met Glu Leu Leu Tyr Trp Cys Leu Leu Cys Leu Leu Leu Pro Leu Thr
 1 5 10 15
 Ser Arg Thr Gln Lys Leu Pro Thr Arg Asp Glu Glu Leu Phe Gln Met
 20 25 30
 Gln Ile Arg Asp Lys Ala Leu Phe His Asp Ser Ser Val Ile Pro Asp
 35 40 45
 Gly Ala Glu Ile Ser Ser Tyr Leu Phe Arg Asp Thr Pro Arg Arg Tyr
 50 55 60
 Phe Phe Met Val Glu Glu Asp Asn Thr Pro Leu Ser Val Thr Val Thr
 65 70 75 80
 Pro Cys Asp Ala Pro Leu Glu Trp Lys Leu Ser Leu Gln Glu Leu Pro
 85 90 95
 Glu Glu Ser Ser Ala Asp Gly Ser Gly Asp Pro Glu Pro Leu Asp Gln
 100 105 110
 Gln Lys Gln Gln
 115

<210> 122

<211> 64

<212> PRT

<213> Human

<400> 122

Met Asn Leu Leu Ile Gly Ser Ile Ile Leu Ser Ser Phe Leu Val Leu
 1 5 10 15
 Ser Asp Gly Asp Thr Thr Ala Ser Pro Ser Ser Met Ser Ser Ser
 20 25 30
 Val Leu Asn His Ile Ser Ser Ser Ser Ser Val Trp His Leu Phe
 35 40 45
 Asp Ile Cys Asp Ser Ser Lys Trp Asn Ala Tyr Cys Gln Val Trp Gly
 50 55 60

<210> 123

<211> 68

<212> PRT

<213> Human

<400> 123

WO 99/55865

PCT/NZ99/00051

```

Met Leu Thr Leu Pro Ile Leu Val Cys Lys Val Gln Asp Ser Asn Arg
1          5          10          15
Arg Lys Met Leu Pro Thr Gln Phe Leu Phe Leu Gly Val Leu Gly
          20          25          30
Ile Phe Gly Leu Thr Phe Ala Phe Ile Gly Leu Asp Gly Ser Thr
          35          40          45
Gly Pro Thr Arg Phe Phe Leu Phe Gly Ile Leu Phe Ser Ile Cys Phe
50          55          60
Ser Cys Leu Leu
65

```

<210> 124
 <211> 110
 <212> PRT
 <213> mouse

```

<400> 124
Met Ile Ser Pro Ala Trp Ser Leu Phe Leu Ile Gly Thr Lys Ile Gly
1          5          10          15
Leu Phe Phe Gln Val Ala Pro Leu Ser Val Val Ala Lys Ser Cys Pro
          20          25          30
Ser Val Cys Arg Cys Asp Ala Gly Phe Ile Tyr Cys Asn Asp Arg Ser
          35          40          45
Leu Thr Ser Ile Pro Val Gly Ile Pro Glu Asp Ala Thr Thr Leu Tyr
50          55          60
Leu Gln Asn Asn Gln Ile Asn Asn Val Gly Ile Pro Ser Asp Leu Lys
65          70          75          80
Asn Leu Leu Lys Val Gln Arg Ile Tyr Leu Tyr His Asn Ser Leu Asp
          85          90          95
Glu Phe Pro Thr Asn Leu Pro Lys Tyr Val Lys Glu Leu His
100          105          110

```

<210> 125
 <211> 330
 <212> PRT
 <213> mouse

```

<400> 125
Met Gly Ser Pro Arg Leu Ala Ala Leu Leu Leu Ser Leu Pro Leu Leu
1          5          10          15
Leu Ile Gly Leu Ala Val Ser Ala Arg Val Ala Cys Pro Cys Leu Arg
          20          25          30
Ser Trp Thr Ser His Cys Leu Leu Ala Tyr Arg Val Asp Lys Arg Phe
          35          40          45
Ala Gly Leu Gln Trp Gly Trp Phe Pro Leu Leu Val Arg Lys Ser Lys
50          55          60
Ser Pro Pro Lys Phe Glu Asp Tyr Trp Arg His Arg Thr Pro Ala Ser
65          70          75          80
Phe Gln Arg Lys Leu Leu Gly Ser Pro Ser Leu Ser Glu Glu Ser His
          85          90          95
Arg Ile Ser Ile Pro Ser Ser Ala Ile Ser His Arg Gly Gln Arg Thr
100          105          110
Lys Arg Ala Gln Pro Ser Ala Ala Glu Gly Arg Glu His Leu Pro Glu
115          120          125
Ala Gly Ser Gln Lys Cys Gly Gly Pro Glu Phe Ser Phe Asp Leu Leu
130          135          140
Pro Glu Val Gln Ala Val Arg Val Thr Ile Pro Ala Gly Pro Lys Ala
145          150          155          160
Ser Val Arg Leu Cys Tyr Gln Trp Ala Leu Glu Cys Glu Asp Leu Ser
          165          170          175
Ser Pro Phe Asp Thr Gln Lys Ile Val Ser Gly Gly His Thr Val Asp

```

180
 Leu Pro Tyr Glu Phe Leu Leu Pro Cys Met Cys Ile Glu Ala Ser Tyr
 195
 Leu Gln Glu Asp Thr Val Arg Arg Lys Lys Cys Pro Phe Gln Ser Trp
 210
 Pro Glu Ala Tyr Gly Ser Asp Phe Trp Gln Ser Ile Arg Phe Thr Asp
 225
 Tyr Ser Gln His Asn Gln Met Val Met Ala Leu Thr Leu Arg Cys Pro
 245
 Leu Lys Leu Glu Ala Ser Leu Cys Trp Arg Gln Asp Pro Leu Thr Pro
 260
 Cys Glu Thr Leu Pro Asn Ala Thr Ala Gln Glu Ser Glu Gly Trp Tyr
 275
 Ile Leu Glu Asn Val Asp Leu His Pro Gln Leu Cys Phe Lys Phe Ser
 290
 Phe Glu Asn Ser Ser His Val Glu Cys Pro His Gln Ser Gly Ser Leu
 305
 Pro Ser Trp Thr Val Ser Met Asp Thr Gln
 325 330

<210> 126

<211> 37

<212> PRT

<213> Rat

<400> 126

Met Leu Trp Val Leu Leu Ser Leu Thr Pro Leu Leu Ser Pro Leu Ile
 1 5 10 15
 Phe Phe Pro Val Lys Thr Val Ala Leu Glu Glu Ile Ser Thr Ile Cys
 20 25 30
 Arg Ala Asp Val Leu
 35

<210> 127

<211> 42

<212> PRT

<213> mouse

<400> 127

Met Gly Ser Pro Ile Ser Gly Val Cys Pro Val Leu Pro Gly Gly Leu
 1 5 10 15
 Phe Val Ala Leu Gly Trp Ile Phe Leu Leu Phe His Arg Asp Ala Phe
 20 25 30
 Ser Leu His Thr Met Ser Ala Gly Phe Pro
 35 40

<210> 128

<211> 253

<212> PRT

<213> mouse

<400> 128

Met Met Tyr Trp Ile Val Phe Ala Ile Phe Met Ala Ala Glu Thr Phe
 1 5 10 15
 Thr Asp Ile Phe Ile Ser Trp Ser Gly Pro Arg Ile Gly Arg Pro Trp
 20 25 30
 Gly Trp Glu Gly Pro His His His His His Leu Ala Ser Gly Ser His
 35 40 45
 Lys Pro Leu Pro Leu Leu Thr His Arg Phe Pro Phe Tyr Tyr Glu Phe
 50 55 60
 Lys Met Ala Phe Val Leu Trp Leu Leu Ser Pro Tyr Thr Lys Gly Ala

```

65          70          75          80
Ser Leu Leu Tyr Arg Lys Phe Val His Pro Ser Leu Ser Arg His Glu
      85          90          95
Lys Glu Ile Asp Ala Cys Ile Val Gln Ala Lys Glu Arg Ser Tyr Glu
      100          105          110
Thr Met Leu Ser Phe Gly Lys Arg Ser Leu Asn Ile Ala Ala Ser Ala
      115          120          125
Ala Val Gln Ala Ala Thr Lys Ser Gln Gly Ala Leu Ala Gly Arg Leu
      130          135          140
Arg Ser Phe Ser Met Gln Asp Leu Arg Ser Ile Pro Asp Thr Pro Val
      145          150          155          160
Pro Thr Tyr Gln Asp Pro Leu Tyr Leu Glu Asp Gln Val Pro Arg Arg
      165          170          175
Arg Pro Pro Ile Gly Tyr Arg Pro Gly Gly Leu Gln Gly Ser Asp Thr
      180          185          190
Glu Asp Glu Cys Trp Ser Asp Asn Glu Ile Val Pro Gln Pro Pro Val
      195          200          205
Arg Pro Arg Glu Lys Pro Leu Gly Arg Ser Gln Ser Leu Arg Val Val
      210          215          220
Lys Arg Lys Pro Leu Thr Arg Glu Gly Thr Ser Arg Ser Leu Lys Val
      225          230          235          240
Arg Thr Arg Lys Lys Ala Met Pro Ser Asp Met Asp Ser
      245          250

```

```

<210> 129
<211> 40
<212> PRT
<213> mouse

```

```

<400> 129
Met Lys Ala Met Ala Leu Ser Leu Gly Ala Ser Pro Val Leu Ala Phe
1          5          10          15
Leu Leu Ser Gly Tyr Ser Asp Gly Tyr Gln Val Cys Ser Arg Phe Gly
20          25          30
Ser Lys Val Pro Gln Phe Leu Asn
35          40

```

```

<210> 130
<211> 87
<212> PRT
<213> mouse

```

```

<400> 130
Met Ile Ala Val Thr Phe Ala Ile Val Leu Gly Val Ile Ile Tyr Arg
1          5          10          15
Ile Ser Thr Ala Ala Ala Leu Ala Met Asn Ser Ser Pro Ser Val Arg
20          25          30
Ser Asn Ile Arg Val Thr Val Thr Ala Thr Ala Val Ile Ile Asn Leu
35          40          45
Val Val Ile Ile Leu Leu Asp Glu Val Tyr Gly Cys Ile Ala Arg Trp
50          55          60
Leu Thr Lys Ile Gly Glu Cys His Val Gln Asp Ser Ile Gly Ser Met
65          70          75          80
Gly Leu Gly Gln Gly Gln Pro
85

```

```

<210> 131
<211> 70
<212> PRT
<213> mouse

```

PCT/NZ99/00051

```
<210> 132
<211> 63
<212> PRT
<213> mouse
```

```
<210> 133
<211> 39
<212> PRT
<213> mouse
```

```
<210> 134
<211> 90
<212> PRT
<213> Rat
```

<210>	135
<211>	193

WO 99/55865

PCT/NZ99/00051

<212> PRT
<213> Rat

<400> 135
Met Thr Ser Gly Pro Gly Gly Pro Ala Ala Thr Gly Gly Gly Lys
1 5 10 15
Asp Thr His Gln Trp Tyr Val Cys Asn Arg Glu Lys Leu Cys Glu Ser
20 25 30
Leu Gln Ser Val Phe Val Gln Ser Tyr Leu Asp Gln Gly Thr Gln Ile
35 40 45
Phe Leu Asn Asn Ser Ile Glu Lys Ser Gly Trp Leu Phe Ile Gln Leu
50 55 60
Tyr His Ser Phe Val Ser Ser Val Phe Thr Leu Phe Met Ser Arg Thr
65 70 75 80
Ser Ile Asn Gly Leu Leu Gly Arg Gly Ser Met Phe Val Phe Ser Pro
85 90 95
Asp Gln Phe Gln Arg Leu Leu Lys Ile Asn Pro Asp Trp Lys Thr His
100 105 110
Arg Leu Leu Asp Leu Gly Ala Gly Asp Gly Glu Val Thr Lys Ile Met
115 120 125
Ser Pro His Phe Glu Glu Ile Tyr Ala Thr Glu Leu Ser Glu Thr Met
130 135 140
Ile Trp Gln Leu Gln Lys Lys Tyr Arg Val Leu Gly Ile Asn Glu
145 150 155 160
Trp Gln Asn Thr Gly Phe Gln Tyr Asp Val Ile Ser Cys Leu Asn Leu
165 170 175
Leu Asp Arg Cys Asp Gln Pro Leu Thr Leu Leu Lys Asp Ile Arg Met
180 185 190
Ser

<210> 136
<211> 106
<212> PRT
<213> Rat

<400> 136
Met Ala Ala Pro Met Asp Arg Thr His Gly Gly Arg Ala Ala Arg Ala
1 5 10 15
Leu Arg Arg Ala Leu Ala Leu Ala Ser Leu Ala Gly Leu Leu Leu Ser
20 25 30
Gly Leu Ala Gly Ala Leu Pro Thr Leu Gly Pro Gly Trp Arg Arg Gln
35 40 45
Asn Pro Glu Pro Pro Ala Ser Arg Thr Arg Ser Leu Leu Leu Asp Ala
50 55 60
Ala Ser Gly Gln Leu Arg Leu Glu Tyr Gly Phe His Pro Asp Ala Val
65 70 75 80
Ala Trp Ala Asn Leu Thr Asn Ala Ile Arg Glu Thr Gly Trp Ala Tyr
85 90 95
Leu Asp Leu Gly Thr Asn Gly Ser Tyr Lys
100 105

<210> 137
<211> 286
<212> PRT
<213> Rat

<400> 137
Met Ala Ala Ala Met Pro Leu Gly Leu Ser Leu Leu Leu Val Leu
1 5 10 15
Val Gly Gln Gly Cys Cys Gly Arg Val Glu Gly Pro Arg Asp Ser Leu

20 25 30
 Arg Glu Glu Leu Val Ile Thr Pro Leu Pro Ser Gly Asp Val Ala Ala
 35 40 45
 Thr Phe Gln Phe Arg Thr Arg Trp Asp Ser Asp Leu Gln Arg Glu Gly
 50 55 60
 Val Ser His Tyr Arg Leu Phe Pro Lys Ala Leu Gly Gln Leu Ile Ser
 65 70 75 80
 Lys Tyr Ser Leu Arg Glu Leu His Leu Ser Phe Thr Gln Gly Phe Trp
 85 90 95
 Arg Thr Arg Tyr Trp Gly Pro Pro Phe Leu Gln Ala Pro Ser Gly Ala
 100 105 110
 Glu Leu Trp Val Trp Phe Gln Asp Thr Val Thr Asp Val Asp Lys Ser
 115 120 125
 Trp Lys Glu Leu Ser Asn Val Leu Ser Gly Ile Phe Cys Ala Ser Leu
 130 135 140
 Asn Phe Ile Asp Ser Thr Asn Thr Val Thr Pro Thr Ala Ser Phe Lys
 145 150 155 160
 Pro Leu Gly Leu Ala Asn Asp Thr Asp His Tyr Phe Leu Arg Tyr Ala
 165 170 175
 Val Leu Pro Arg Glu Val Val Cys Thr Glu Asn Leu Thr Pro Trp Lys
 180 185 190
 Lys Leu Leu Pro Cys Ser Ser Lys Ala Gly Leu Ser Val Leu Lys
 195 200 205
 Ala Asp Arg Leu Phe His Thr Ser Tyr His Ser Gln Ala Val His Ile
 210 215 220
 Arg Pro Ile Cys Arg Asn Ala His Cys Thr Ser Ile Ser Trp Glu Leu
 225 230 235 240
 Arg Gln Thr Leu Ser Val Val Phe Asp Ala Phe Ile Thr Gly Gln Gly
 245 250 255
 Lys Lys Glu Ala Cys Pro Leu Ala Ser Gln Ser Leu Val Tyr Val Asp
 260 265 270
 Ile Thr Gly Tyr Ser Gln Asp Asn Glu Thr Leu Glu Val Ser
 275 280 285

<210> 138

<211> 198

<212> PRT

<213> Rat

<400> 138

Met Thr Val Phe Arg Lys Val Thr Thr Met Ile Ser Trp Met Leu Leu
 1 5 10 15
 Ala Cys Ala Leu Pro Cys Ala Ala Asp Pro Met Leu Gly Ala Phe Ala
 20 25 30
 Arg Arg Asp Phe Gln Lys Gly Gly Pro Gln Leu Val Cys Ser Leu Pro
 35 40 45
 Gly Pro Gln Gly Pro Pro Gly Pro Pro Gly Ala Pro Gly Ser Ser Gly
 50 55 60
 Met Val Gly Arg Met Gly Phe Pro Gly Lys Asp Gly Gln Asp Gly Gln
 65 70 75 80
 Asp Gly Asp Arg Gly Asp Ser Gly Glu Gly Pro Pro Gly Arg Thr
 85 90 95
 Gly Asn Arg Gly Lys Gln Gly Pro Lys Gly Lys Ala Gly Ala Ile Gly
 100 105 110
 Arg Ala Gly Pro Arg Gly Pro Lys Gly Val Ser Gly Thr Pro Gly Lys
 115 120 125
 His Gly Ile Pro Gly Lys Lys Gly Pro Lys Gly Lys Gly Glu Pro
 130 135 140
 Gly Leu Pro Gly Pro Cys Ser Cys Gly Ser Ser Arg Ala Lys Ser Ala
 145 150 155 160
 Phe Ser Val Ala Val Thr Lys Ser Tyr Pro Arg Glu Arg Leu Pro Ile

165
 Lys Phe Asp Lys Ile Leu Met Asn Glu Gly His Tyr Asn Ala Ser
 180
 Ser Gly Lys Phe Val Cys
 195

<210> 139
 <211> 233
 <212> PRT
 <213> Rat

<400> 139
 Met Ala Ser Ala Leu Glu Glu Leu Gln Lys Asp Leu Glu Glu Val Lys
 1 5 10 15
 Val Leu Leu Glu Lys Ser Thr Arg Lys Arg Leu Arg Asp Thr Leu Thr
 20 25 30
 Asn Glu Lys Ser Lys Ile Glu Thr Glu Leu Arg Asn Lys Met Gln Gln
 35 40 45
 Lys Ser Gln Lys Lys Pro Glu Phe Asp Asn Glu Lys Pro Ala Ala Val
 50 55 60
 Val Ala Pro Leu Thr Thr Gly Tyr Thr Val Lys Ile Ser Asn Tyr Gly
 65 70 75 80
 Trp Asp Gln Ser Asp Lys Phe Val Lys Ile Tyr Ile Thr Leu Thr Gly
 85 90 95
 Val His Gln Val Pro Ala Glu Asn Val Gln Val His Phe Thr Glu Arg
 100 105 110
 Ser Phe Asp Leu Leu Val Lys Asn Leu Asn Gly Lys Asn Tyr Ser Met
 115 120 125
 Ile Val Asn Asn Leu Leu Lys Pro Ile Ser Val Glu Ser Ser Ser Lys
 130 135 140
 Lys Val Lys Thr Asp Thr Val Ile Ile Leu Cys Arg Lys Lys Ala Glu
 145 150 155 160
 Asn Thr Arg Trp Asp Tyr Leu Thr Gln Val Glu Lys Glu Cys Lys Glu
 165 170 175
 Lys Glu Lys Pro Ser Tyr Asp Thr Glu Ala Asp Pro Ser Glu Gly Leu
 180 185 190
 Met Asn Val Leu Lys Lys Ile Tyr Glu Asp Gly Asp Asp Met Lys
 195 200 205
 Arg Thr Ile Asn Lys Ala Trp Val Glu Ser Arg Glu Lys Gln Ala Arg
 210 215 220
 Glu Asp Thr Glu Phe Leu Gln Pro Gly
 225 230

<210> 140
 <211> 38
 <212> PRT
 <213> Human

<400> 140
 Met Gly Leu Ala Leu Cys Leu Ala Ser Ala Gly Ile Ser Gly Ser Arg
 1 5 10 15
 Ser Ala Phe Leu Gly Val Pro Arg Pro Arg Pro Thr Leu Ile Lys Leu
 20 25 30
 Ile Asp Thr Val Asp Leu
 35

<210> 141
 <211> 322
 <212> PRT
 <213> mouse

<400> 141
 Met Asp Ala Arg Trp Trp Ala Val Val Val Leu Ala Thr Leu Pro Ser
 1 5 10 15
 Leu Gly Ala Gly Gly Glu Ser Pro Glu Ala Pro Pro Gln Ser Trp Thr
 20 25 30
 Gln Leu Trp Leu Phe Arg Phe Leu Leu Asn Val Ala Gly Tyr Ala Ser
 35 40 45
 Phe Met Val Pro Gly Tyr Leu Leu Val Gln Tyr Leu Arg Arg Lys Asn
 50 55 60
 Tyr Leu Glu Thr Gly Arg Gly Leu Cys Phe Pro Leu Val Lys Ala Cys
 65 70 75 80
 Val Phe Gly Asn Glu Pro Lys Ala Pro Asp Glu Val Leu Leu Ala Pro
 85 90 95
 Arg Thr Glu Thr Ala Glu Ser Thr Pro Ser Trp Gln Val Leu Lys Leu
 100 105 110
 Val Phe Cys Ala Ser Gly Leu Gln Val Ser Tyr Leu Thr Trp Gly Ile
 115 120 125
 Leu Gln Glu Arg Val Met Thr Gly Ser Tyr Gly Ala Thr Ala Thr Ser
 130 135 140
 Pro Gly Glu His Phe Thr Asp Ser Gln Phe Leu Val Leu Met Asn Arg
 145 150 155 160
 Val Leu Ala Leu Val Val Ala Gly Leu Tyr Cys Val Leu Arg Lys Gln
 165 170 175
 Pro Arg His Gly Ala Pro Met Tyr Arg Tyr Ser Phe Ala Ser Leu Ser
 180 185 190
 Asn Val Leu Ser Ser Trp Cys Gln Tyr Glu Ala Leu Lys Phe Val Ser
 195 200 205
 Phe Pro Thr Gln Val Leu Ala Lys Ala Ser Lys Val Ile Pro Val Met
 210 215 220
 Met Met Gly Lys Leu Val Ser Arg Arg Ser Tyr Glu His Trp Glu Tyr
 225 230 235 240
 Leu Thr Ala Gly Leu Ile Ser Ile Gly Val Ser Met Phe Leu Leu Ser
 245 250 255
 Ser Gly Pro Glu Pro Arg Ser Ser Pro Ala Thr Thr Leu Ser Gly Leu
 260 265 270
 Val Leu Leu Ala Gly Tyr Ile Ala Phe Asp Ser Phe Thr Ser Asn Trp
 275 280 285
 Gln Asp Ala Leu Phe Ala Tyr Lys Met Ser Ser Val Gln Met Met Phe
 290 295 300
 Gly Val Asn Leu Phe Ser Cys Leu Phe Thr Val Gly Ser Leu Leu Glu
 305 310 315 320
 Gln Gly

<210> 142
 <211> 312
 <212> PRT
 <213> mouse

<400> 142
 Met Leu Cys Leu Cys Leu Tyr Val Pro Ile Ala Gly Ala Ala Gln Thr
 1 5 10 15
 Glu Phe Gln Tyr Phe Glu Ser Lys Gly Leu Pro Ala Glu Leu Lys Ser
 20 25 30
 Ile Phe Lys Leu Ser Val Phe Ile Pro Ser Gln Glu Phe Ser Thr Tyr
 35 40 45
 Arg Gln Trp Lys Gln Lys Ile Val Gln Ala Gly Asp Lys Asp Leu Asp
 50 55 60
 Gly Gln Leu Asp Phe Glu Glu Phe Val His Tyr Leu Gln Asp His Glu
 65 70 75 80
 Lys Lys Leu Arg Leu Val Phe Lys Ser Leu Asp Lys Lys Asn Asp Gly

85 90 95
 Arg Ile Asp Ala Gln Glu Ile Met Gln Ser Leu Arg Asp Leu Gly Val
 100 105 110
 Lys Ile Ser Glu Gln Gln Ala Glu Lys Ile Leu Lys Ser Met Asp Lys
 115 120 125
 Asn Gly Thr Met Thr Ile Asp Trp Asn Glu Trp Arg Asp Tyr His Leu
 130 135 140
 Leu His Pro Val Glu Asn Ile Pro Glu Ile Ile Leu Tyr Trp Lys His
 145 150 155 160
 Ser Thr Ile Phe Asp Val Gly Glu Asn Leu Thr Val Pro Asp Glu Phe
 165 170 175
 Thr Val Glu Glu Arg Gln Thr Gly Met Trp Trp Arg His Leu Val Ala
 180 185 190
 Gly Gly Gly Ala Gly Ala Val Ser Arg Thr Cys Thr Ala Pro Leu Asp
 195 200 205
 Arg Leu Lys Val Leu Met Gln Val His Ala Ser Arg Ser Asn Asn Met
 210 215 220
 Cys Ile Val Gly Gly Phe Thr Gln Met Ile Arg Glu Gly Gly Ala Lys
 225 230 235 240
 Ser Leu Trp Arg Gly Asn Gly Ile Asn Val Leu Lys Ile Ala Pro Glu
 245 250 255
 Ser Ala Ile Lys Phe Met Ala Tyr Glu Gln Met Lys Arg Leu Val Gly
 260 265 270
 Ser Asp Gln Glu Thr Leu Arg Ile His Glu Arg Leu Val Ala Gly Ser
 275 280 285
 Leu Ala Gly Ala Ile Ala Gln Ser Ser Ile Tyr Pro Met Glu Val Leu
 290 295 300
 Lys Thr Arg Met Ala Leu Arg Lys
 305 310

<210> 143
 <211> 163
 <212> PRT
 <213> Rat

<400> 143
 Met Pro Leu Val Thr Thr Leu Phe Tyr Ala Cys Phe Tyr His Tyr Thr
 1 5 15
 Glu Ser Glu Gly Thr Phe Ser Ser Pro Val Asn Leu Lys Lys Thr Phe
 20 25 30
 Lys Ile Pro Asp Arg Gln Tyr Val Leu Thr Ala Leu Ala Ala Arg Ala
 35 40 45
 Lys Leu Arg Ala Trp Asn Asp Val Asp Ala Leu Phe Thr Thr Lys Asn
 50 55 60
 Trp Leu Gly Tyr Thr Lys Lys Arg Ala Pro Ile Gly Phe His Arg Val
 65 70 75 80
 Val Glu Ile Leu His Lys Asn Ser Ala Pro Val Gln Ile Leu Gln Glu
 85 90 95
 Tyr Val Asn Leu Val Glu Asp Val Asp Thr Lys Leu Asn Leu Ala Thr
 100 105 110
 Lys Phe Lys Cys His Asp Val Val Ile Asp Thr Cys Arg Asp Leu Lys
 115 120 125
 Asp Arg Gln Gln Leu Leu Ala Tyr Arg Ser Lys Val Asp Lys Gly Ser
 130 135 140
 Ala Glu Glu Glu Lys Ile Asp Val Ile Leu Ser Ser Ser Gln Ile Arg
 145 150 155 160
 Trp Lys Asn

<210> 144
 <211> 330

<212> PRT

<213> Rat

<400> 144

```

Met Ala Gly Trp Ala Gly Ala Glu Leu Ser Val Leu Asn Pro Leu Arg
1      5      10      15
Ala Leu Trp Leu Leu Ala Ala Phe Leu Leu Ala Leu Leu Leu
20      25      30
Gln Leu Ala Pro Ala Arg Leu Leu Pro Ser Cys Ala Leu Phe Gln Asp
35      40      45
Leu Ile Arg Tyr Gly Lys Thr Lys Gln Ser Gly Ser Arg Arg Pro Ala
50      55      60
Val Cys Arg Ala Phe Asp Val Pro Lys Arg Tyr Phe Ser His Phe Tyr
65      70      75      80
Val Val Ser Val Leu Trp Asn Gly Ser Leu Leu Trp Phe Leu Ser Gln
85      90      95
Ser Leu Phe Leu Gly Ala Pro Phe Pro Ser Trp Leu Trp Ala Leu Leu
100      105      110
Arg Thr Leu Gly Val Thr Gln Phe Gln Ala Leu Gly Met Glu Ser Lys
115      120      125
Ala Ser Arg Ile Gln Ala Gly Glu Leu Ala Leu Ser Thr Phe Leu Val
130      135      140
Leu Val Phe Leu Trp Val His Ser Leu Arg Arg Leu Phe Glu Cys Phe
145      150      155      160
Tyr Val Ser Val Phe Ser Asn Thr Ala Ile His Val Val Gln Tyr Cys
165      170      175
Phe Gly Leu Val Tyr Tyr Val Leu Val Gly Leu Thr Val Leu Ser Gln
180      185      190
Val Pro Met Asn Asp Lys Asn Val Tyr Ala Leu Gly Lys Asn Leu Leu
195      200      205
Leu Gln Ala Arg Trp Phe His Ile Leu Gly Met Met Met Phe Phe Trp
210      215      220
Ser Ser Ala His Gln Tyr Lys Cys His Val Ile Leu Ser Asn Leu Arg
225      230      235      240
Arg Asn Lys Lys Gly Val Val Ile His Cys Gln His Arg Ile Pro Phe
245      250      255
Gly Asp Trp Phe Glu Tyr Val Ser Ser Ala Asn Tyr Leu Ala Glu Leu
260      265      270
Met Ile Tyr Ile Ser Met Ala Val Thr Phe Gly Leu His Asn Val Thr
275      280      285
Trp Trp Leu Val Val Thr Tyr Val Phe Phe Ser Gln Ala Leu Ser Ala
290      295      300
Phe Phe Asn His Arg Phe Tyr Lys Ser Thr Phe Val Ser Tyr Pro Lys
305      310      315      320
His Arg Lys Ala Phe Leu Pro Phe Leu Phe
325      330

```

<210> 145

<211> 301

<212> PRT

<213> Rat

<400> 145

```

Met Leu Val Ala Phe Leu Gly Ala Ser Ala Val Thr Ala Ser Thr Gly
1      5      10      15
Leu Leu Trp Lys Lys Ala His Ala Glu Ser Pro Pro Ser Val Asn Ser
20      25      30
Lys Lys Thr Asp Ala Gly Asp Lys Gly Lys Ser Lys Asp Thr Arg Glu
35      40      45
Val Ser Ser His Glu Gly Ser Ala Ala Asp Thr Ala Ala Glu Pro Tyr
50      55      60

```

Pro Glu Glu Lys Lys Lys Arg Ser Gly Phe Arg Asp Arg Lys Val
 65 70 75 80
 Met Glu Tyr Glu Asn Arg Ile Arg Ala Tyr Ser Thr Pro Asp Lys Ile
 85 90 95
 Phe Arg Tyr Phe Ala Thr Leu Lys Val Ile Asn Glu Pro Gly Glu Thr
 100 105 110
 Glu Val Phe Met Thr Pro Gln Asp Phe Val Arg Ser Ile Thr Pro Asn
 115 120 125
 Glu Lys Gln Pro Glu His Leu Gly Leu Asp Gln Tyr Ile Ile Lys Arg
 130 135 140
 Phe Asp Gly Lys Lys Ile Ala Gln Glu Arg Glu Lys Phe Ala Asp Glu
 145 150 155 160
 Gly Ser Ile Phe Tyr Thr Leu Gly Glu Cys Gly Leu Ile Ser Phe Ser
 165 170 175
 Asp Tyr Ile Phe Leu Thr Thr Val Leu Ser Thr Pro Gln Arg Asn Phe
 180 185 190
 Glu Ile Ala Phe Lys Met Phe Asp Leu Asn Gly Asp Gly Glu Val Asp
 195 200 205
 Met Glu Glu Phe Glu Gln Val Gln Ser Ile Ile Arg Ser Gln Thr Ser
 210 215 220
 Met Gly Met Arg His Arg Asp Arg Pro Thr Thr Gly Asn Thr Leu Lys
 225 230 235 240
 Ser Gly Leu Cys Ser Ala Leu Thr Thr Tyr Phe Phe Gly Ala Asp Leu
 245 250 255
 Lys Gly Lys Leu Thr Ile Lys Asn Phe Leu Glu Phe Gln Arg Lys Leu
 260 265 270
 Gln Arg Cys Leu Leu Gly Leu Pro Val Trp Glu Gly Ser Pro His Leu
 275 280 285
 Pro Thr Gly His Trp Leu Arg Glu Leu Trp Ser Leu Leu
 290 295 300

<210> 146

<211> 61

<212> PRT

<213> Rat

<400> 146

Met Glu Asn Ile Tyr Tyr Thr Asn Leu Ile Thr Ile Leu Gly Asn Lys
 1 5 10 15
 His Ala Asn Gln Met Glu Leu Asn Leu Gln Ala Leu Ile Leu Ser Pro
 20 25 30
 Trp Phe Ala Val Cys Ala Pro Pro Gly Phe Ala Arg Asp Gln Ala Val
 35 40 45
 Arg Gly Leu Ala Leu Ala Gly Arg Arg Ile Thr Val Val
 50 55 60

<210> 147

<211> 105

<212> PRT

<213> Rat

<400> 147

Met Leu Arg Arg Gln Leu Val Trp Trp His Leu Leu Ala Leu Leu Phe
 1 5 10 15
 Leu Pro Phe Cys Leu Cys Gln Asp Glu Tyr Met Glu Ser Pro Gln Ala
 20 25 30
 Gly Gly Leu Pro Pro Asp Cys Ser Lys Cys Cys His Gly Asp Tyr Gly
 35 40 45
 Phe Arg Gly Tyr Gln Gly Pro Pro Gly Pro Pro Gly Pro Gly Ile
 50 55 60
 Pro Gly Asn His Gly Asn Asn Gly Asn Asn Gly Ala Thr Gly His Glu

65 70 75 80
 Gly Ala Lys Gly Glu Lys Gly Asp Lys Gly Asp Leu Gly Pro Arg Gly
 85 90 95
 Glu Arg Gly Gln His Gly Pro Lys Gly
 100 105

<210> 148
 <211> 210
 <212> PRT
 <213> Rat

<400> 148
 Met Leu Gly Ala Thr Ser Leu Ser Trp Pro Trp Val Leu Trp Ala Val
 1 5 10 15
 Ala Gln Arg Asp Ser Val Asp Ala Ile Gly Met Phe Leu Gly Gly Leu
 20 25 30
 Val Ala Thr Ile Phe Leu Asp Ile Ile Tyr Ile Ser Ile Phe Tyr Ser
 35 40 45
 Ser Val Ala Val Gly Asp Thr Gly Arg Phe Ser Ala Gly Met Ala Ile
 50 55 60
 Phe Ser Leu Leu Leu Gln Ala Leu Leu Leu Pro Arg Leu Pro His
 65 70 75 80
 Ala Pro Gly Ser Gly Val Ser Ser Arg Ser Ala Arg Ile Ser Ser
 85 90 95
 Asp Leu Leu Arg Asn Ile Val Pro Thr Arg Gln Leu Thr Arg Gln Thr
 100 105 110
 His Leu Gln Thr Pro Leu Gln Ala Trp Arg Thr Arg Ala Lys Leu Pro
 115 120 125
 Pro Gly Gly Thr Glu Ala Val Pro Gly Arg Pro Gly Ala Gln Gln Asp
 130 135 140
 Ala Cys His Leu Leu Tyr Trp Thr Tyr Asn Gly Val Ser Ser Ile Pro
 145 150 155 160
 Cys His Arg Gly Gly Leu Ser His Val Pro Ser Glu Val Pro Ala Glu
 165 170 175
 Lys Ser Pro Val Leu Ile Leu His Ala Ala Pro Pro Phe Lys Thr Pro
 180 185 190
 Val Asn Pro Trp Ala Arg Thr Val Val Gly Phe Phe Pro Ser Pro
 195 200 205
 Ser Leu
 210

<210> 149
 <211> 301
 <212> PRT
 <213> Rat

<400> 149
 Met Leu Val Ala Phe Leu Gly Ala Ser Ala Val Thr Ala Ser Thr Gly
 1 5 10 15
 Leu Leu Trp Lys Lys Ala His Ala Glu Ser Pro Pro Ser Val Asn Ser
 20 25 30
 Lys Lys Thr Asp Ala Gly Asp Lys Gly Lys Ser Lys Asp Thr Arg Glu
 35 40 45
 Val Ser Ser His Glu Gly Ser Ala Ala Asp Thr Ala Ala Glu Pro Tyr
 50 55 60
 Pro Glu Glu Lys Lys Lys Lys Arg Ser Gly Phe Arg Asp Arg Lys Val
 65 70 75 80
 Met Glu Tyr Glu Asn Arg Ile Arg Ala Tyr Ser Thr Pro Asp Lys Ile
 85 90 95
 Phe Arg Tyr Phe Ala Thr Leu Lys Val Ile Asn Glu Pro Gly Glu Thr
 100 105 110

Glu Val Phe Met Thr Pro Gln Asp Phe Val Arg Ser Ile Thr Pro Asn
 115 120 125
 Glu Lys Gln Pro Glu His Leu Gly Leu Asp Gln Tyr Ile Ile Lys Arg
 130 135 140
 Phe Asp Gly Lys Lys Ile Ala Gln Glu Arg Glu Lys Phe Ala Asp Glu
 145 150 155 160
 Gly Ser Ile Phe Tyr Thr Leu Gly Glu Cys Gly Leu Ile Ser Phe Ser
 165 170 175
 Asp Tyr Ile Phe Leu Thr Thr Val Leu Ser Thr Pro Gln Arg Asn Phe
 180 185 190
 Glu Ile Ala Phe Lys Met Phe Asp Leu Asn Gly Asp Gly Glu Val Asp
 195 200 205
 Met Glu Glu Phe Glu Gln Val Gln Ser Ile Ile Arg Ser Gln Thr Ser
 210 215 220
 Met Gly Met Arg His Arg Asp Arg Pro Thr Thr Gly Asn Thr Leu Lys
 225 230 235 240
 Ser Gly Leu Cys Ser Ala Leu Thr Thr Tyr Phe Phe Gly Ala Asp Leu
 245 250 255
 Lys Gly Lys Leu Thr Ile Lys Asn Phe Leu Glu Phe Gln Arg Lys Leu
 260 265 270
 Gln Arg Cys Leu Leu Gly Leu Pro Val Trp Glu Gly Ser Pro His Leu
 275 280 285
 Pro Thr Gly His Trp Leu Arg Glu Leu Trp Ser Leu Leu
 290 295 300

<210> 150
 <211> 80
 <212> PRT
 <213> Human

<400> 150
 Met Lys Leu Ser Gly Met Phe Leu Leu Leu Ser Leu Ala Leu Phe Cys
 1 10 15
 Phe Leu Thr Gly Val Phe Ser Gln Gly Gly Gln Val Asp Cys Gly Glu
 20 25 30
 Phe Gln Asp Thr Lys Val Tyr Cys Thr Arg Glu Ser Asn Pro His Cys
 35 40 45
 Gly Ser Asp Gly Gln Thr Tyr Gly Asn Lys Cys Ala Phe Cys Lys Ala
 50 55 60
 Ile Val Lys Ser Gly Gly Lys Ile Ser Leu Lys His Pro Gly Lys Cys
 65 70 75 80

<210> 151
 <211> 27
 <212> PRT
 <213> mouse

<400> 151
 Met Leu Lys Ala Ser Leu His Ile Leu Phe Leu Gly Ile Leu Asn Val
 1 5 10 15
 Pro Ile Val Asp Thr Ser Thr Lys Thr Gly Val
 20 25

<210> 152
 <211> 86
 <212> PRT
 <213> mouse

<400> 152
 Met Leu Gln Gly Pro Ala Pro Ser Cys Phe Trp Val Phe Ser Gly Ile
 1 5 10 15

Cys Val Phe Trp Asp Phe Ile Phe Ile Ile Phe Phe Asn Val Leu Ser
 20 25 30
 Leu Gly Asn Arg Glu Ile Ser Ala Lys Asp Phe Ala Asp Gln Pro Ala
 35 40 45
 Gly Ala Gln Gly Met Trp Gly Ile Trp Gly His Thr Ile Thr Cys Gly
 50 55 60
 Leu Ala Pro Gly Ala Lys Pro Cys Ser Leu Lys Arg Glu Gly Pro Asp
 65 70 75 80
 Leu Leu Ser Phe Pro Pro
 85

<210> 153
 <211> 72
 <212> PRT
 <213> mouse

<400> 153
 Met Ser Ala Ile Phe Asn Phe Gln Ser Leu Leu Thr Val Ile Leu Leu
 1 5 10 15
 Leu Ile Cys Thr Cys Ala Tyr Ile Arg Ser Leu Ala Pro Ser Ile Leu
 20 25 30
 Asp Arg Asn Lys Thr Gly Leu Leu Gly Ile Phe Trp Lys Cys Ala Arg
 35 40 45
 Ile Gly Glu Arg Lys Ser Pro Tyr Val Ala Ile Cys Cys Ile Val Met
 50 55 60
 Ala Phe Ser Ile Leu Phe Ile Gln
 65 70

<210> 154
 <211> 169
 <212> PRT
 <213> mouse

<400> 154
 Met Ser Gly Leu Arg Thr Leu Leu Gly Leu Gly Leu Leu Val Ala Gly
 1 5 10 15
 Ser Arg Leu Pro Arg Val Ile Ser Gln Gln Ser Val Cys Arg Ala Arg
 20 25 30
 Pro Ile Trp Trp Gly Thr Gln Arg Arg Gly Ser Glu Thr Met Ala Gly
 35 40 45
 Ala Ala Val Lys Tyr Leu Ser Gln Glu Glu Ala Gln Ala Val Asp Gln
 50 55 60
 Glu Leu Phe Asn Glu Tyr Gln Phe Ser Val Asp Gln Leu Met Glu Leu
 65 70 75 80
 Ala Gly Leu Ser Cys Ala Thr Ala Ile Ala Lys Ala Tyr Pro Pro Thr
 85 90 95
 Ser Met Ser Lys Ser Pro Pro Thr Val Leu Val Ile Cys Gly Pro Gly
 100 105 110
 Asn Asn Gly Gly Asp Gly Leu Val Cys Ala Arg His Leu Lys Leu Phe
 115 120 125
 Gly Tyr Gln Pro Thr Ile Tyr Tyr Pro Lys Arg Pro Asn Lys Pro Leu
 130 135 140
 Phe Thr Gly Leu Val Thr Gln Cys Gln Lys Met Asp Ile Pro Phe Leu
 145 150 155 160
 Gly Glu Met Pro Pro Glu Asp Gly Met
 165

<210> 155
 <211> 61
 <212> PRT
 <213> mouse

<400> 155
 Met Glu Lys Gln Met Asp Ala Ser Val Ser Val Ile Phe Gly Ser Ile
 1 5 10 15
 Val Ile Ser Ala Phe Leu Tyr Leu Ser Leu Ala Gly Pro Trp Ala Val
 20 25 30
 Thr Val Thr Gln Met Arg Thr Ile Ile Ile Thr Met Asp Gln Leu Arg
 35 40 45
 Asp Ala Leu Ile Leu Asp Gln Leu Lys Val Ala Val Ser
 50 55 60

<210> 156

<211> 131

<212> PRT

<213> mouse

<400> 156
 Met Ala Pro Ser Leu Trp Lys Gly Leu Val Gly Val Gly Leu Phe Ala
 1 5 10 15
 Leu Ala His Ala Ala Phe Ser Ala Ala Gln His Arg Ser Tyr Met Arg
 20 25 30
 Leu Thr Glu Lys Glu Asp Glu Ser Leu Pro Ile Asp Ile Val Leu Gln
 35 40 45
 Thr Leu Leu Ala Phe Ala Val Thr Cys Tyr Gly Ile Val His Ile Ala
 50 55 60
 Gly Glu Phe Lys Asp Met Asp Ala Thr Ser Glu Leu Lys Asn Lys Thr
 65 70 75 80
 Phe Asp Thr Leu Arg Asn His Pro Ser Phe Tyr Val Phe Asn His Arg
 85 90 95
 Gly Arg Val Leu Phe Arg Pro Ser Asp Ala Thr Asn Ser Ser Asn Leu
 100 105 110
 Asp Ala Leu Ser Ser Asn Thr Ser Leu Lys Leu Arg Lys Phe Asp Ser
 115 120 125
 Leu Arg Arg
 130

<210> 157

<211> 133

<212> PRT

<213> mouse

<400> 157
 Met Arg Leu Leu Ala Ala Ala Leu Leu Leu Leu Leu Ala Leu Cys
 1 5 10 15
 Ala Ser Arg Val Asp Gly Ser Lys Cys Lys Cys Ser Arg Lys Gly Pro
 20 25 30
 Lys Ile Arg Tyr Ser Asp Val Lys Lys Leu Glu Met Lys Pro Lys Tyr
 35 40 45
 Pro His Cys Glu Glu Lys Met Val Ile Val Thr Thr Lys Glu His Val
 50 55 60
 Gln Gly Thr Gly Ala Arg Ser Thr Ala Cys Thr Leu Ser Cys Arg Ala
 65 70 75 80
 Pro Asn Ala Ser Ser Ser Gly Thr Met Pro Gly Thr Arg Ser Ala Gly
 85 90 95
 Ser Thr Lys Asn Arg Val Asp Asp His Gly Lys Lys Asn Ser Arg Pro
 100 105 110
 Val Glu Arg Leu Gln Gln Arg Thr Leu Gln Ile Lys Ile Lys Ala Leu
 115 120 125
 Ser Phe Ser Gln Ala
 130

<210> 158
 <211> 78
 <212> PRT
 <213> mouse

<400> 158
 Gly Thr Arg Lys Pro Leu Pro Met Glu Ala His Ser Arg Arg Glu Lys
 1 5 10 15
 Ala Ser Gly Leu Arg Leu Ala Trp His Tyr Glu Cys Ser Gly Val Ser
 20 25 30
 Val Trp Trp Met Cys Val Leu Gly Trp Leu Ser Phe Leu Val Phe Leu
 35 40 45
 Leu Phe Ser Leu Val Cys Ser Phe Pro Ser Pro Ile Asn His Ser His
 50 55 60
 Met Leu Pro Cys Leu Phe Leu Arg Gly Gly Gly Ser Asn Val
 65 70 75

<210> 159
 <211> 206
 <212> PRT
 <213> mouse

<400> 159
 Met Leu Pro Pro Ala Ile His Leu Ser Leu Ile Pro Leu Leu Cys Ile
 1 5 10 15
 Leu Met Arg Asn Cys Leu Ala Phe Lys Asn Asp Ala Thr Glu Ile Leu
 20 25 30
 Tyr Ser His Val Val Lys Pro Val Pro Ala His Pro Ser Ser Asn Ser
 35 40 45
 Thr Leu Asn Gln Ala Arg Asn Gly Gly Arg His Phe Ser Ser Thr Gly
 50 55 60
 Leu Asp Arg Asn Ser Arg Val Gln Val Gly Cys Arg Glu Leu Arg Ser
 65 70 75
 Thr Lys Tyr Ile Ser Asp Gly Gln Cys Thr Ser Ile Ser Pro Leu Lys
 85 90 95
 Glu Leu Val Cys Ala Gly Glu Cys Leu Pro Leu Pro Val Leu Pro Asn
 100 105 110
 Trp Ile Gly Gly Gly Tyr Gly Thr Lys Tyr Trp Ser Arg Arg Ser Ser
 115 120 125
 Gln Glu Trp Arg Cys Val Asn Asp Lys Thr Arg Thr Gln Arg Ile Gln
 130 135 140
 Leu Gln Cys Gln Asp Gly Ser Thr Arg Thr Tyr Lys Ile Thr Val Val
 145 150 155 160
 Thr Ala Cys Lys Cys Lys Arg Tyr Thr Arg Gln His Asn Glu Ser Ser
 165 170 175
 His Asn Phe Glu Ser Val Ser Pro Ala Lys Pro Ala Gln His His Arg
 180 185 190
 Glu Arg Lys Arg Ala Ser Lys Ser Ser Lys His Ser Leu Ser
 195 200 205

<210> 160
 <211> 169
 <212> PRT
 <213> mouse

<400> 160
 Met Ser Gly Leu Arg Thr Leu Leu Gly Leu Gly Leu Leu Val Ala Gly
 1 5 10 15
 Ser Arg Leu Pro Arg Val Ile Ser Gln Gln Ser Val Cys Arg Ala Arg
 20 25 30
 Pro Ile Trp Trp Gly Thr Gln Arg Arg Gly Ser Glu Thr Met Ala Gly

```

      35          40          45
Ala Ala Val Lys Tyr Leu Ser Gln Glu Glu Ala Gln Ala Val Asp Gln
50          55          60
Glu Leu Phe Asn Glu Tyr Gln Phe Ser Val Asp Gln Leu Met Glu Leu
65          70          75          80
Ala Gly Leu Ser Cys Ala Thr Ala Ile Ala Lys Ala Tyr Pro Pro Thr
85          90          95
Ser Met Ser Lys Ser Pro Pro Thr Val Leu Val Ile Cys Gly Pro Gly
100          105          110
Asn Asn Gly Gly Asp Gly Leu Val Cys Ala Arg His Leu Lys Leu Phe
115          120          125
Gly Tyr Gln Pro Thr Ile Tyr Tyr Pro Lys Arg Pro Asn Lys Pro Leu
130          135          140
Phe Thr Gly Leu Val Thr Gln Cys Gln Lys Met Asp Ile Pro Phe Leu
145          150          155          160
Gly Glu Met Pro Pro Glu Asp Gly Met
165

```

```

<210> 161
<211> 114
<212> PRT
<213> mouse

```

```

<400> 161
Met Ser Val Thr Ile Gly Arg Leu Ala Leu Phe Leu Ile Gly Ile Leu
1      5      10      15
Leu Cys Pro Val Ala Pro Ser Leu Thr Arg Ser Trp Pro Gly Pro Asp
20     25     30
Thr Cys Ser Leu Phe Leu Gln His Ser Leu Ser Leu Ser Leu Arg Leu
35     40     45
Gly Gln Ser Leu Glu Gly Gly Leu Ser Val Cys Phe His Val Cys Ile
50     55     60
His Ala Cys Glu Cys Val Ala Cys Cys Arg Val Leu Trp Asp Pro Lys
65     70     75     80
Pro Arg Gly Ser Ser Leu Cys Arg Trp Val Leu Gly Ser Ile Thr Cys
85     90     95
Leu Phe Met Tyr Glu Val Gly Gly Trp Thr Gln Gly Gly Leu Ile Val
100    105    110
Ser Leu

```

```

<210> 162
<211> 46
<212> PRT
<213> mouse

```

```

<400> 162
Met His Tyr Pro Cys Leu Ala Cys Leu Phe Val Asn Val His Trp Cys
1      5      10      15
Phe Ala Trp Met Cys Ile Leu Val Lys Met Ser Glu Leu Leu Glu Leu
20     25     30
Glu Leu Glu Thr Met Val Ser Cys Leu Val Asp Val Gly Asn
35     40     45

```

```

<210> 163
<211> 122
<212> PRT
<213> mouse

```

```

<400> 163
Met Phe Thr Phe Val Val Leu Val Ile Thr Ile Val Ile Cys Leu Cys

```

```

1       5       10       15
His Val Cys Phe Gly His Phe Lys Tyr Leu Ser Ala His Asn Tyr Lys
20      25      30
Ile Glu His Thr Glu Thr Asp Ala Val Ser Ser Arg Ser Asn Gly Arg
35      40      45
Pro Pro Thr Ala Gly Ala Val Pro Lys Ser Ala Lys Tyr Ile Ala Gln
50      55      60
Val Leu Gln Asp Ser Glu Gly Asp Gly Asp Gly Ala Pro Gly
65      70      75
Ser Ser Gly Asp Glu Pro Pro Ser Ser Ser Gln Asp Glu Glu Leu
85      90      95
Leu Met Pro Pro Asp Gly Leu Thr Asp Thr Asp Phe Gln Ser Cys Glu
100     105     110
Asp Ser Leu Ile Glu Asn Glu Ile His Gln
115     120

```

```

<210> 164
<211> 60
<212> PRT
<213> Rat

```

```

<400> 164
Met Ser Phe Val Lys Ile Glu Ala Thr Pro Thr Gln Thr Lys Trp Pro
1       5       10      15
Phe Ser Val Val Pro Gln Ser Leu Leu Val Thr Val Tyr Ile Cys Tyr
20      25      30
Ile Phe Leu Val Ile Phe Phe Phe Phe Glu Ala Cys Gln Glu Val
35      40      45
Leu Cys Ser Phe Phe Asp Phe Ser Arg Arg Arg Gly
50      55      60

```

```

<210> 165
<211> 57
<212> PRT
<213> mouse

```

```

<400> 165
Met Gly Ser Pro Ile Ser Gly Val Cys Pro Val Leu Pro Gly Gly Leu
1       5       10      15
Phe Val Ala Leu Gly Trp Ile Phe Leu Leu Phe His Arg Asp Ala Phe
20      25      30
Ser Leu His Thr Met Ser Ala Gly Phe Pro Lys Ser Pro Ala Asn Pro
35      40      45
His His Pro Pro Leu Arg Leu Ser Pro
50      55

```

```

<210> 166
<211> 75
<212> PRT
<213> mouse

```

```

<400> 166
Lys Thr Arg Arg Thr Leu Thr Gly Gln Leu Gly Leu Phe Ser Val Asp
1       5       10      15
Phe Met Val Cys Ile Phe Leu Phe Leu Phe Cys Phe Leu Phe Pro
20      25      30
Phe Pro Leu Phe Leu Val Arg Lys His Ile Leu Leu Ser His Cys Lys
35      40      45
Gln Trp Glu Gly Ser Thr Met Thr His Thr His Thr His Thr His Ile
50      55      60
His Ile His Thr Pro Pro Arg Gln Cys Gln Ser

```

65

70

75

<210> 167
 <211> 52
 <212> PRT
 <213> mouse

<400> 167
 Val Arg Ser Leu Glu Gln Leu Gly Leu Phe Ser Val Asp Phe Met Val
 1 5 10 15
 Cys Ile Phe Leu Phe Leu Phe Phe Cys Phe Leu Phe Pro Phe Pro Leu
 20 25 30
 Phe Leu Val Arg Lys His Ile Leu Leu Ser His Cys Lys Gln Trp Glu
 35 40 45
 Gly Ser Thr Met
 50

<210> 168
 <211> 119
 <212> PRT
 <213> Rat

<400> 168
 Met Leu Gly Ala Thr Ser Leu Ser Trp Pro Trp Val Leu Trp Ala Val
 1 5 10 15
 Ala Gln Arg Asp Ser Val Asp Ala Ile Gly Met Phe Leu Gly Gly Leu
 20 25 30
 Val Ala Thr Ile Phe Leu Asp Ile Ile Tyr Ile Ser Ile Phe Tyr Ser
 35 40 45
 Ser Val Ala Val Gly Asp Thr Gly Arg Phe Ser Ala Gly Met Ala Ile
 50 55 60
 Phe Ser Leu Leu Leu Gln Ala Leu Leu Leu Leu Pro Arg Leu Pro His
 65 70 75 80
 Ala Pro Gly Ser Glu Gly Val Ser Ser Arg Ser Ala Arg Ile Ser Ser
 85 90 95
 Asp Leu Leu Arg Asn Ile Val Pro Thr Arg Gln Leu Thr Arg Gln Thr
 100 105 110
 His Leu Gln Thr Pro Leu Gln
 115

<210> 169
 <211> 104
 <212> PRT
 <213> Rat

<220>

<400> 169
 Leu Val Pro Lys Ser Ala Arg Ala Ser Leu Leu Cys Cys Gly Pro Lys
 1 5 10 15
 Leu Ala Ala Cys Gly Ile Val Leu Ser Ala Trp Gly Val Ile Met Leu
 20 25 30
 Ile Met Leu Gly Ile Phe Phe Asn Val His Ser Ala Val Xaa Ile Xaa
 35 40 45
 Asp Val Pro Phe Thr Glu Lys Asp Phe Glu Asn Gly Pro Gln Asn Ile
 50 55 60
 Tyr Asn Leu Tyr Glu Gln Val Ser Tyr Asn Cys Phe Ile Ala Ala Gly
 65 70 75 80
 Leu Tyr Leu Leu Xaa Gly Gly Phe Ser Phe Cys Gln Val Arg Leu Asn
 85 90 95

Lys Arg Lys Glu Tyr Met Val Arg
100

<210> 170

<211> 123

<212> PRT

<213> Rat

<220>

<221> UNSURE

<222> (27)...(27)

<221> UNSURE

<222> (104)...(104)

<221> UNSURE

<222> (118)...(118)

<400> 170

Met Arg Pro Gly Ala Asp Trp Ala Ala Val Cys Ala Leu Trp Pro Ser
1 5 10 15
Trp Arg Pro Ser Cys Ser Leu Pro Ser Ser Xaa Arg Ile Gln Pro Asp
20 25 30
Glu Leu Trp Leu Tyr Arg Asn Pro Tyr Val Lys Ala Glu Tyr Phe Pro
35 40 45
Thr Gly Pro Met Phe Val Ile Ala Phe Leu Thr Pro Leu Ser Leu Ile
50 55 60
Phe Phe Ala Lys Phe Leu Arg Lys Ala Asp Ala Asp Arg Gln Arg Ala
65 70 75 80
Ser Leu Pro Arg Cys Gln Pro Cys Pro Ser Ala Lys Trp Cys Leu Tyr
85 90 95
Gln His His Lys Thr Asp Ser Xaa Gln Gly His Ala Gln Ile Ala Ser
100 105 110
Thr Glu Cys Ser Pro Xaa Gly Ile Ala His Ser
115 120

<210> 171

<211> 75

<212> PRT

<213> Rat

<400> 171

Ser Ala Gly Val Met Thr Ala Ala Val Phe Phe Gly Cys Ala Phe Ile
1 5 10 15
Ala Phe Gly Pro Ala Leu Ser Leu Tyr Val Phe Thr Ile Ala Thr Asp
20 25 30
Pro Leu Arg Val Ile Phe Leu Ile Ala Gly Ala Phe Phe Trp Leu Val
35 40 45
Ser Leu Leu Leu Ser Ser Val Phe Trp Phe Leu Val Arg Val Ile Thr
50 55 60
Asp Asn Arg Asp Gly Pro Val Gln Asn Tyr Leu
65 70 75

<210> 172

<211> 79

<212> PRT

<213> Human

<400> 172

Lys Thr Ser Tyr His Tyr His Thr Asn Val Glu Glu Leu Thr Ile Pro
1 5 10 15

Glu Thr Arg Asn Asn Leu Tyr Ile Ser Ile Ser Trp Leu Trp Cys Leu
 20 25 30
 Val Leu Val Leu Leu Ser Thr Met Ile Leu Asn Lys His Gly Trp Met
 35 40 45
 Lys Ala Asn Ala Tyr Ser Leu Val Pro Ser Ile Ile Tyr Ser Pro Ser
 50 55 60
 Tyr Leu Lys Leu Leu Leu Arg Leu Tyr Lys Leu Gln Ile Cys Cys
 65 70 75

<210> 173
 <211> 134
 <212> PRT
 <213> Human

<220>
 <400> 173
 Leu Arg Gly Arg Gly Arg Gly Val Cys Ser Gln Glu Ser Phe Gly Gly
 1 5 10 15
 Cys Cys Val Ser Gly Leu Ile Ala Met Gly Thr Lys Ala Gln Val Glu
 20 25 30
 Arg Lys Leu Leu Cys Leu Phe Ile Leu Ala Ile Leu Leu Cys Ser Leu
 35 40 45
 Ala Leu Gly Ser Val Thr Val His Ser Ser Glu Pro Glu Val Arg Ile
 50 55 60
 Pro Glu Asn Asn Pro Val Lys Leu Ser Cys Ala Tyr Ser Gly Phe Ser
 65 70 75 80
 Ser Pro Arg Val Glu Trp Lys Phe Asp Gln Gly Asp Thr Thr Arg Leu
 85 90 95
 Val Cys Tyr Asn Asn Lys Ile Thr Ala Ser Tyr Glu Asp Val Thr
 100 105 110
 Phe Leu Pro Thr Gly Ile Thr Phe Lys Ser Val Thr Arg Glu Asp Thr
 115 120 125
 Gly Thr Tyr Thr Cys Met
 130

<210> 174
 <211> 137
 <212> PRT
 <213> Human

<400> 174
 Ala Trp Ser Arg Pro Arg Tyr Asp Ser Val Leu Ala Leu Ser Ala Ala
 1 5 10 15
 Leu Gln Ala Thr Arg Ala Leu Met Val Val Ser Leu Val Leu Gly Phe
 20 25 30
 Leu Ala Met Phe Val Ala Thr Met Gly Met Lys Cys Thr Arg Cys Gly
 35 40 45
 Gly Asp Asp Lys Val Lys Lys Ala Arg Ile Ala Met Gly Gly Gly Ile
 50 55 60
 Ile Phe Ile Val Ala Gly Leu Ala Ala Leu Val Ala Cys Ser Trp Tyr
 65 70 75 80
 Gly His Gln Ile Val Thr Asp Phe Tyr Asn Pro Leu Ile Pro Thr Asn
 85 90 95
 Ile Lys Tyr Glu Phe Gly Pro Ala Ile Phe Ile Gly Trp Ala Gly Ser
 100 105 110
 Ala Leu Val Ile Leu Gly Gly Ala Leu Ser Pro Val Pro Val Leu Gly
 115 120 125
 Ile Arg Ala Gly Leu Gly Thr Cys Pro
 130 135

<210> 175

<211> 43
 <212> PRT
 <213> Human

<400> 175
 Met Lys Leu Ser Gly Met Phe Leu Leu Leu Ser Leu Ala Leu Phe Cys
 1 5 10 15
 Phe Leu Thr Gly Val Phe Ser Gln Gly Gly Gln Val Asp Cys Gly Glu
 20 25 30
 Ser Arg Thr Pro Arg Pro Thr Ala Leu Gly Asn
 35 40

<210> 176
 <211> 63
 <212> PRT
 <213> Rat

<400> 176
 Pro Asn Thr Arg Pro Arg Arg His Thr Ala Cys Arg Val Ser Ile Ser
 1 5 10 15
 Val Phe Tyr Met Leu His Thr Glu Leu Lys Lys Cys Trp Phe Phe Leu
 20 25 30
 Phe Cys Phe Ser Leu Phe Leu Trp Phe Cys Phe Trp Phe Cys Phe Leu
 35 40 45
 Leu Pro Arg Phe Asp Tyr Leu Pro Met Pro Ser Thr Arg Pro Arg
 50 55 60

<210> 177
 <211> 52
 <212> PRT
 <213> mouse

<400> 177
 Met Leu Gln Gly Pro Ala Pro Ser Cys Phe Trp Val Phe Ser Gly Ile
 1 5 10 15
 Cys Val Phe Trp Asp Phe Ile Phe Ile Ile Phe Phe Asn Val Leu Ser
 20 25 30
 Leu Gly Asn Arg Glu Ile Ser Ala Lys Asp Phe Ala Asp Gln Pro Ala
 35 40 45
 Gly Ala Gln Gly
 50

<210> 178
 <211> 62
 <212> PRT
 <213> mouse

<400> 178
 Val Ser Pro Arg Pro Thr Tyr Pro Ser Thr Ala Ser Ser Met Ala Ala
 1 5 10 15
 Phe Leu Val Thr Gly Phe Phe Phe Ser Leu Phe Val Val Leu Gly Met
 20 25 30
 Glu Pro Arg Ala Leu Phe Arg Pro Asp Lys Ala Leu Pro Leu Ser Cys
 35 40 45
 Ala Lys Pro Thr Ser Leu Cys Val Gln Ser Ser Phe Leu Gly
 50 55 60

<210> 179
 <211> 123
 <212> PRT
 <213> mouse

<400> 179
 Ala Ser Arg Thr Ala Val Met Ser Leu Cys Arg Cys Gln Gln Gly Ser
 1 5 10 15
 Arg Ser Arg Met Asp Leu Asp Val Val Asn Met Phe Val Ile Ala Gly
 20 25 30
 Gly Thr Leu Ala Ile Pro Ile Leu Ala Phe Val Ala Ser Phe Leu Leu
 35 40 45
 Trp Pro Ser Ala Leu Ile Arg Ile Tyr Tyr Trp Tyr Arg Arg Thr
 50 55 60
 Leu Gly Met Gln Val Arg Tyr Ala His His Glu Asp Tyr Gln Phe Cys
 65 70 75 80
 Tyr Ser Phe Arg Gly Arg Pro Gly His Lys Pro Ser Ile Leu Met Leu
 85 90 95
 His Gly Phe Ser Ala His Lys Gly His Val Ala Gln Arg Gly Gln Val
 100 105 110
 Pro Ser Arg Lys Asn Leu His Phe Gly Cys Val
 115 120

<210> 180
 <211> 120
 <212> PRT
 <213> mouse
 <220>
 <221> UNSURE
 <222> (5)...(5)

<400> 180
 Ala Arg Arg Arg Xaa Arg Trp Arg Arg Gly Cys Cys Trp Leu Ile Gly
 1 5 10 15
 Thr Gly Leu Arg Ala Ala Thr Trp Thr Val Leu Cys Ser Pro Asn Ser
 20 25 30
 Ser Leu Val Val Ala Arg His Thr Lys Ser Phe Pro Pro Lys Lys Pro
 35 40 45
 Leu Gln Ala Leu Thr Met Ser Ile Met Asp His Ser Pro Thr Thr Gly
 50 55 60
 Val Val Thr Val Ile Val Ile Leu Ile Ala Ile Ala Leu Gly Gly
 65 70 75 80
 Leu Ile Leu Gly Cys Trp Cys Tyr Leu Arg Leu Gln Arg Ile Ser Gln
 85 90 95
 Ser Glu Asp Glu Glu Ser Ile Val Gly Asp Gly Glu Thr Lys Glu Pro
 100 105 110
 Phe Tyr Trp Cys Ser Thr Leu Leu
 115 120

<210> 181
 <211> 60
 <212> PRT
 <213> mouse

<400> 181
 Lys Gly Pro Glu Val Ser Cys Cys Ile Lys Tyr Phe Ile Phe Gly Phe
 1 5 10 15
 Asn Val Ile Phe Trp Phe Leu Gly Ile Thr Phe Leu Gly Ile Gly Leu
 20 25 30
 Trp Ala Trp Asn Glu Lys Gly Val Leu Ser Asn Ile Ser Ser Ile Thr
 35 40 45
 Asp Leu Gly Gly Phe Asp Pro Val Trp Leu Phe Leu
 50 55 60

WO 99/55865

PCT/NZ99/00051

<210> 182
<211> 72
<212> PRT
<213> mouse

<220>

<400> 182
Lys Pro Thr Val Gly Ser Ala Glu Val Ala Ile Ala Val Phe Leu Val
1 5 10 15
Ile Cys Ile Ile Val Val Leu Thr Ile Leu Gly Tyr Cys Phe Phe Lys
20 25 30
Asn Gln Arg Lys Glu Phe His Ser Pro Leu His His Pro Pro Thr
35 40 45
Pro Ala Ser Ser Thr Val Ser Thr Thr Glu Asp Thr Glu His Leu Val
50 55 60
Tyr Asn His Thr Thr Gln Pro Leu
65 70

<210> 183
<211> 771
<212> PRT
<213> Rat

<220>

<400> 183
Glu Leu Tyr Leu Asp Gly Asn Gln Phe Thr Leu Val Pro Lys Glu Leu
1 5 10 15
Ser Asn Tyr Lys His Leu Thr Leu Ile Asp Leu Ser Asn Asn Arg Ile
20 25 30
Ser Thr Leu Ser Asn Gln Ser Phe Ser Asn Met Thr Gln Leu Leu Thr
35 40 45
Leu Ile Leu Ser Tyr Asn Arg Leu Arg Cys Ile Pro Pro Arg Thr Phe
50 55 60
Asp Gly Leu Lys Ser Leu Arg Leu Leu Ser Leu His Gly Asn Asp Ile
65 70 75 80
Ser Val Val Pro Glu Gly Ala Phe Gly Asp Leu Ser Ala Leu Ser His
85 90 95
Leu Ala Ile Gly Ala Asn Pro Leu Tyr Cys Asp Cys Asn Met Gln Trp
100 105 110
Leu Ser Asp Trp Val Lys Ser Glu Tyr Lys Glu Pro Gly Ile Ala Arg
115 120 125
Cys Ala Gly Pro Gly Glu Met Ala Asp Lys Leu Leu Thr Thr Pro
130 135 140
Ser Lys Asn Phe Thr Cys Gln Gly Pro Val Asp Val Thr Ile Gln Ala
145 150 155 160
Lys Cys Asn Pro Cys Leu Ser Asn Pro Cys Lys Asn Asp Gly Thr Cys
165 170 175
Asn Asn Asp Pro Val Asp Phe Tyr Arg Cys Thr Cys Pro Tyr Gly Phe
180 185 190
Lys Gly Gln Asp Cys Asp Val Pro Ile His Ala Cys Thr Ser Asn Pro
195 200 205
Cys Lys His Gly Gly Thr Cys His Leu Lys Pro Arg Arg Glu Thr Trp
210 215 220
Ile Trp Cys Thr Cys Ala Asp Gly Phe Glu Gly Glu Ser Cys Asp Ile
225 230 235 240
Asn Ile Asp Asp Cys Glu Asp Asn Asp Cys Glu Asn Asn Ser Thr Cys
245 250 255

Val Asp Gly Ile Asn Asn Tyr Thr Cys Leu Cys Pro Pro Glu Tyr Thr
 260 265 270
 Gly Glu Leu Cys Glu Glu Lys Leu Asp Phe Cys Ala Gln Asp Leu Asn
 275 280 285
 Pro Cys Gln His Asp Ser Lys Cys Ile Leu Thr Pro Lys Gly Phe Lys
 290 295 300
 Cys Asp Cys Thr Pro Gly Tyr Ile Gly Glu His Cys Asp Ile Asp Phe
 305 310 315 320
 Asp Asp Cys Gln Asp Asn Lys Cys Lys Asn Gly Ala His Cys Thr Asp
 325 330 335
 Ala Val Asn Gly Tyr Thr Cys Val Cys Pro Glu Gly Tyr Ser Gly Leu
 340 345 350
 Phe Cys Glu Phe Ser Pro Pro Met Val Phe Leu Arg Thr Ser Pro Cys
 355 360 365
 Asp Asn Phe Asp Cys Gln Asn Gly Ala Gln Cys Ile Ile Arg Val Asn
 370 375 380
 Glu Pro Ile Cys Gln Cys Leu Pro Gly Tyr Leu Gly Glu Lys Cys Glu
 385 390 395 400
 Lys Leu Val Ser Val Ser Ile Leu Val Asn Lys Glu Ser Tyr Leu Gln
 405 410 415
 Ile Pro Ser Ala Lys Val Arg Pro Gln Thr Asn Ile Thr Leu Gln Ile
 420 425 430
 Ala Thr Asp Glu Asp Ser Gly Ile Leu Leu Tyr Lys Gly Asp Lys Asp
 435 440 445
 His Ile Ala Val Glu Ser Ile Glu Gly Ile Arg Ala Ser Tyr Asp Thr
 450 455 460
 Gly Ser His Pro Ala Ser Ala Ile Tyr Ser Val Glu Thr Ile Asn Asp
 465 470 475 480
 Gly Asn Phe His Ile Val Glu Leu Leu Thr Leu Asp Ser Ser Leu Ser
 485 490 495
 Leu Ser Val Asp Gly Gly Ser Pro Lys Ile Ile Thr Asn Leu Ser Lys
 500 505 510
 Gln Ser Thr Leu Asn Phe Asp Ser Pro Leu Tyr Val Gly Gly Met Pro
 515 520 525
 Gly Lys Asn Asn Val Ala Ser Leu Arg Gln Ala Pro Gly Gln Asn Gly
 530 535 540
 Thr Ser Phe His Gly Cys Ile Arg Asn Leu Tyr Ile Asn Ser Glu Leu
 545 550 555 560
 Gln Asp Phe Arg Lys Val Pro Met Gln Thr Gly Ile Leu Pro Gly Cys
 565 570 575
 Glu Pro Cys His Lys Lys Val Cys Ala His Gly Thr Cys Gln Pro Ser
 580 585 590
 Ser Gln Ser Gly Phe Thr Cys Glu Cys Glu Gly Trp Met Gly Pro
 595 600 605
 Leu Cys Asp Gln Arg Thr Asn Asp Pro Cys Leu Gly Asn Lys Cys Val
 610 615 620
 His Gly Thr Cys Leu Pro Ile Asn Ala Phe Ser Tyr Ser Cys Lys Cys
 625 630 635 640
 Leu Glu Gly His Gly Gly Val Leu Cys Asp Glu Glu Asp Leu Phe
 645 650 655
 Asn Pro Leu Pro Gly Asp Gln Val Gln Ala Arg Glu Val Gln Ala Leu
 660 665 670
 Trp Ala Arg Ala Ala Leu Leu Trp Met Gln Gln Trp Ile His Arg Gly
 675 680 685
 Gln Leu Thr Gln Arg Ile Ser Cys Arg Gly Glu Arg Ile Arg Asp Tyr
 690 695 700
 Tyr Gln Ser Ser Arg Val Arg Cys Leu Ser Asn Asp

<210> 184

<211> 340

<212> PRT

<213> mouse

<400> 184
 Asp Gly Ser Leu Trp Leu Gln Ala Thr Gln Pro Asp Asp Ala Gly His
 1 5 10 15
 Tyr Thr Cys Val Pro Ser Asn Gly Phe Leu His Pro Pro Ser Ala Ser
 20 25 30
 Ala Tyr Leu Thr Val Leu Tyr Pro Ala Gln Val Thr Val Met Pro Pro
 35 40 45
 Glu Thr Pro Leu Pro Thr Gly Met Arg Gly Val Ile Arg Cys Pro Val
 50 55 60
 Arg Ala Asn Pro Pro Leu Leu Phe Val Thr Trp Thr Lys Asp Gly Gln
 65 70 75 80
 Ala Leu Gln Leu Asp Lys Phe Pro Gly Trp Ser Leu Gly Pro Glu Gly
 85 90 95
 Ser Leu Ile Ile Ala Leu Gly Asn Glu Asp Ala Leu Gly Glu Tyr Ser
 100 105 110
 Cys Thr Pro Tyr Asn Ser Leu Gly Thr Ala Gly Pro Ser Pro Val Thr
 115 120 125
 Arg Val Leu Leu Lys Ala Pro Pro Ala Phe Ile Asp Gln Pro Lys Glu
 130 135 140
 Glu Tyr Phe Gln Glu Val Gly Arg Glu Leu Leu Ile Pro Cys Ser Ala
 145 150 155 160
 Arg Gly Asp Pro Pro Pro Ile Val Ser Trp Ala Lys Val Gly Arg Gly
 165 170 175
 Leu Gln Gly Gln Ala Gln Val Asp Ser Asn Asn Ser Leu Val Leu Arg
 180 185 190
 Pro Leu Thr Lys Glu Ala Gln Gly Arg Trp Glu Cys Ser Ala Ser Asn
 195 200 205
 Ala Val Ala Arg Val Thr Thr Ser Thr Asn Val Tyr Val Leu Gly Thr
 210 215 220
 Ser Pro His Val Val Thr Asn Val Ser Val Val Pro Leu Pro Lys Gly
 225 230 235 240
 Ala Asn Val Ser Trp Glu Pro Gly Phe Asp Gly Gly Tyr Leu Gln Arg
 245 250 255
 Phe Ser Val Trp Tyr Thr Pro Leu Ala Lys Arg Pro Asp Arg Ala His
 260 265 270
 His Asp Trp Val Ser Leu Ala Val Pro Ile Gly Ala Thr His Leu Leu
 275 280 285
 Val Pro Gly Leu Gln Ala His Ala Gln Tyr Gln Phe Ser Val Leu Ala
 290 295 300
 Gln Asn Lys Leu Gly Ser Gly Pro Phe Ser Glu Ile Val Leu Ser Ile
 305 310 315 320
 Pro Glu Gly Leu Pro Thr Thr Pro Ala Ala Pro Gly Leu Pro Ala Thr
 325 330 335
 Arg Ser Arg Val
 340

<210> 185

<211> 536

<212> PRT

<213> mouse

<400> 185
 Lys Val Glu Gly Glu Gly Arg Gly Arg Trp Ala Leu Gly Leu Leu Arg
 1 5 10 15
 Thr Phe Asp Ala Gly Glu Phe Ala Gly Trp Glu Lys Val Gly Ser Gly
 20 25 30
 Gly Phe Gly Gln Val Tyr Lys Val Arg His Val His Trp Lys Thr Trp
 35 40 45
 Leu Ala Ile Lys Cys Ser Pro Ser Leu His Val Asp Asp Arg Glu Arg

50 55 60
 Met Glu Leu Leu Glu Glu Ala Lys Lys Met Glu Met Ala Lys Phe Arg
 65 70 75 80
 Tyr Ile Leu Pro Val Tyr Gly Ile Cys Gln Glu Pro Val Gly Leu Val
 85 90 95
 Met Glu Tyr Met Glu Thr Gly Ser Leu Glu Lys Leu Ala Ser Glu
 100 105 110
 Pro Leu Pro Trp Asp Leu Arg Phe Arg Ile Val His Glu Thr Ala Val
 115 120 125
 Gly Met Asn Phe Leu His Cys Met Ser Pro Pro Leu Leu His Leu Asp
 130 135 140
 Leu Lys Pro Ala Asn Ile Leu Leu Asp Ala His Tyr Gln Met Ser Arg
 145 150 155 160
 Phe Leu Asp Phe Gly Leu Ala Lys Cys Asn Gly Met Ser His Ser His
 165 170 175
 Asp Leu Ser Met Asp Gly Leu Phe Gly Thr Ile Gly Tyr Leu Pro Pro
 180 185 190
 Glu Arg Ile Arg Glu Lys Ser Arg Leu Phe Asp Thr Lys His Asp Val
 195 200 205
 Tyr Ser Phe Ala Ile Val Ile Trp Gly Val Leu Thr Gln Asn Asn Pro
 210 215 220
 Phe Ala Asp Glu Lys Asn Ile Leu His Ile Met Met Lys Val Val Lys
 225 230 235 240
 Gly His Arg Pro Glu Leu Pro Pro Ile Cys Arg Pro Arg Pro Arg Ala
 245 250 255
 Cys Ala Ser Leu Ile Gly Leu Met Gln Arg Cys Trp His Ala Asp Pro
 260 265 270
 Gln Val Arg Pro Thr Phe Gln Glu Ile Thr Ser Glu Thr Glu Asp Leu
 275 280 285
 Cys Glu Lys Pro Asp Glu Glu Val Lys Asp Leu Ala His Glu Pro Gly
 290 295 300
 Glu Lys Ser Ser Leu Glu Ser Lys Ser Glu Ala Arg Pro Glu Ser Ser
 305 310 315 320
 Arg Leu Lys Arg Ala Ser Ala Pro Pro Phe Asp Asn Asp Cys Ser Leu
 325 330 335
 Ser Glu Leu Leu Ser Gln Leu Asp Ser Gly Ile Phe Pro Arg Leu Leu
 340 345 350
 Lys Gly Pro Glu Glu Leu Ser Arg Ser Ser Ser Glu Cys Lys Leu Pro
 355 360 365
 Ser Ser Ser Ser Gly Lys Arg Leu Ser Gly Val Ser Ser Val Asp Ser
 370 375 380
 Ala Phe Ser Ser Arg Gly Ser Leu Ser Leu Ser Phe Glu Arg Glu Ala
 385 390 395 400
 Ser Thr Gly Asp Leu Gly Pro Thr Asp Ile Gln Lys Lys Lys Leu Val
 405 410 415
 Asp Ala Ile Ile Ser Gly Asp Thr Ser Arg Leu Met Lys Ile Leu Gln
 420 425 430
 Pro Gln Asp Val Asp Leu Val Leu Asp Ser Ser Ala Ser Leu Leu His
 435 440 445
 Leu Ala Val Glu Ala Gly Gln Glu Glu Cys Val Lys Trp Leu Leu Leu
 450 455 460
 Asn Asn Ala Asn Pro Asn Leu Thr Asn Arg Lys Gly Ser Thr Pro Leu
 465 470 475 480
 His Met Ala Val Glu Arg Lys Gly Arg Gly Ile Val Glu Leu Leu Leu
 485 490 495
 Ala Arg Lys Thr Ser Val Asn Ala Lys Asp Glu Asp Gln Trp Thr Ala
 500 505 510
 Leu His Phe Ala Ala Gln Asn Gly Asp Glu Gly Gln His Lys Ala Ala
 515 520 525
 Ala Arg Glu Glu Cys Phe Cys Gln
 530 535

<210> 186
 <211> 337
 <212> PRT
 <213> Rat

<220>

<400> 186
 Arg Phe Gly Tyr Gln Met Asp Glu Gly Asn Gln Cys Val Asp
 1 5 10 15
 Val Asp Glu Cys Ala Thr Asp Ser His Gln Cys Asn Pro Thr Gln Ile
 20 25 30
 Cys Ile Asn Thr Glu Gly Gly Tyr Thr Cys Ser Cys Thr Asp Gly Tyr
 35 40 45
 Trp Leu Leu Glu Gly Gln Cys Leu Asp Ile Asp Glu Cys Arg Tyr Gly
 50 55 60
 Tyr Cys Gln Gln Leu Cys Ala Asn Val Pro Gly Ser Tyr Ser Cys Thr
 65 70 75 80
 Cys Asn Pro Gly Phe Thr Leu Asn Asp Asp Gly Arg Ser Cys Gln Asp
 85 90 95
 Val Asn Glu Cys Glu Thr Glu Asn Pro Cys Val Gln Thr Cys Val Asn
 100 105 110
 Thr Tyr Gly Ser Phe Ile Cys Arg Cys Asp Pro Gly Tyr Glu Leu Glu
 115 120 125
 Glu Asp Gly Ile His Cys Ser Asp Met Asp Glu Cys Ser Phe Ser Glu
 130 135 140
 Phe Leu Cys Gln His Glu Cys Val Asn Gln Pro Gly Ser Tyr Phe Cys
 145 150 155
 Ser Cys Pro Pro Gly Tyr Val Leu Leu Glu Asp Asn Arg Ser Cys Gln
 160 165 170
 Asp Ile Asn Glu Cys Glu His Arg Asn His Thr Cys Thr Leu Gln
 180 185 190
 Thr Cys Tyr Asn Leu Gln Gly Gly Phe Lys Cys Ile Asp Pro Ile Val
 195 200 205
 Cys Glu Glu Pro Tyr Leu Leu Ile Gly Asp Asn Arg Cys Met Cys Pro
 210 215 220
 Ala Glu Asn Thr Gly Cys Arg Asp Gln Pro Phe Thr Ile Leu Phe Arg
 225 230 235 240
 Asp Met Asp Val Val Ser Gly Arg Ser Val Pro Ala Asp Ile Phe Gln
 245 250 255
 Met Gln Ala Thr Thr Arg Tyr Pro Gly Ala Tyr Tyr Ile Phe Gln Ile
 260 265 270
 Lys Ser Gly Asn Glu Gly Arg Glu Phe Tyr Met Arg Gln Thr Gly Pro
 275 280 285
 Ile Ser Ala Thr Leu Val Met Thr Arg Pro Ile Lys Gly Pro Arg Asp
 290 295 300
 Ile Gln Leu Asp Leu Glu Met Ile Thr Val Asn Thr Val Ile Asn Phe
 305 310 315 320
 Arg Gly Ser Ser Val Ile Arg Leu Arg Ile Tyr Val Ser Gln Tyr Pro
 325 330 335
 Phe

<210> 187
 <211> 152
 <212> PRT
 <213> mouse

<400> 187

Met Ala Leu Gly Val Leu Ile Ala Val Cys Leu Leu Phe Lys Ala Met
 1 5 10 15
 Lys Ala Ala Leu Ser Glu Glu Ala Glu Val Ile Pro Pro Ser Thr Ala
 20 25 30
 Gln Gln Ser Asn Trp Thr Phe Asn Asn Thr Glu Ala Asp Tyr Ile Glu
 35 40 45
 Glu Pro Val Ala Leu Lys Phe Ser His Pro Cys Leu Glu Asp His Asn
 50 55 60
 Ser Tyr Cys Ile Asn Gly Ala Cys Ala Phe His His Glu Leu Lys Gln
 65 70 75 80
 Ala Ile Cys Arg Cys Phe Thr Gly Tyr Thr Gly Gln Arg Cys Glu His
 85 90 95
 Leu Thr Leu Thr Ser Tyr Ala Val Asp Ser Tyr Glu Lys Tyr Ile Ala
 100 105 110
 Ile Gly Ile Gly Val Gly Leu Leu Ile Ser Ala Phe Leu Ala Val Phe
 115 120 125
 Tyr Cys Tyr Ile Arg Lys Arg Cys Ile Asn Leu Lys Ser Pro Tyr Ile
 130 135 140
 Ile Cys Ser Gly Gly Ser Pro Leu
 145 150

<210> 188

<211> 118

<212> PRT

<213> Rat

<220>

<400> 188

Leu Val Pro Gln Phe Gly Thr Arg Ile Arg Tyr ThrAla Tyr Asp Arg
 1 5 10 15
 Ala Tyr Asn Arg Ala Ser Cys Lys Phe Ile Val Lys Val Gln Val Arg
 20 25 30
 Arg Cys Pro Ile Leu Lys Pro Pro Gln His Gly Tyr Leu Thr Cys Ser
 35 40 45
 Ser Ala Gly Asp Asn Tyr Gly Ala Ile Cys Glu Tyr His Cys Asp Gly
 50 55 60
 Gly Tyr Glu Arg Gln Gly Thr Pro Ser Arg Val Cys Gln Ser Ser Arg
 65 70 75 80
 Gln Trp Ser Gly Ser Pro Pro Val Cys Thr Pro Met Lys Ile Asn Val
 85 90 95
 Asn Val Asn Ser Ala Ala Gly Leu Leu Asp Gln Phe Tyr Glu Lys Gln
 100 105 110
 Arg Leu Leu Ile Val Ser
 115

<210> 189

<211> 299

<212> PRT

<213> Human

<220>

<400> 189

Met Gly Thr Lys Ala Gln Val Glu Arg Lys Leu Leu Cys Leu Phe Ile
 1 5 10 15
 Leu Ala Ile Leu Leu Cys Ser Leu Ala Leu Gly Ser Val Thr Val His
 20 25 30
 Ser Ser Glu Pro Glu Val Arg Ile Pro Glu Asn Asn Pro Val Lys Leu
 35 40 45
 Ser Cys Ala Tyr Ser Gly Phe Ser Ser Pro Arg Val Glu Trp Lys Phe

50 55 60
 Asp Gln Gly Asp Thr Thr Arg Leu Val Cys Tyr Asn Asn Lys Ile Thr
 65 70 75 80
 Ala Ser Tyr Glu Asp Arg Val Thr Phe Leu Pro Thr Gly Ile Thr Phe
 85 90 95
 Lys Ser Val Thr Arg Glu Asp Thr Gly Thr Tyr Thr Cys Met Val Ser
 100 105 110
 Glu Glu Gly Gly Asn Ser Tyr Gly Glu Val Lys Val Lys Leu Ile Val
 115 120 125
 Leu Val Pro Pro Ser Lys Pro Thr Val Asn Ile Pro Ser Ser Ala Thr
 130 135 140
 Ile Gly Asn Arg Ala Val Leu Thr Cys Ser Glu Gln Asp Gly Ser Pro
 145 150 155 160
 Pro Ser Glu Tyr Thr Trp Phe Lys Asp Gly Ile Val Met Pro Thr Asn
 165 170 175
 Pro Lys Ser Thr Arg Ala Phe Ser Asn Ser Ser Tyr Val Leu Asn Pro
 180 185 190
 Thr Thr Gly Glu Leu Val Phe Asp Pro Leu Ser Ala Ser Asp Thr Gly
 195 200 205
 Glu Tyr Ser Cys Glu Ala Arg Asn Gly Tyr Gly Thr Pro Met Thr Ser
 210 215 220
 Asn Ala Val Arg Met Glu Ala Val Glu Arg Asn Val Gly Val Ile Val
 225 230 235 240
 Ala Ala Val Leu Val Thr Leu Ile Leu Leu Gly Ile Leu Val Phe Gly
 245 250 255
 Ile Trp Phe Ala Tyr Ser Arg Gly His Phe Asp Arg Thr Lys Lys Gly
 260 265 270
 Thr Ser Ser Lys Lys Val Ile Tyr Ser Gln Pro Ser Ala Arg Ser Glu
 275 280 285
 Gly Glu Phe Lys Gln Thr Ser Ser Phe Leu Val
 290 295

<210> 190

<211> 91

<212> PRT

<213> Human

<400> 190

Gln Pro Thr Val Phe Trp Pro Lys Thr Ser Ala Lys Lys Gly Asn Trp
 1 5 10 15
 Val Leu Arg Leu Gly Leu Ser Asn Pro Asp Arg Pro Ala Arg Gln Asn
 20 25 30
 Asn Trp Phe Leu Pro Ala Ser Arg Glu Ile Pro Glu His Ser Ala Leu
 35 40 45
 Thr Arg Tyr Pro Ala Gln Ile Arg Gly Cys Trp Pro His Arg Leu Thr
 50 55 60
 Lys Pro Gln Thr Cys Leu Pro Gln Ala Arg Ser Tyr Leu Ser His Glu
 65 70 75 80
 Val Thr Gln Ala Thr Arg Thr Cys Pro Gly Gly
 85 90

<210> 191

<211> 89

<212> PRT

<213> mouse

<400> 191

Gly Ala Trp Ala Met Leu Tyr Gly Val Ser Met Leu Cys Val Leu Asp
 1 5 10 15
 Leu Gly Gln Pro Ser Val Val Glu Glu Pro Gly Cys Gly Pro Gly Lys
 20 25 30

Val Gln Asn Gly Ser Gly Asn Asn Thr Arg Cys Cys Ser Leu Tyr Ala
 35 40 45
 Pro Gly Lys Glu Asp Cys Pro Lys Glu Arg Cys Ile Cys Val Thr Pro
 50 55 60
 Glu Tyr His Cys Gly Asp Pro Gln Cys Lys Ile Cys Lys His Tyr Pro
 65 70 75 80
 Cys Gln Pro Gly Gln Arg Val Glu Val
 85

<210> 192

<211> 299

<212> PRT

<213> mouse

<220>

<400> 192

Ala Arg Ala Gly Ala Cys Tyr Cys Pro Ala Gly Phe Leu Gly Ala Asp
 1 5 10 15
 Cys Ser Leu Ala Cys Pro Gln Gly Arg Phe Gly Pro Ser Cys Ala His
 20 25 30
 Val Cys Thr Cys Gly Gln Gly Ala Ala Cys Asp Pro Val Ser Gly Thr
 35 40 45
 Cys Ile Cys Pro Pro Gly Lys Thr Gly Gly His Cys Glu Arg Gly Cys
 50 55 60
 Pro Gln Asp Arg Phe Gly Lys Gly Cys Glu His Lys Cys Ala Cys Arg
 65 70 75 80
 Asn Gly Gly Leu Cys His Ala Thr Asn Gly Ser Cys Ser Cys Pro Leu
 85 90 95
 Gly Trp Met Gly Pro His Cys Glu His Ala Cys Pro Ala Gly Arg Tyr
 100 105 110
 Gly Ala Ala Cys Leu Leu Glu Cys Ser Cys Gln Asn Asn Gly Ser Cys
 115 120 125
 Glu Pro Thr Ser Gly Ala Cys Leu Cys Gly Pro Gly Phe Tyr Gly Gln
 130 135 140
 Ala Cys Glu Asp Thr Cys Pro Ala Gly Phe His Gly Ser Gly Cys Gln
 145 150 155
 Arg Val Cys Glu Cys Gln Gln Gly Ala Pro Cys Asp Pro Val Ser Gly
 160 165 170 175
 Arg Cys Leu Cys Pro Ala Gly Phe Arg Gly Gln Phe Cys Glu Arg Gly
 180 185 190
 Cys Lys Pro Gly Phe Phe Gly Asp Gly Cys Leu Gln Gln Cys Asn Cys
 195 200 205
 Pro Thr Gly Val Pro Cys Asp Pro Ile Ser Gly Leu Cys Leu Cys Pro
 210 215 220
 Pro Gly Arg Ala Gly Thr Thr Cys Asp Leu Asp Cys Arg Arg Gly Arg
 225 230 235 240
 Phe Gly Pro Gly Cys Ala Leu Arg Cys Asp Cys Gly Gly Gly Ala Asp
 245 250 255
 Cys Asp Pro Ile Ser Gly Gln Cys His Cys Val Asp Ser Tyr Thr Gly
 260 265 270
 Pro Thr Cys Arg Glu Val Pro Thr Gln Leu Ser Ser Ile Arg Pro Ala
 275 280 285
 Pro Gln His Ser Ser Ser Lys Ala Met Lys His
 290 295

<210> 193

<211> 314

<212> PRT

<213> mouse

<220>

<400> 193
 Glu Glu Pro Cys Asn Asn Gly Ser Glu Ile Leu Ala Tyr Asn Ile Asp
 1 5 10 15
 Leu Gly Asp Ser Cys Ile Thr Val Gly Asn Thr Thr Thr His Val Met
 20 25 30
 Lys Asn Leu Leu Pro Glu Thr Thr Tyr Arg Ile Arg Ile Gln Ala Ile
 35 40 45
 Asn Glu Ile Gly Val Gly Pro Phe Ser Gln Phe Ile Lys Ala Lys Thr
 50 55 60
 Arg Pro Leu Pro Pro Ser Pro Pro Arg Leu Glu Cys Ala Ala Ser Gly
 65 70 75 80
 Pro Gln Ser Leu Lys Leu Lys Trp Gly Asp Ser Asn Ser Lys Thr His
 85 90 95
 Ala Ala Gly Asp Met Val Tyr Thr Leu Gln Leu Glu Asp Arg Asn Lys
 100 105 110
 Arg Phe Ile Ser Ile Tyr Arg Gly Pro Ser His Thr Tyr Lys Val Gln
 115 120 125
 Arg Leu Thr Glu Phe Thr Cys Tyr Ser Phe Arg Ile Gln Ala Met Ser
 130 135 140
 Glu Ala Gly Glu Gly Pro Tyr Ser Glu Thr Tyr Thr Phe Ser Thr Thr
 145 150 155 160
 Lys Ser Val Pro Pro Thr Leu Lys Ala Pro Arg Val Thr Gln Leu Glu
 165 170 175
 Gly Asn Ser Cys Glu Ile Phe Trp Glu Thr Val Pro Pro Met Arg Gly
 180 185 190
 Asp Pro Val Ser Tyr Val Leu Gln Val Leu Val Gly Arg Asp Ser Glu
 195 200 205
 Tyr Lys Gln Val Tyr Lys Gly Glu Glu Ala Thr Phe Gln Ile Ser Gly
 210 215 220
 Leu Gln Ser Asn Thr Asp Tyr Arg Phe Arg Val Cys Ala Cys Arg Arg
 225 230 235 240
 Cys Val Asp Thr SerGln Glu Leu Ser Gly Ala Phe Ser Pro Ser Ala
 245 250 255
 Ala Phe Met Leu Gln Gln Arg Glu Val Met Leu Thr Gly Asp Leu Gly
 260 265 270
 Gly Met Glu Glu Ala Lys Met Lys Gly Met Met Pro Thr Asp Glu Gln
 275 280 285
 Phe Ala Ala Leu Ile Val Leu Gly Phe Ala Thr Leu Ser Ile Leu Phe
 290 295 300
 Ala Phe Ile Leu Gln Tyr Phe Leu Met Lys
 305 310

<210> 194

<211> 109

<212> PRT

<213> mouse

<400> 194

Gly Thr Arg Val Gly Thr Pro Tyr Tyr Met Ser Pro Glu Arg Ile His
 1 5 10 15
 Glu Asn Gly Tyr Asn Phe Lys Ser Asp Ile Trp Ser Leu Gly Cys Leu
 20 25 30
 Leu Tyr Glu Met Ala Ala Leu Gln Ser Pro Phe Tyr Gly Asp Lys Met
 35 40 45
 Asn Leu Tyr Ser Leu Cys Lys Lys Ile Glu Gln Cys Asp Tyr Pro Pro
 50 55 60
 Leu Pro Ser Asp His Tyr Ser Glu Glu Leu Arg Gln Leu Val Asn Ile
 65 70 75 80
 Cys Ile Asn Pro Asp Pro Glu Lys Arg Pro Asp Ile Ala Tyr Val Tyr

85 90 95
 Asp Val Ala Lys Arg Met His Ala Cys Thr Ala Ser Thr
 100 105
 <210> 195
 <211> 237
 <212> PRT
 <213> mouse
 <400> 195
 Met Leu Ser Leu Arg Ser Leu Leu Pro His Leu Gly Leu Phe Leu Cys
 1 5 10 15
 Leu Ala Leu His Leu Ser Pro Ser Leu Ser Ala Ser Asp Asn Gly Ser
 20 25 30
 Cys Val Val Leu Asp Asn Ile Tyr Thr Ser Asp Ile Leu Glu Ile Ser
 35 40 45
 Thr Met Ala Asn Val Ser Gly Gly Asp Val Thr Tyr Thr Val Thr Val
 50 55 60
 Pro Val Asn Asp Ser Val Ser Ala Val Ile Leu Lys Ala Val Lys Glu
 65 70 75 80
 Asp Asp Ser Pro Val Gly Thr Trp Ser Gly Thr Tyr Glu Lys Cys Asn
 85 90 95
 Asp Ser Ser Val Tyr Tyr Asn Leu Thr Ser Gln Ser Gln Ser Val Phe
 100 105 110
 Gln Thr Asn Trp Thr Val Pro Thr Ser Glu Asp Val Thr Lys Val Asn
 115 120 125
 Leu Gln Val Leu Ile Val Val Asn Arg Thr Ala Ser Lys Ser Ser Val
 130 135 140
 Lys Met Glu Gln Val Gln Pro Ser Ala Ser Thr Pro Ile Pro Glu Ser
 145 150 155 160
 Ser Glu Thr Ser Gln Thr Ile Asn Thr Thr Pro Thr Val Asn Thr Ala
 165 170 175
 Lys Thr Thr Ala Lys Asp Thr Ala Asn Thr Thr Ala Val Thr Thr Ala
 180 185 190
 Asn Thr Thr Ala Asn Thr Thr Ala Val Thr Thr Ala Lys Thr Thr Ala
 195 200 205
 Lys Ser Leu Ala Ile Arg Thr Leu Gly Ser Pro Leu Ala Gly Ala Leu
 210 215 220
 His Ile Leu Leu Val Phe Leu Ile Ser Lys Leu Leu Phe
 225 230 235

<210> 196
 <211> 154
 <212> PRT
 <213> Human

<400> 196
 Met Ala Leu Gly Val Pro Ile Ser Val Tyr Leu Leu Phe Asn Ala Met
 1 5 10 15
 Thr Ala Leu Thr Glu Glu Ala Ala Val Thr Val Thr Pro Pro Ile Thr
 20 25 30
 Ala Gln Gln Gly Asn Trp Thr Val Asn Lys Thr Glu Ala His Asn Ile
 35 40 45
 Glu Gly Pro Ile Ala Leu Lys Phe Ser His Leu Cys Leu Glu Asp His
 50 55 60
 Asn Ser Tyr Cys Ile Asn Gly Ala Cys Ala Phe His His Glu Leu Glu
 65 70 75 80
 Lys Ala Ile Cys Arg Cys Phe Thr Gly Tyr Thr Gly Glu Arg Cys Glu
 85 90 95
 His Leu Thr Leu Thr Ser Tyr Ala Val Asp Ser Tyr Glu Lys Tyr Ile
 100 105 110

Ala Ile Gly Ile Gly Val Gly Leu Leu Leu Ser Gly Phe Leu Val Ile
 115 120 125
 Phe Tyr Cys Tyr Ile Arg Lys Arg Cys Leu Lys Leu Lys Ser Pro Tyr
 130 135 140
 Asn Val Cys Ser Gly Glu Arg Arg Pro Leu
 145 150

<210> 197

<211> 171

<212> PRT

<213> Rat

<400> 197

Met Ala Arg Pro Ala Pro Trp Trp Trp Leu Arg Pro Leu Ala Ala Leu
 1 5 10 15
 Ala Leu Ala Leu Ala Leu Val Arg Val Pro Ser Ala Arg Ala Gly Gln
 20 25 30
 Met Pro Arg Pro Ala Glu Arg Gly Pro Pro Val Arg Leu Phe Thr Glu
 35 40 45
 Glu Glu Leu Ala Arg Tyr Ser Gly Glu Glu Glu Asp Gln Pro Ile Tyr
 50 55 60
 Leu Ala Val Lys Gly Val Val Phe Asp Val Thr Ser Gly Lys Glu Phe
 65 70 75 80
 Tyr Gly Arg Gly Ala Pro Tyr Asn Ala Leu Ala Gly Lys Asp Ser Ser
 85 90 95
 Arg Gly Val Ala Lys Met Ser Leu Asp Pro Ala Asp Leu Thr His Asp
 100 105 110
 Ile Ser Gly Leu Thr Ala Lys Glu Leu Glu Ala Leu Asp Asp Ile Phe
 115 120 125
 Ser Lys Val Tyr Lys Ala Lys Tyr Pro Ile Val Gly Tyr Thr Ala Arg
 130 135 140
 Arg Ile Leu Asn Glu Asp Gly Ser Pro Asn Leu Asp Phe Lys Pro Glu
 145 150 155 160
 Asp Gln Pro His Phe Asp Ile Lys Asp Glu Phe
 165 170

<210> 198

<211> 1399

<212> DNA

<213> Mouse

<400> 198

ggcaaaagact tggccacagag asaacagcaa agcagagctg cctgcagcca ttcactggcc 60
 tggggcgggc gtgccacaga ggcagttgaa gtgaaagtga aagagaaacg ataagagaac 120
 ggagaccaca ggtgctaagt gagggtgctc acagaaccoc cttctcagcc agagatcact 180
 agcaggggaaa ctgtgtgagaa ggcagccagc aaggaaagagc ctgagagtag cctccatcgg 240
 ctgggagccc agctggtatc tgctgctctg tttggctgtc tctggggcag cagggactga 300
 cctctccaca ggcgccacca cagcagaaag acagcgccag cccacggaca tcactcttaga 360
 ctgctctctt gtacacagaag acaggcacgc cggggctttt gccagcagtg gggacagggga 420
 gagggccttg ctgtgtgctga agcaggtacc agtgctggat gatggctccc tggaaaggcat 480
 cacagatttc caggggagca ctgagaccaa acaggattca cctgttatct ttgagccctc 540
 agtgagcttg gtacagattc cccaggcaga ggcgttgctc catgctgaat gcacggggaa 600
 ggcagtgacc tgcagatctt ccaagtattt cctccaggcc agacaagagg ccacttttga 660
 gaaagcacat tggttcatca gcaacatgca ggtttctaga ggtggcccca gtgtctccat 720
 ggtgatgaag actctaagag atgctgaagt tggagctgtc cggcacccca cactgaacct 780
 acctctgagt gccacgggca cagtgaagac tcaagtggag ttccagggtg catcagagac 840
 ccaaaccttc aaccacctgc tggggctctc tgtctccctg cactgcagtt tctccatggc 900
 accagacctg gacctcactg gcgtggagtg gcggctgcag cataaaaggca gcggccagct 960
 ggtgtacagc tggaaagacag ggcaggggca ggcacaagcg aaggscgcta cctgagagcc 1020
 tgaggagcta ctacgggctg gaaacgcctc tctcacttta cccaacctca ccttaaagga 1080
 tgaggggacc tacactcgcc agatctccac ctctctgtat caagctcaac agatcatgcc 1140

acttaacatc	ctggctcccc	ccaaagtaca	actgcacttg	gcaaaacaag	atccctctgcc	1200
ttccctctgc	tgcagcatcg	ccggctacta	tcctctggat	gtgggagtga	cgtggattcg	1260
agaggagctg	ggtggaattc	cagcccaagt	ctctggctgc	tcctctctca	gcttcaggga	1320
gagcacgatg	ggaaactata	gcattttctc	cacggtgatg	gctgaccacg	gccccacagg	1380
tgccacttat	actcgccaa					1399

<210> 199

<211> 469

<212> DNA

<213> Rat

<400> 199

ggggcgctgg	ccagtcctgg	cggagccttg	ggctggggcg	tttctgcaag	ctttgcccgc	60
cacgggtgct	ggagcgctgg	gcaccctggg	cagcgagttt	ctgcggggag	gggagacaca	120
agatatgcga	gtgactctct	tcaagcttct	ctcgctttgg	ttggtgttaa	gtctcctggg	180
catccacgtg	gcgtgggggt	tctacgggaa	cacagtgacc	gggtgtgtatc	accgtccagg	240
gaaatggcag	caaatgaagc	tctcaaaact	cacagagaat	aaaggaagcg	agcagagaaa	300
gggtctccag	agatatcgct	gggtctgctg	gtctctgtgc	tgtacctctg	tgctattccag	360
accctctagg	caactgcaga	gggcttgggt	tggggggactg	gagtagccatg	atgctccacg	420
ggtgagcctc	cactgccttc	agccttgctc	ccaacagcgt	caggtagctg		469

<210> 200

<211> 529

<212> DNA

<213> Rat

<400> 200

aaagctttcca	tcctcaacat	gccactagt	acgacactct	tctacgcctg	cttctatcac	60
tacacggagt	ccgaggggac	cttcagcagt	ccagtcacac	tgaagaaaaa	attcaagatc	120
ccagacagac	agtatgtgct	gacagccttg	gctgcgcggg	ccaagcttag	agcctggaat	180
gatgtcgacg	ccttgctcac	cacaaagaa	tggttgggtt	acaccaagaa	gagagcacc	240
attggctctcc	atcgagttgt	ggaaattttg	cacaagaaac	gtgccccgtg	ccagatattg	300
caggaaatat	tcaatctggg	ggaagatgtg	gacacaaagt	tgaactctag	cactaagtct	360
aagtgcacat	atgtgttcac	tgatacttgc	cgagacctga	aggtatctca	acagttgctt	420
gcatacagg	ccaagataga	taaaaggtat	gctgaggaa	agaaaaatcg	tgctatcctc	480
agcagctcgc	aaattcagtg	gaagaactaa	ggttcttttg	ctaccacga		529

<210> 201

<211> 1230

<212> DNA

<213> Rat

<400> 201

aagaattcgg	cacgaggcca	tggtgggttg	ggcgggggcc	gagctctcgg	tcctgaaccc	60
gtgcgctggc	ctgtggctgt	tgctggccgc	cgctctccct	ctgcgactgc	tgctgcagct	120
ggcgcccgcc	aggtcgtcac	cgagctcgcc	gctcttccag	gacctcatcc	gctacgggaa	180
gaccaagcag	tcggctctgc	ggcgcccgcc	cgctctcgag	gccttcgacg	tcctccaaag	240
gtactttctc	cacttctcac	tcgtctcagt	gttatggaat	ggctccctcg	tcctggttct	300
gtctcagctc	ctgtctcctg	gagcgccggt	tcgaagctgg	ctttgggctt	tgctcagctc	360
tcctggggct	acgcagttcc	aagccctggg	gatggagtc	aaggctctct	ggatacaagc	420
agggagctgc	gctctctcta	cctctctagt	gttggtgttc	ctctgggtcc	atagctcttc	480
gagactcttc	gagtgctctc	acgtcagcgt	cttctctaac	acggccattc	acgtcgtgca	540
gtactgtctc	gggtcggtct	actatgtctc	tggtggcctg	accgtactga	gccaaagtgc	600
catgaatgac	aagaacgtgt	acgctctggg	gaagaactca	ctgctacaag	ctcgggtggt	660
ccacatcttg	ggaatgatga	tgctctcttg	gtcctctgct	ctcagatata	agtgccacgt	720
catctctcag	aatctcagga	gaaataagaa	aggtgtggct	atccactgct	agccacagat	780
ccccctttga	gaactgtctg	agtatgtgtc	ttctgtctac	tacctacagc	agctgacgat	840
ctacatcttc	atgctgtctca	ccttcgggct	ccacaacgta	actggtgggc	tggtgtgtag	900
attgtgtctc	ttcagccaag	ccttgctctg	gtctctcaac	cacaggttct	acaaaagcac	960
ttctgtgttc	taccacaagc	ataggaaagc	ttctctcccg	ttctgttttt	gaacagctct	1020
tatggtgaag	agcgcacgcc	aggtgacagg	ttccctctct	cgagacgctg	agacagcgct	1080

aagtacactt	tctgcagctg	gcgcccccca	ggctgctacc	gagctgcgag	ctcttccagg	1140
acctcatcgc	ctacgggaag	accaagcagt	ccggctgcgc	gcgccccgcg	gctctcagcc	1200
cgggggatcc	actagttcta	gagcgccgcc				1230

<210> 202

<211> 778

<212> DNA

<213> Rat

<400> 202

ctgcaggctc	acactagtgg	atccaaagat	tcggcacgag	ataaggcaca	tttgcttcac	60
aaaataaaaa	aaaaggaaat	ttacttagcc	gcattgctcag	cacccaaatt	ttgagtgtag	120
aaatgaaatg	gaaaacattt	attacacaaa	tttaattaca	attctaggga	ataaacatgc	180
aaatcagatg	gagctcaatc	tcgaggcgct	gatccctctc	ccctgggttg	cagctctgtc	240
acctcctgga	ttgcgccgag	accaggcagt	cagaggcctg	gctcttgacg	gcaggaggat	300
cactgtgtga	aagaacacgc	ccacatttag	cgcattctgg	gtatgtagag	tttttaaacat	360
tttgcgcagg	tgctctctct	cccccaaccg	cgcattgtga	ggctctaccc	tctaaactct	420
tgctctctct	gcacagtaag	tgacctctcc	atgacaaaag	gccccagac	agcagttata	480
aatcaatgag	tttttggtgt	gtttgtttgt	ttgtttgtgt	ttaaaagaaa	accgcggcat	540
gcttgggtgc	acttgccttt	aatgtagcgc	cttggtagag	agaggcaagc	ggctctctgt	600
aaagtccaag	ccagctctgt	ctacacagtg	agaccgggtc	tcaaaaaaaa	aaacacaaaa	660
acaactctct	attgaatcca	ctacaggaag	ggggggcgcg	gatcactgtc	tgcaaaactaa	720
agtgaactga	gctcctgtca	cagcctttcc	agcaagggca	agcttcttta	ttagttcat	778

<210> 203

<211> 1123

<212> DNA

<213> Rat

<400> 203

gggccccccc	tcgagtcgac	gktatcgata	agcttgatat	cgaattctcg	caggctcgaca	60
ctagtggtatc	caaagaaattc	ggcacgagcc	tgaggcgact	acgggtcgagg	tgccgggtgc	120
cgggtgcctca	cagcccccat	cagcttcccc	ggggagatcc	tgccgatttg	tcacagagca	180
tgctcaggag	gcagctctgc	tggtggcacc	tgctggcttt	gcttttcttc	ccatttttgc	240
tttgtcaaga	tgaatacatg	gagctctccac	aaagctggagg	actgccccca	gactgcagca	300
agtggtgcga	tgagagattat	ggattccctg	gttaccaggg	gccccctgga	ccccaggttc	360
ctctctggcat	tcacaggaac	catggaaaca	atggaaataa	cggagccact	ggccacgaag	420
gggccaaggg	tgaagaaagg	gacaaaggcg	acctggggcc	tcgaggggaa	cggggcgagc	480
atggccccaa	aggatagaag	ggataccca	gggtgccacc	agagctgcag	attcggttca	540
tggtctctct	agcgactcac	ttcagcaatc	agaacagtgg	cattatcttc	agcagtggtg	600
agacccaatc	tggaaacttc	ttcgatgtca	tgactcgtag	atttggggcc	cccgtatcac	660
gcgtgtattt	cttcaccttc	agcatgatga	agcatgagga	cgtggaggaa	gtgtatgtgt	720
accttatgca	caatggtaac	acgggtgtca	gcattgacag	ctatgaaaca	aagggaataa	780
cagatacatc	cagcaaccat	gcagtgtcta	agttggccaa	aggagatgaa	gtctcggttaa	840
gaattgggcaa	cggctgccctc	catggggacc	accagcgctt	ctctaccttc	gcaggctcttc	900
tgctttttga	aactaagtga	tgagggaagc	aggatagctc	catgctaagg	gcgattgtga	960
ggtagagctag	ggttgctagg	atctgagggg	tgctggaggt	gggtctctct	attggattatt	1020
tactggttac	attggtcaca	ctgctactca	ttctaatggc	ataccaatta	tggttgagac	1080
ttatggggct	aggagaataa	gaccacaagg	taatatctcc	aga		1123

<210> 204

<211> 434

<212> DNA

<213> Mouse

<400> 204

accaccaagc	agatgggaatg	ctggcacacc	catgcacctg	catggcgctca	caggctggaag	60
attcttaaaa	aattgcacatc	agaaatattt	acagaaatag	atacctgttt	gaataaagtt	120
agatgcagaa	tttttgcata	acttcaaccg	aaagcttagat	gcacattagg	tgacattggaa	180
agtcctcggt	ctgcaccttc	tgtagctgta	aaagctgaa	cccatgttga	aaagctcttt	240
acatattctt	tttcttggaa	ttttgaatgt	tcccatgtgt	gacaccagta	ccaaaacagg	300

WO 99/55865

PCT/NZ99/00051

tgtgtgaaga	gtcttgcctac	ctttaccaat	attgttctct	agtggcatcc	actcaatgct	360
gcccatctttg	gtccatgtaa	cagctgcaac	agtaaatcac	aaataagaaa	aatgggtgtg	420
gaagagcgct	cgcc					434

<210> 205
 <211> 783
 <212> DNA
 <213> Mouse

<400> 205						
aatcgggac	gaggctatgc	gaatgtccgg	gtcgggacg	ctgctggggc	tggggctgct	60
gggtggggc	tgcgcctgc	caagggtcat	cagccagcag	agtgtgtgtc	gtgcaaggcc	120
catctggtgg	ggaacacagc	gccggggctc	ggagaccatg	ggcggggctg	cggtgaagta	180
cttaagtcat	gaggaggctc	agggcggtga	ccaagagctt	tttaacgagt	atcagttcag	240
cggtgatcaa	ctcatggagc	tggccgggtt	gagctgtgcc	acggctattg	ccaaggctta	300
tccccecaac	tctatgtcca	agagtcctcc	gactgtcttg	gtcatctgtg	gccccggaaa	360
taacgggagg	gatgggctgg	tctgtgcgag	acacctcaaa	ctttttgggt	accagccaac	420
tatctattac	cccaaaagac	ctaacaaagc	ctctttcact	gggctagtga	ctcagttgca	480
gaaaaatggac	atctctttcc	ttggtgaaat	gccccagag	gatgggatgt	agagaaggga	540
aacctctagcg	gaatccaacc	agacttactc	atctcactga	cggcacccaa	gaagtctgca	600
actcacttta	ctggccgata	tcattacctt	gggggtcgct	ttgtaccacc	tgctctagag	660
aagaagtacc	agctgaacct	gccattctac	cttgacacag	agtgtgtcta	ccgtctacag	720
taaggagggt	gggtaggcag	gattctcaat	aaagacttgg	tactttctgt	cttgaaaaaa	780
aaa						783

<210> 206
 <211> 480
 <212> DNA
 <213> Mouse

<400> 206						
aaatgaaaaa	tcttggarct	cgccgcccgt	caggctgaca	ctagtggatc	caaagaattc	60
ggcacagagt	aagggtttcca	gactttattt	catgttattt	gacattgaca	catactgagt	120
tagtaacaag	ataccatgca	gtccctctca	gctctggaga	accgaagcag	gaagaaggct	180
agactgcccc	ataccagat	ttgcttagtt	tgctctccaa	tgctgtggac	tttaaaagaca	240
gggaatggag	aagcagatgg	atgcttcagt	ttcagtcatt	tttggtctcta	tagtgatctcc	300
tgctctccgt	tacctgtcct	tgctgggacc	ctgggcagta	actgtcactc	agatgaggac	360
gatcatcatt	accaatggacc	aactgaggga	tgccctcata	ttagaccaat	taaaagtgtc	420
tgtgagttaa	accaggaatg	accgcacttc	cacatcagaa	atcaaaacaa	atcaatgggt	480

<210> 207
 <211> 501
 <212> DNA
 <213> Mouse

<400> 207						
ctgcaggctg	acaatagtgg	atccaaaagaa	ttcggcacga	gaatcatggc	gcgcgtcgctg	60
tggaaagggc	tgtagtgtgt	cgggcttttt	gccctagccc	acgctgcctt	ttcagctcgg	120
cagcatcggt	cttatatgcg	actaaacagaa	aaggaaagta	aatcattacc	aatagatata	180
gtttctcaga	caactctggc	ctttgcagtt	acctgttatg	gcatagttca	tatcgcaggg	240
gagttccaag	actcagatgc	caacttcagaa	ttaaagaata	agacatttga	taccttaagg	300
aatcacccat	ctttttatgt	gtttaaccat	cgtggctcag	tgctgttcgc	gccttcagat	360
gcaacaaaat	cttcaaacct	agatgcattg	tcctcttaata	catcgttgaa	gttaagcaag	420
tttgactcac	tgccgctgta	agctttttac	aaattaaata	acaggacaga	cacagaattg	480
agtattggag	tttgggtgtg	a				501

<210> 208
 <211> 480
 <212> DNA
 <213> Mouse

<400> 208

ggcacgagga	agcctcttcc	catggaagca	cactctagga	gagagaagcc	ctctgggctc	60
cgccctggct	ggcattatga	atgcagtggt	gtcagtggtg	ggcggatgtg	tgtactgggt	120
tggtcttctc	ttttagtttt	tttacttttt	agtttagttt	gttcttttcc	ttcccgaata	180
aatcatcttc	actgtcttcc	atgttctgtt	ctgagaggtg	ggggctccaa	tgtatagaaa	240
gtacagccca	gtccataaag	aggtgtgaac	acaccccctt	actgtcttcc	acccatttga	300
caggaacgcc	caggaaggga	gggggagggg	aagaggtggag	tcttgacacg	tcggacattt	360
ctgttgcttt	tgcattgtta	atatagacgt	tcttgtcgat	ccttggggaga	tcatggcctt	420
cagatatgca	cacgaccttt	gaattgtgcc	tactaattat	agcagggggac	tgggtacc	480

<210> 209

<211> 962

<212> DNA

<213> Mouse

<400> 209

ggcacgagat	tagcggctcc	tcagcccagc	aaatctctca	ctcatcatgc	ttctctctgc	60
cattcatctc	ttctctcattc	ccctgtctctg	catctctgatg	agaaactgtt	tggtcttttaa	120
aaatgatgcc	acagaaatcc	tttattcaca	tgtgggttaa	cctgtcccg	cacacccagc	180
cagcaacagc	acctgaatc	aagccaggaa	tgaggggcagg	catttcagta	gcactggact	240
ggatcgaaac	agtcgagttc	aagtcgggctg	cagggaactg	cgylccacca	aatacatctt	300
ggacggccag	tgacacagca	tacagccctct	gaaggagctg	gtgtgcgcgg	gcgagtgctt	360
gcccctgcgc	gtgcttccca	actggatcgg	aggaaggctac	ggaacaaagt	actggaagcg	420
gaggagctct	caggagtgcc	gggtgtgcac	cgacaagacg	cgacaccaga	ggatccagct	480
gcagtgtcag	gaccgacgca	cgcgacacct	caaaatcac	gtggtcacgg	cgctgcaagt	540
caagaggtac	accctgcagc	acaacgagtc	cagccacac	tttgaaagcg	tgtcgcgcag	600
caagcccgcc	cagcacccaca	gagagcgcaa	gagagccagc	aaatccacga	agcaccagtt	660
gagctagacc	tggaactgact	aggaagcatc	tgtaccacga	atttgattgc	ttggaagact	720
ctcttctcag	ctccgcattg	ctcttctctc	acttgaagt	atatgtcttc	tgctttgatc	780
aagcccgaca	ggctgtctct	ctctgggact	agcttttctc	ttgcaagtgt	ctcaagatgt	840
aatgagtggt	tgacagtga	agccaggcat	cctgtagtgt	ccatccccct	ccccatccca	900
gtcatttctt	taaaagcacc	tgatgctgca	ttctgtttaca	gtttaaaaaa	aaaaaaaaaa	960
aa						962

<210> 210

<211> 778

<212> DNA

<213> Mouse

<400> 210

ggcacgagcc	tagtcgaatg	tcggggctgc	ggacgctgct	ggggctgggg	ctgtcgggtg	60
cgggctcgcc	cctgccacgg	gtcatcagcc	agcagagtgt	gtgtcgtgca	agggccatct	120
ggcgggggaa	acagcgcggg	ggctcggaga	ccatggcggg	cgctcgggtg	agagtactaa	180
gtcagggagg	ggctcaggcc	gtggaccaag	agctttttaa	cgagtatcag	ttcagcgttg	240
atcaactcat	ggagctggcc	gggttgagct	gtgccacggc	tattgccaa	gcttatcccc	300
ccagctctat	gtccaaagat	ccccgagctg	tcttgggtcat	ctgtggcccc	ggaaataaac	360
gaggggatgg	gctggctgtg	gcgcgacacc	tcaaaccttt	tggttaccag	ccaactatct	420
attaccccaa	aagacctaac	aagccctctt	tcactgggct	agtgactcag	tgtcagaaaa	480
tggaattctc	tttctctggt	gaaatgcgcc	cagagggatg	gatgtagaga	agggaaaccc	540
tagcggaaat	caacagacct	tactcatctc	actgacggca	cccaagaagt	ctgcacactc	600
ctttactggc	cgatatcatt	acctgggggg	cgcttttgta	ccaactgtct	tagagagaag	660
gtaccagctg	aacctgccat	cttacctcga	cacagagtgt	gtctaacgtc	tacagttaag	720
gaggtgggta	ggcaggatcc	tcaataaaga	cttggttact	tctgtcttga	aaaaaaaa	778

<210> 211

<211> 1152

<212> DNA

<213> Mouse

<400> 211

ggcacgagct	tctcagggcc	tgccacccaa	ataagtctgg	ccctagcctc	aactctctct	60
------------	------------	------------	------------	------------	------------	----

caggctgggc	cacaggaagc	tgtgactgg	ccacttgaca	ccctccccc	aaagctaag	120
tcctgagcta	tagggagggt	agcacttttt	ctaattggaa	ttctctctgt	tcctgtggcc	180
ccatccctca	ccgcgtcttg	gctctggacca	gatacatgca	gcctctttct	ccagcacagc	240
ctttccctga	gacctgaggt	agggcagagt	ttagaggggt	ggctaagtgt	atgttttcat	300
gtatgcattc	atgcctgtga	gtgtgtggct	tgctgtcgtg	tcctctggga	tcccaagcca	360
cgcggtgtct	ccctctgtag	atgggtccctg	gggtctatac	cctgcttatt	tatgtacag	420
gttggggggt	gaaccacagg	tgggttgatt	gtctctttgt	aaggaagtat	gtgtcggggg	480
tgacacagag	ataagcccg	gaaaccccg	gagacagcac	tgcaataaga	actgggttcc	540
magactgag	agggagctgc	acttttgtt	tgaccaaaaa	caaaaaacaa	aacaaaacaa	600
aaaaaaaca	aaaaaactc	tgaaggcg	gaggaatacc	aagcctgatg	ctgagagaga	660
gtctctagac	tccagcaact	ccgtctgcgt	gcttgagccc	agcgggagga	atgggagaga	720
aattttttgg	agtcctgtgc	tgtgtgggg	agtcctgagc	cttcagctga	agcagtgtct	780
tttggtgtgc	ctcactcgc	actacttgac	cttgaagctc	tgagtattct	ctgtgcacag	840
gagaagctcc	tgacacagaa	agcaccaaa	ccmtggacc	cccatcttac	tccactctcc	900
ccagggaact	ccaggtggga	actgctgtgg	cagtgaagct	agcccgagca	gacactgcga	960
accctgtctc	ctggcattgg	gctccggctc	tacctcccca	agcaggcgga	ggcccccgct	1020
tctcagccta	gcaccacctg	tccccgagtc	ttctcagctt	gcccatcatt	ctcgggcgcc	1080
acacaggtga	cagctcccaag	tagataacct	ccatggggaca	agttgggtgt	tgcccttacc	1140
gcctgcccaag	cc					1152

<210> 212

<211> 446

<212> DNA

<213> Mouse

<400> 212

ggcacgagct	taagtctgga	gtgctgcaaa	taatagtatg	caactatccct	gcttggaatg	60
ttgttttgtt	aatgtgcact	gggtgttttg	ctggatgtgt	ataacttgrga	agatgtgcga	120
actctctggag	ctggagttag	agacaatagt	gagctgcctt	gtggatgttg	ggaattgaa	180
ccaggtctctc	tggagaaata	accagtgtct	ttaaacctca	agccattctca	acagcccaca	240
attatttttt	taataaagtt	cttcgtgtcat	gttgctcttaa	tcagagcgat	agaaaagtaa	300
ctaataataga	ttatttatga	attcaggtgg	cttaaatgga	ttagcatgaa	ttagttagtaa	360
aaacaagaact	agggccagca	agtggtcttaa	gggtgcctgc	taaccattctc	agcccactga	420
gttcagctctc	caggaaaccac	acagtg				446

<210> 213

<211> 2728

<212> DNA

<213> Mouse

<400> 213

ggggaaggag	ggcctctgttt	tggcgagca	gggcgcgcg	ctgggcccct	gaagtggagc	60
gagagggagg	cgcttcgccg	ggcgccactg	ccgggagagc	tgtgtgggac	ccagcgcgg	120
tcgcgcctcc	ctcagagatcg	atgcaccgcg	gttaacccgt	gagagggcgg	cgcccgggga	180
agatgggtgt	ggccagacgtg	ttaatctctg	tcctctccct	ggcggcgggg	ctgggaaggtg	240
agacacagca	ccgggcggcg	acggagcggc	ggctcggtcg	gccagacgca	cgtcgcggag	300
ccgggcgcgc	cggtgtcaggt	ctcctcgctt	tctgtcagct	cttcagctc	gcctcagccg	360
accctcgagcg	acgctccccg	cgcgctattg	tcctctcgcc	gccccagacc	cgctcccgcc	420
ggcgccctct	ctgcgccgcg	ttctcgcgcc	gctttccccc	ggagcggcgg	agcccagagcc	480
agccgcctctc	ggcgcaactcg	cagccacctc	agccctcgcc	gggtccgagc	cccgggagac	540
cgacagctcg	cagcaactctg	cgaggttgcc	agcgcggcgg	gagcatttgt	ctgcacaagca	600
gcgagcgagc	ccgggcgggg	tgtcggagcc	cggtgtgcgt	gtcccccccg	agtcgcttcc	660
ctcgcgcctcg	tgtctctttt	ggagttgttg	tagccagcgc	gcgggaggtt	gtgtgtgtgt	720
gtgtgtctgt	cggtctgtct	gtctgtcttc	tgtctccccc	gggcaagact	ttagttgact	780
gaggaagaag	gcaagccgct	ttaggaatgt	cttcagatca	tcgtctcttt	tgagttgagt	840
ccacagagaa	gcagacagca	cccttccctg	gcgaacccaa	ttgcagagtt	ttctttaaact	900
ctcaggtgga	gcagagctac	tgcctagta	gaagatgtgc	agggctgtgc	tcctctcccc	960
tgcaaatgtg	agttcaactg	tgcctcaagt	ttcctgatac	ttcgggtttg	agacagcggt	1020
atttcatctc	caggctttcc	taggacaggt	tgcatgtata	ttttgttctc	atgaaagagt	1080
gctttaccat	aggtaaagta	atttgcgcgc	caagtgctgt	gagagaaggtt	agcttaaaag	1140
catttgaattg	gaaaacaacc	ccagaacttc	cagggtgtct	tcggatgggt	gtcagcagcc	1200

taatttgata	ctttagaaaa	tatcctagtg	ttttctgtag	gtattgtgtc	ggttctatcc	1260
ctttgtctca	ttgacttaaa	ctgcaggacc	cagcctattt	ttgtctggca	ttctgtttac	1320
ctcgaagttg	gttttgtgta	ctcagtttct	gttgtgtgtg	gtactattca	tttttaagt	1380
acacatttta	gatgcagacc	actaatagat	gcttattttt	gttttttttt	tgcttttgtt	1440
tttttttaag	aaccagattg	cagaccgttt	gtaaagagcc	tttttattta	acattttgat	1500
ttctgttaaca	cggtctatat	tcttggtctg	ctgttttccac	tttttgtgat	tatggctcag	1560
aatagacac	tgttctctat	gaggttaata	aatctaatgt	aaatgtgata	caactttgata	1620
acgtagtgtat	acaaaatgcc	ttttattaag	gaaaactaaa	accaatgtgg	ctgtgtgttt	1680
ggggaaaaaaa	gttaattaac	agcataagca	ttgtgggtga	agagttttat	ctcagacttt	1740
ggagtttctt	ctgcactaaa	gtaatgattc	aaagggcagg	ttttgtgtgt	cttctgtctaa	1800
aaacttaaaa	aaaaaaataa	aagttttcac	ttaaagtatta	tgctcaaat	gtaatactgt	1860
agtatgtagg	tatatattata	atttggggct	gtggaatgta	gccacagtcg	aattgcctag	1920
caaggccatg	caaggctttg	gattccaact	ctctgtttta	ggcccaaaac	tcttctcatg	1980
ttatttgtta	actcaattata	ctatatgctg	gggttttttt	ttttatctga	actgaactgc	2040
atatagtctaa	gtttatatat	ttttgtgatg	ttttgttagc	tagtgtgcac	tcaaaccttg	2100
tagatatgtg	ctgtagtgtc	ttggaaaagt	gaaatgtttg	taaggttagg	gtagtgtgat	2160
aaatacagaa	ctttaaggtg	taagccatgt	tcaggtgaaa	ctaaaactctg	tcggtgtgct	2220
tctctctgcc	tgtttgtgtt	aatcactgtt	gtgtgtgaat	gtttttcttta	ctgcacataa	2280
tgatgggggt	gggaagctgg	aaggaggcaa	taaaagtctt	aaatactaaa	acaactttga	2340
tagttttctcc	ttctatgttg	gtggatgtcc	tgcccagctg	tgattttgta	gaaagatccc	2400
atgatagctt	tcaggtctac	gaagctctcg	catggaaagta	ttcatatcat	tgtaaaaaat	2460
cgctctaaaa	aggtattttg	tgcttagcaa	aactggctac	taggtggagag	caactgtctt	2520
gaaagcctga	ctatctgatt	cttagtcccc	atcccccttg	tgaaaggaga	gaaaccaactc	2580
ctgaaaaatta	ttctttgacc	ttcacatgca	caccatgggt	ctcgtgccc	ttactctcac	2640
atgtacacta	cacacaatta	taagataata	aagttatttg	gagacgtgtt	aggaaacttat	2700
tgccactatc	ctgattagcc	acaatttt				2728

<210> 214

<211> 2046

<212> DNA

<213> Rat

<400> 214

cggtatcgat	aagcttgata	tcgaattccc	gcaggtcgac	actagtggat	ccaaagaatt	60
cggcacgaga	aaatacaaaa	ccaaacaac	tttctctctc	ccgtagataa	aaacaatttc	120
tttaaggatg	gagctgtctt	actgggtgtt	gtctgctctc	ctgttaccac	tcactccag	180
gaccacgaag	ctgcccaccca	gagatgagga	actttctcag	atgcagatcc	gggataaggc	240
attgtttcac	gatctatccg	tgattccaga	tggaagctga	atcagcagtt	actatttag	300
agatacactc	agaagtratt	ttctcatggt	tgaggaaagt	aacacccac	tgctacgtac	360
agtcacactc	tgatgtgcgc	ctttggaatg	gaagcttagc	ctccaggagc	tgctctgagga	420
gtccagctga	gtatggctcag	gtgaaccaga	accacttgac	cagcagaagc	agcagatgac	480
tgatgtggag	ggcacaagac	tggtctccca	caagggcaat	gatgtagagt	attttctctc	540
ttcaagtctc	ccactctggtt	tgatcagtt	ggagctttct	tcaacagaga	aagcacacaca	600
tttcaaagta	tatgccacca	ccactccaga	atctgatcaa	ccataccctg	acttaccata	660
tgaccccaga	gttgatgtga	cctctatttg	acgtaccaca	gtcaactttg	ctgtggaaga	720
aagccccaca	gctctctatgc	tgaaacaacc	catagagtac	tggtgtggtc	tcacaacagga	780
gcacaatttc	aaaagccttt	gtgcagcaga	aacaaaaaat	agtcagatgt	atgcctctcat	840
gggtggcgccc	aaactggccc	tagactttag	cccccttgac	ttgtcccat	tcggaattcc	900
aacagataat	ttgggttaagg	atcgcagctt	ctctggcaag	ccttctccca	aagtggggcg	960
ccatgtctac	tggaaggcta	aggttgacat	aaaaaaaatc	tgcatagga	gtaaaaaat	1020
tttcacagtc	tcgcagctga	agcccaatc	ccagctactac	tttgatgtct	ctatgttcaa	1080
taccaacact	aacatgaaca	cagcttttgt	gggtgctctt	gccaggacca	aggagaggagc	1140
aaacacagaag	acagtggagc	tcaaaagtgg	gaggtgtaca	gatgtgtgtg	ttaaaaaggaa	1200
agggaaaaaag	tttctacggt	ttgctccagt	ctcctctcac	caaaaagtca	ccctctcttat	1260
tcactcttgt	atggacactg	ttcaagcca	agtcagagga	gatgggaagc	tggtctctgtc	1320
acagatgtg	gaaggaattc	ggcagttcca	gttaagagga	aaacccaag	gaagatgact	1380
catctgactg	aaagacaaca	agaaaaggc	atcaatgtgt	aaaactagat	ccaccacag	1440
gcccaagtaa	cacgacttcc	ctctctctcc	tgatgaacaa	agaaatcaag	ctcttgacaa	1500
gctacagact	tgctcttcaa	tcacgggtgc	ttggcttggc	accacaagga	ggagaagttg	1560
tgttatctac	agaaaggaa	tggtgtgaaa	ctacagtga	gagcagaaga	gaagagagag	1620
aaaccagctg	ctaggaccag	acaccagaaa	gaagttagag	aaggttcttt	gcaagtactt	1680

ccacagccaa	aacctgcaga	aagcagtgc	gacagagaca	atcacagatc	tgcaacctgg	1740
caagtcttcc	ctactggagc	tttatgtgtg	aggacatggg	ggacactctg	tgaagatata	1800
gagtaaaact	gtgaaaaaca	ggaaggtctg	ttagttaact	taagtgaaga	tcagtagaac	1860
tcctccgagag	atatggaatc	acactgcctg	ttactgacta	ctctcatgac	aaacagaagt	1920
tgactctgaa	agaaaggata	acaacatgtg	tacatctgat	cctgtgtaat	gtaacctgga	1980
gacttcttat	cacgcacacc	tggtgttact	agggtccatc	tgcttaatat	tggttaatat	2040
caaag						2046

<210> 215
 <211> 493
 <212> DNA
 <213> Mouse

<400> 215						
ccccaccagc	agaagatcct	ctaccaatga	atgctgactg	agcctgccca	actttttgtg	60
cacaagaaga	accagccacc	ttcacacagc	agcctccggc	ttcactttag	gaccctagca	120
ggagcactgg	ccctctcttc	aacacagatg	agttggggac	tacagattct	ccctcgctcg	180
agcctaatac	ttctctcttg	gaaccaagtg	ccagggtctg	agggtcaaga	gtcccgattt	240
gggtctctgc	aagtgcacag	ggtggtcttc	ccagaactgt	gggaggccct	ctggactgtg	300
aagaacactg	tgcaaacctca	ggatgacatc	acaagcatcc	ggctggtgaa	gcccgaggtt	360
ctggggaatg	tctgggtaat	cagatgggaa	ggggatagct	agctctctaa	gaggggctga	420
tggagatcgt	tccctctctg	tctgattcct	atacaggaca	aggctgagca	tgaaggcaag	480
tggtctctgt	ctg					493

<210> 216
 <211> 511
 <212> DNA
 <213> Mouse

<400> 216						
gggcatagt	ctggagtaga	tgagaattct	atgtcatgtt	cccaaggcaa	ccaggagagg	60
attgtcttcc	aggtagcttg	gagaagggtc	tcagagtgat	gcatttcttc	caatgccac	120
ttcaacagg	ctatttccct	ggccaagcat	attcaaacca	ccacagtgc	taaaggccaa	180
gtggatggat	gtctggtctg	ggttgccact	ggagacctgt	tggtatatgt	aggctgtgct	240
gccttggctg	ctgatggggc	aggggcatgc	ctgggtctgt	ggtctcattg	cactctgggt	300
ctttgttaat	gtcccaagct	tatgttacc	ccaaaagcca	ttcagatgcc	cctggctctg	360
attgtgcgcc	gaagcactgt	gctagccctg	cctcttctgt	accacccac	tcagaagagc	420
tgctctacc	tcttgctctg	gcagcacat	agagctgacc	ctgatgaagt	ggaagcactg	480
gtgaactggc	tccctctctc	attctactga	g			511

<210> 217
 <211> 1107
 <212> DNA
 <213> Rat

<400> 217						
cggcatctca	agctgctgca	agcaggactg	agcactacca	gagcagcaac	ctcggtatgg	60
cctggacgtg	gcacgcgcgg	ggcacagagg	caagaagact	tgatgaagcc	ttcttctcca	120
accataacc	agaaagaacg	atttagatga	cagtttttag	aaaggtgacc	accatgatct	180
cttggatgct	ctgtgcctgt	gcccttccgt	gtgctgtgca	cccaatgctt	ggtgcctctg	240
cttcgaggga	cttccagaag	ggtgtctctc	aactggtgtg	cagctctgct	ggtccccaa	300
gcccaactgg	ccctccaggga	gcaccaggat	cctcaggaat	ggtgggaaga	atgggttttc	360
ctggtaaagg	tgcccaagac	ggccaggagc	gagacccagg	ggacagtggg	gaagaaggct	420
caactggcag	gacaggcaac	cgaggaaaaa	aaggaccaaa	gggcaaaagt	ggggccattg	480
gagagacggg	ttctcgaggga	cccaaggggg	tcagtgtgtac	ccccgggaaa	catgtataac	540
ggggcaagaa	ggggcctaag	ggcagaagaa	gggaacctgg	gctccagagc	ccctgtagct	600
gcggcagtag	ccgagccaa	tcggcctctt	cggtggcggt	aaccaaagat	taccaaagct	660
agcagctgcc	catcaagttt	gacaaagatt	tgatgaatga	gggaggccac	tacaaatgat	720
ccagtgccaa	gtctgtctgc	agcgtggcag	ggatctatta	ctttacctat	gacattacgc	780
tgggcaacaa	acactctggc	atcggtctag	tgcaacaatg	ccagtagcgc	attcggaatt	840
ttgacgccaa	caccggcaac	cacgacgtgg	cctcgggctc	caccatctca	gctctcaagg	900

agggtgatga	agctctggta	cagattttct	actcggagca	gaatggactc	ttctacgacc	960
cttattggac	cgacagcctg	ttcaccgcct	tcctcatcta	cgctgatcaa	ggagacccca	1020
atgaggtata	gacaagctgg	ggttgagcgg	tcacggcagg	gactaagatt	ccgcaagggt	1080
gctgatagaa	gaggatctct	gaactga				1107

<210> 218
 <211> 1001
 <212> DNA
 <213> Rat

<400> 218						
ggagcaagaa	gcaaccggaa	gctaggagtc	tgctcagcag	ggcaggggct	gcctgggttg	60
ggtaggagtg	ggagcagggc	cagcaggagg	gtctgaggaa	gccattcaaa	gcgagcagct	120
gggagagctg	gggagccggg	aagggcctac	agactacaag	agaggatcct	ggcgctcggg	180
ccctctgggt	catcaccatg	aggccaactt	tgccctgctt	gtctctgggt	ctggcatcag	240
gctctctccc	ttgggacgac	aacaagatcc	ccagcctgtg	tcgccgggag	cccggcctcc	300
caggcacacc	aggccaccac	ggcagccaag	gcctgcctgg	ccgtgacggc	cgatgatggc	360
cgcgagctgc	accggagctc	ccgggagaga	aaggcgaggg	cgggagaccg	ggactacctg	420
ggccacgtgg	ggagcctggg	ccgcgtggag	aggcaggacc	tgtgggggct	atcgctccct	480
cggggagagt	ctcgggtgcc	ccacgatcat	ccttcagctg	caagcgatca	gagagccggg	540
tacctccgct	agcccgagca	cccttacctt	tcgacgctgt	cgctgctcaat	gagcaggagg	600
attacgatgc	cactccagcc	aagttcaact	gccaaagtgc	tcggtgtctac	taccttggct	660
tcacatgcac	tgctacacgg	gccagcctac	agtttgatct	tgctcaaaat	ggccaactcca	720
tagcttcttt	ctctcagttt	tttggggggt	ggccaagacc	agcctcgctc	tcaggggggtg	780
cgatggtgag	gctagaaact	gaggaccagg	tatgggttca	ggtgggtgtg	ggtgatgaca	840
ttggcatctg	gcctcagcatc	aaaacagaca	tacctttctc	tggtatttctc	gtctattctg	900
actggcacag	ctccccagtc	ttcgcttaaa	atacagtga	cccggagctg	gcacttggctc	960
ctagtgaggg	gtgtgacatt	ggtccagcgc	gcataccagg	a		1001

<210> 219
 <211> 2206
 <212> DNA
 <213> Rat

<400> 219						
gtttcgtctt	aacgccctct	ctgcgttggc	agaactggcc	gtgggctccc	gctggtacca	60
tggaacatct	cagccccacac	agactaaagg	gagactgatg	ttggtggcgt	tcctcggagc	120
atcccggttg	actgcaagta	ccggctctct	gtggaaagaag	gctcaccgca	aatctccacc	180
gagagctcaac	agcaagagaa	ctgacgctgg	agataaaggg	aagagcaagg	acaccgggga	240
agtgctccagc	catgaaggaa	cgctcgaga	caactcgggc	gagccttacc	cagagggaga	300
aagaaagaag	cgctctggat	tcagagacag	aaaagttaag	gagtatgaga	ataggatcgg	360
agcctactcc	acaccagaca	aaatcttccg	gtattttggc	accttgaagg	taatacagca	420
acctgggtgaa	actgaagggt	tcatgacccc	acaggacttt	gtgcgctcca	taaaccccaa	480
tgagaaagca	ccagaacact	tgggcctcga	tcagtacata	ataaagcgct	tcgatggaaa	540
gaaaatttgc	cagggaagcag	aaaagtctgc	tgacgaagcg	agcatcttct	atacccttgg	600
agagtggtgga	ctcatctctt	ttcttgacta	catcttcttc	acaacggtgc	ttctccactgc	660
tcagagaagt	ttcgaaattg	ccttcaagat	gtttgacttg	aatggagatg	gagaaactga	720
catggaggag	ttttgagcag	ttcaaaagcat	catttcgctc	cagaccagca	tgggcatcgg	780
tcacagagat	cgctccaaact	ctgggaacac	ccctcaagtc	ggcttatggt	cgccctcac	840
gacctacttt	tttggagctg	atctcaaaag	gaaactgacc	attaaaaact	tcctggaatt	900
tcagcgtaaa	ctcgagcatg	acgttctaaa	gctggagttt	gaacgccatg	accgggtaga	960
cgggagaatc	tttgagagggc	agttcggtgg	catgctgctg	gcctacagtg	gagtgacatg	1020
caagaagctg	accggcatgc	agaggcagct	gaagaagcag	ttcaaggatg	ggaagggcct	1080
gactttccag	gaggtgggga	acttcttccac	tttcttgaag	aacatttaag	acgtggacac	1140
tgctttaagc	ttttaccaca	tggtggagac	atccctcgat	aaagtgaaca	tgacgcaagt	1200
ggccagagca	gtggcgaaag	tcgagctgtc	ggaccacgtg	tgtagactgg	tggttgcaat	1260
ctttgactgc	ggagcgcaat	ggagctggag	caataaggag	tttgctccca	tcagtgaagca	1320
cgcgctgatg	agagcctctg	ggagccctca	ggacttggcg	ttaccctcgt	tcactgaggg	1380
catgtggaaa	tggtcccgaag	aaacggcctg	ggactttgtc	ctaccaccaat	agtaaccaca	1440
ctctcgcacc	ctagcacccc	gcaactctgg	agtggtcttc	atgctgctga	tgctctctgg	1500
agtagtgccc	acatccccat	ctttctggaa	gtgacctctg	gcctcagctg	gctgacctct	1560

ccatcctccc	ctgacccagt	cagtgttccg	ctaggtctctg	aatctgcagt	cagatcaaa	1620
gtcttaagaca	ggacaagtc	ttcaaaagcag	agacctagc	tccttcaacc	agtgcctcgt	1680
gggtaaatgc	ggggagccct	cccacactgg	cagcccccag	aggcatctct	gcagctctct	1740
actgtggatt	taagttaacac	aaacgtccct	gccatcttcc	tcctactgtt	ttaaagctgc	1800
aagtttgaaa	atactctggc	aggcaaaagg	aagtctgtga	tgaacggtaa	tgacgatgc	1860
cctggtagcc	tgacttgcca	gggcacactgg	tcaggggaa	ggctgcgtc	agacaccagc	1920
ggcaccaggga	aggctctttg	ccaccagcac	agctcccgat	tcaaaagtgc	tgctttgagc	1980
ggctctccag	aacctcctgc	tttttttttt	ttcttccggc	ctccctgcga	tgctctctct	2040
gggaactctgc	ttcactagag	ccagggctga	gccccctgtt	cttctgtctt	gtccctctct	2100
tatagacctg	cagagcgcag	ctcagagcct	atctgcccct	tgtctaatac	actcgttaac	2160
atcacctttaa	ttatagcact	ttgcaggaaa	taccocaaaa	aaaaaa		2206

<210> 220

<211> 376

<212> DNA

<213> Human

<400> 220

atcgggcatca	ccttctacaa	caagtggctg	acaaagagct	tccatttccc	cctcttcatg	60
acgatgtctgc	accgggcccgt	gatcttcctc	ttctccggcc	tgctccagggc	gctgggtcag	120
tgctccagcc	acagggcccgc	tggtgtgctg	agctggggcg	actacctcag	aagagtggct	180
cccacagctc	tgggcagcgc	gcttgacgtg	ggcttgctca	actggagctt	cctgtatgtc	240
acggtctcgc	tgtagtact	ggccatgcc	tgctgctccc	cttcagcgtg	aagctgtctg	300
ctgtgcacgc	gggtgtctg	cacacccggc	tgctaggcca	gccactccac	cactctggga	360
ccagcccttg	ctctct					376

<210> 221

<211> 433

<212> DNA

<213> Human

<400> 221

agcttcttct	cagagcaaac	agtaagcaac	agaaaatata	catttgatga	aacattcttt	60
gcattagaga	aacatgaaaa	taaatataat	tcaagggaat	ataatgatc	tctaataatg	120
ctttctcaga	cctgtactag	tttaccgggt	caagaagctc	tcactacatt	tttcaactgt	180
attttacaata	ttgctattcg	ggtaattcaa	ataaaatgca	ggtcttgtaa	aagaataaaa	240
acattgacaa	gtatgcattg	gccaggagacc	aaattagagg	gttctttgtg	gcagttagtc	300
caaaattctca	gatttgaaag	ataaatatga	ccaataaaaa	aaaaatctgc	tgctagacat	360
ttcacagcgt	gtctgtctct	gcttcacatt	agaaatcgaa	aacagctgtt	ctcaacagc	420
caattttatt	ttct					433

<210> 222

<211> 630

<212> DNA

<213> Human

<400> 222

gtttcaagcc	tgtaatacata	gcgttgggaa	tgctaaggca	gaatcccata	gttgaggcca	60
gcctgagttg	gatagagaaa	cactgcctaaa	ctcaaaaata	ttcagttctga	ggatgactta	120
atattgactt	tgtaagaagt	atactcttgg	aaataggctc	taagcaaaata	gtgtttggga	180
cctctaagct	tatgtgaccg	gagttttact	cttttgcct	taattttctc	attttctttt	240
gactgggtgaa	aagtgtcagt	gtaagttaga	atttggtcgc	aagcctgctt	ccttagttga	300
atgcctctgc	ttttgttttt	tttttttttt	ttgagcactt	caaaaagtat	gatataatgt	360
tccttaagt	taggactcta	tataccttca	gaggcatgtg	tggtgggatt	gaattccaaa	420
ttctgatacat	gtgaaaatgg	cactagttgt	tagaggaagt	ctctcttcca	atctcagcat	480
ttacttcaat	actaactgaa	gagaaaatca	cgctctctag	ttctttgtaa		530

<210> 223

<211> 650

<212> DNA

<213> Mouse

<400> 223
aagctgtctgg ttttaaataat ttactttccc aggaggtggg ttctctcagg tgtttgttta 60
aagagggtctg tcacagggtga atgggttggg gaacctctct tggcagaggt tttagctgcct 120
tactgaacat tgcctccaca gaaagtctct atcggttctc ttctctcttg gcaaggcttca 180
gggttttctg cagcccctgg agcccaacatt ttggttgttg gaggctgaac tcttgctctg 240
ctctcttggt ggcacagagt gtgaagacgt attctctacc ttcttgctct tcaagtaaat 300
gccacagtgt gactatttgt tgaaggtttcc agcctctccc aagaccttg cagcgtgagt 360
ggggcctgag agcttcagag cacttaaaag ttctctgcaa agggcccgcg cacaggcaga 420
gggaagagaa caggtcagag gctgtctctt ggcagagcgg gctcgggctg cccatcgtgt 480
ttctgcgggg ttgagtgagg ctccctcttt tgtagatgcc ttctctctcg taataacaac 540
tccttgcccc

<210> 224
<211> 470
<212> DNA
<213> Mouse

<400> 224
aggcctgttc accaccactc ctgtttctcg ctaagctttt ctttggcttt tgggtggtttg 60
ttttttgtta ctgttattca acagttcagc ctaattatac catggcagag aacgagcctt 120
tatgtttgtt gctgtgccac tgaactgttt actgtagcgt gtgggtgaag gtggaactaa 180
tgggtctcagt cctttacctcc tgctttctgt taggaagctc agccgaggtc tggaaactgc 240
tactcttcagc cagcagctctt tccccctgct gtatagcaac cctcttaacc ttgctttttt 300
tgcttctctca ttctcaactca accttaagca gagtccaagg actcaacttc aaacttggctc 360
atctgggtgt gtatttatat gtgaataatg atatcagat cagagtaaca cctttgctgt 420
cttcttagga tgggtgagtg cacggggctc gggctctttg ctgaataact 470

<210> 225
<211> 1752
<212> DNA
<213> Rat

<400> 225
ggcagcagct gacatgaagc cccctagacc cagagattgg ttctgtctgt gacatgecta 60
ccatgtggcc acctcttcat gtccctctggc ttgctctgggt ctgtggctct gtccacacca 120
ccctgtcaaa gtccagatgcc aaaaaagctg cctcaaaagc gctgctggaa aagactcagt 180
ttctggataa acctgtccaa gaccggggct tgggtgtgac ggacatcaaa gctgaggatg 240
tggttctctga acatcgttagc tactgtctcag caagggctcg ggagagaaa ttgtctggag 300
aggctcctagg ctatgtcact ccatggaaaca gccatggcta tgaatgtgcc aaggtctttg 360
ggagcgaagt cacacagatc tcaccagctct ggttgcagct gaagagacgt ggtcgggaga 420
tggttgaaat cacaggctctc catgatctggg accaaggggt gatgcagact gccaagaagc 480
atgccaagg cgtgcgataa gtgctcgggc ttctgttctga agactggact taccagatgt 540
tccgaagcgt cctagacagt gaggatgagc tagaagagct cagcaagact gtgtgcacag 600
tggcaaaaga ccagcatctt gacggctttg tgggtggaagt ctggagccag ttgctgagcc 660
agaacaatgt aggcctcatt cacatgctta ctcaactggc tgaggcgctg caccagacca 720
ggctcgtggt cattcttggct atcccactgt ctgtcacccc tgggactgac cagctgggca 780
tgtttacaca caaggaattt gaggcagctgg cccccaact agatggcttc agcctcatga 840
catcagacta ctccacatca cagcagcctg gccctaactg tccattgtca tggatccgag 900
ctctgtttca ggtctagac cccaagtcaac agtggcgtag caagatcctc ctgggattga 960
acttctatgg catgattat gcagctctca aggatgcccg tgagcctgtc attgagacca 1020
gggcatgttt gaaggtggct ctgccattgg ctgtctcacc ccagcagatc tggacattgg 1080
gaagaggagg gtccaccagt gccctactcc tggcagggctt ggggctggcc tcagagcctt 1140
gtacaagaag cgaggaggtt ccaaaagaaga gcctcttaga tacagtttgg cactggcagg 1200
gagagccagg agcactgtgt agaggtctgt ttccagtgat ggctccaga ggcagcaccg gctctagctg 1260
cgagcgcttg cacatgcctg tttcagtgat ggctccaga ggcagcaccg gctctagctg 1320
cacgtctttc ttgtattagc tttggccatg ggagacacag gtacagcat agccgggtcag 1380
gaactctctg agcagatcca accaaaggct ttttgtcact tgccagctct gcattggtcag 1440
cctgtgacac cgtctcactc aaggccttct ggaatggcc ctacgtcag atgtcatgtg 1500
agggatcccc taaggagatg atggggctcc ctctgtcctg agcttgagag atgtgacctt 1560
gggcagatca gggcagtgga aactgcagac cttctaccgc tacatcaga cgctgaagga 1620

ccacaggccc	cgtgtgggtac	gggacagcca	ggctgcggaa	cacttctttg	agtacaaagg	1680
gaatcgcggg	gggaggcagc	ttgtcttcta	cccaacgctg	aagtctctgc	aggctgcggc	1740
ggagctagcc	ag					1752

<210> 226
 <211> 2165
 <212> DNA
 <213> Mouse

<400> 226

ggcagcagcc	tgctgccctc	ttgcagacag	gaaagacatg	gtctctgcgc	ccggatccta	60
cagaagctca	tgggggagccc	cagactggca	gccttgctcc	tgctctctccc	gctactgctc	120
atcggcctcg	ctgtgtctgc	tcgggttgcc	tgcccttgcc	tgccgagttg	gaccagccac	180
tgctctctgg	ctcaccgtgt	ggataaacgt	ttgtctggcc	ttcagtgagg	ctggttccct	240
ctcttggtga	ggaaatctaa	aagtcctcct	aaatttgaag	actattggag	gcacaggaca	300
ccagcatcct	tccagaggaa	gctgctaggc	agcccttccc	tgcttgagga	aagccatcga	360
attctctccc	ctctctcagc	catctcccac	agaggccaac	gcacaaaag	ggcccagcct	420
tcagctcgag	aagggaagaga	acatctccct	gaagcagggt	cacaaaagt	tggaggacct	480
gaattctcct	ttgatttgct	gcccgagggt	caggctgttc	gggtgactat	tcctgcaggc	540
ccccaggcca	gtgtgcgctc	ttgttatcat	tgggcaactg	aatgtgaaga	cttgaatagc	600
ccctttgata	cccagaaaat	tggtgtctga	ggccacactg	tagacctgcc	ttatgaattc	660
ctcttgccct	gcattgtgat	agaggccctc	taectgcaag	aggacactgt	gaggcgcaaa	720
aagtgccctt	tccagagctg	gcctgaagct	tatggctcag	actcttgcca	gtcaatagct	780
ttcaactgct	tcacagagct	caatcagagt	gtcatgggctc	tgacactccg	ctgcccactg	840
aaactggagg	ctctccctcg	ctggagagct	gaccctactga	agaaatggga	cttgaccccc	900
aacgcacag	caacaggagtc	agaaggatg	agacgccagg	ttgaattgct	ccaccagagt	960
cagctctgct	ttaagtcttc	atttgaanaa	agcagccagg	cccagcagct	gacgtctcac	1020
ggctctctcc	ctatccggac	tgtgagcatg	gataccccag	cccagcagct	gacgtctcac	1080
ttctctctca	ggacatattg	caccttcagt	gctgccttga	gtgaccccag	tttgggggcg	1140
gatacccaga	gcccctctgt	gtacagcatt	agccagacc	agggtcagct	cccagtgccg	1200
ctagaccctca	tcattccctt	cctgagcgag	gagaatttga	tcctggtgtg	gaggtcagat	1260
gtccattttt	cctggaaagca	cgtcttgtgt	ctcgatgacg	ccccttacc	tactcaagct	1320
ttgctccggg	ccctaggctc	cgttcgaaca	aggccagttt	tactcttaca	tgcacgggac	1380
tcagaggcac	agcgacgcct	gggtggagct	ttggccgaac	tgctgcggac	ggcgctggga	1440
gggtgagcgg	acgtgatcgt	ggatctctgg	gaagggaagc	acgtgacacg	catttgacca	1500
gtgcgctggc	tttggggcag	gcgggagcgc	gtggcgcggg	agcagggcac	agtgctgctc	1560
ctgtgggaact	gtgcgggttc	cagcaccgcc	tgcagcgggt	accgcagggc	tgctgtccct	1620
cgcacctctg	tggtgcgtgc	tcacagctcg	ctgctgctcg	cttactctcag	tcgctctcgc	1680
gccaaaagggt	acatccccgc	gccgctgcgc	gctctgccac	gctacgcctc	gcttctgtgac	1740
ctgcgcgcgc	tgctgagagc	actggatgct	cagcctgccca	ccctagcctc	cagctggagt	1800
caactcgggg	ctaaagcgtg	cttgaaaaac	cgtctggagc	agtgctacct	gctggaacct	1860
gaggtgcgca	aaagtgaact	acaaagctca	cccaatagtc	ctctgggttt	cagctgtctg	1920
tagctctcag	ctgtgtagca	acagcaggaa	ctcagaatct	agggctcaca	catgtactct	1980
tgggggttgc	ttcttgctcc	ccaaacgcta	agactcactt	taagtcccaa	acttgaccac	2040
ctctctccac	attgtctccc	ctttagagtt	ctcgagagga	acttggggtt	tctgtatagg	2100
tccacagccc	ttcttgagaa	ggaggagcga	tttttccatt	ttctttcaaa	actgaaaaaa	2160
aaaaa						2165

<210> 227
 <211> 1348
 <212> DNA
 <213> Mouse

<220>
 <221> unsure
 <222> (644)... (644)

<400> 227

caaaagattc	ggcacgagac	cggcctcact	atgtctgcca	ttttcaattt	tcagagtctg	60
tttactgtaa	tttctgtctt	tatatgtaca	tgctcttata	tccgactcct	ggcaccagac	120
atcctggaca	gaaataaaac	tggactattg	ggaatttttt	ggaagtgtgc	ccgaattggg	180

gaacgcaga	gtccttatgt	cgccatatgc	tgtatagtga	tggccttcag	catcctcttc	240
atacagtagc	tttggaaact	accagcatgt	gcttgctatc	agactgtaaa	caaggacttg	300
ctctccagaaa	ataatgggaa	gaatgggttaa	gccatttgct	tcgtaacatg	gaatcgagata	360
aactccaaga	tgcgtgtctc	tatttttatg	ctatggagcc	aalgaactga	atgaataatt	420
aagatgtaac	gtgttaaac	acaggaatgt	gattgtatcc	atcaacctga	gtctctctcac	480
tccagtata	ctcttcgaaa	atgctattct	gttggtcgag	gactgctttt	cataaagctc	540
ttcgggcacg	aagttagaac	ccagtgagca	attccaagc	tcctttgact	agggtctcaa	600
aataatgtct	tcacagaatg	gtacctctag	cgactgtctc	attnttattg	agaaaaaaa	660
ttgtcttatt	tttgttgttg	ttaactgtct	tatggattgc	attcatattt	aaacctcttg	720
gattgtctaac	cgagtagacct	ctattcttgg	caaattccgc	agttattatc	agggtgttaa	780
agtatatttaa	acaaaactct	gaatttcttt	agttagccta	agagtggct	tctagtccaa	840
aagatcacagc	tgccacactg	tgacgaagag	caccttagaa	agaaaagcag	caagtgcagc	900
gtgagcaagt	aagcacccgtg	cagtctctgt	gcaagtaagc	accgtgcagt	cttcgtcttc	960
tgtagtcttg	tcttccaaat	agaacgtcca	tgtagttaac	ccaaaagggtg	tatttgttgt	1020
gttcttaaatg	cagtgccttta	agtcctagtgt	atgttctgtc	agcttgaact	ggaatctctc	1080
ttgtatacttt	gtaggttata	aacatattct	atatctgctt	tagtctgggt	actatgctct	1140
aagtacattt	cagctttgac	acagaatgtg	aatagacgaa	tatcaaaagg	tacttacaag	1200
tttgtatccca	acattttctc	aggctcagct	gaaaatcagt	tactgtttca	aaacaaagag	1260
gaattaaact	ctagctgaaa	actatacata	gcattttatta	attaattact	gggttttaact	1320
gctctttttta	aaagtgttgaa	aaaaaaaa				1348

<210> 228

<211> 2296

<212> DNA

<213> Mouse

<220>

<221> unsure

<222> (2255) ... (2255)

<400> 228

ctggagctcg	cgcgccctgca	ggctgacact	agtggatcca	aagcttaaaa	gagactccac	60
ccactccagt	agaccgggga	ctaaaaacaga	aattcttgaga	aagcagcaag	aagcagaaga	120
aatagctatt	tcacagcagt	aacagaagct	acctgctata	ataaagacct	caacactgct	180
gaccatgatt	agcccagcct	ggagcctctt	cctcatcggt	actaaaattg	ggctgtctct	240
ccaagtggca	cctctgtcag	tgtgggttaa	atcctgtcca	tcgtatgtc	gctgtgacgc	300
aggcttcaat	tactgtaaac	atcgctctct	gacatccatt	ccagtgggaa	ttccggaggaa	360
tgctacaaca	cctcaacttc	agaacaaccca	aataaacaat	gtgggattcc	cttccgattt	420
gaagaactgc	ctgaagctac	aaagaatata	cctataccac	aacagtttag	atgaactccc	480
taccaacctt	ccaagtatg	tcaaaagatt	acattttgca	gagaataaca	taaggactat	540
cacctatgat	tcactttcga	aaattccgta	cttggaaag	ttacacttg	atgaataact	600
agtcctggct	gttagcatcg	aagaggggagc	atttcgagac	agtaactatc	tgccgctgct	660
ttttctgtcc	cgtaaaccac	ttagcacaa	cccggggggc	ttgcccagga	ctatttgagg	720
attacgcctg	gatgacaatc	gcataatcaac	gatctcttcc	ccatcacctc	atggctctac	780
aagcctgaaa	cgctcgtgtt	tagattggaa	cttgttgaac	aacctaggtt	tggtgtgaca	840
agttttcttc	aacttagttaa	acttaacaga	gctgtccctg	gtgaggaaat	ccttgacagc	900
agcgcaggtg	aaccttccgc	gcacaagcct	gaggaaagct	tacctcaag	acaacctatt	960
caaccgggtg	cccccaaatg	ctttttctta	tttaaggcag	ctgtatcgac	tcgatattgc	1020
taataataac	ctaaagaatt	tacctcaggg	tatctttgat	gatttggaca	atataacccta	1080
actgattctt	cgcaacaatc	cttggttattg	tggatgcaag	atgaaaatgg	tacgagactg	1140
gttaccagtc	ctaccggtga	aggtcaatgt	gcgtgggctc	atgtgccaa	ccccagaaaa	1200
ggctccgtgga	atggctatca	aggacctcag	tcgagaactg	tttgattgta	aagacagtgg	1260
gattgtgagc	accattcaga	tacacactgc	aatacccaac	acagcatattc	ctgctcaagg	1320
acagtgccca	gtcctgttga	gttacaacac	agatatataa	acaaccagc	tcattaaagg	1380
tcaggaactc	acaggtcagc	cctcacggaa	aacaaattta	attactgtct	aatctgcac	1440
ccctgacaca	atccacatat	ctcggaagat	gtctctgctc	atgactgtct	tcgactcag	1500
ctggcttaaa	ctggggccata	gccacgcctt	tggatctata	acagaaaaca	tcgttaacag	1560
agaacgcagt	gaattcttgg	tcaccgcctt	agaacctgaa	tcacctata	gagttatgc	1620
ggttcccatg	gaacacagta	acctttacct	gtttgatgaa	acacctgttt	gtattgagac	1680
ccaaactgcc	cctcttcgaa	tgtacaaccc	cacaaccacc	ctcaatcgag	agcaagagaa	1740
agaaccttac	aaaatccaa	atttaccctt	ggctgccatc	attggtgggg	ctgtggccct	1800

ggtgaagcctc	gccctccttg	ctttggtgtg	ttggtatgtg	cataggaaag	ggctcactgt	1860
ttcacggaaac	tgctgctaca	gcaaaagggcg	gaggagaaag	gatgactatg	cagaacccgg	1920
tactaagaaa	gccaaactcca	tctcggaaat	cagggaaact	tcttcacaga	tgctaccgat	1980
aagcaatgaa	cccatctcca	aggagaggtt	tgaataacac	accatatttc	ctccgaatgg	2040
gatgaattctg	tacagaacaa	acctcagtg	gagcagtagt	aaccggagct	acagagacag	2100
tggtcatccca	gactcggacc	actcacactc	atgatgcaga	gaggtccac	accagactgt	2160
tccgggtttt	tttttaaaaa	acctaaagaa	ggtgatggtg	ggaactctgt	tctactgcaa	2220
aacactggaa	aagagactga	gagaagcaat	gtacntgtac	atttgccata	taattttatat	2280
ttaagaactt	ttttatt					2296

<210> 229

<211> 1704

<212> DNA

<213> Rat

<220>

<400> 229

ccaaagaatt	cggcacgagg	cggctcggga	tggcggcccc	catggaccgg	accctatggt	60
gcccggcagc	cggggcgctg	cggcgggctc	tggcgctggc	ctcgtcgccc	gggcttatgc	120
tgagcgccct	ggcggtgtct	ctcccccccc	tcggggccgg	ctgcggcgcc	caaaccctgg	180
agccgcgggc	cgtccgctgc	cgtccgctgc	cgcttcgggc	cgcttcgggc	cagctcgccc	240
tgagatccgg	cttccacccc	gatcggtgg	ctcgggctaa	ctccaccac	gcctaccgg	300
agactgggtg	ggcttatctg	gaactgggca	caaatggcag	ctacaagtgt	atccccccgg	360
ctgcaggcct	atgcagctgg	tggtgtggag	gcctctgtgt	ccgaggagct	catctacatg	420
cactgagatga	acacggttgt	caattactgc	ggcccccttc	agtcagaagt	cggctactgt	480
gagaaagctca	agagcttctc	ggaggccaac	ctggagtga	tcagagagg	aatggagctt	540
agccccgact	gcccatctg	gcaccagggt	cggctgaccc	tcgggtctga	gctgaagagg	600
ctcggaggac	agctatgaag	gcctgttaac	cttcccaact	gggaggttca	acatcaaac	660
tgccgggttc	ctctctctgc	aggaattctc	ggagatctgg	aagacctaga	gacagccctg	720
aataagacca	acgaccaagc	gcttccctgg	gctccggttc	gtgctctgct	ctcatcaagc	780
tgctcccgcc	cagccatgat	ctcctggtgg	ctcaccaac	ttggaactcc	taccagaaca	840
tgttacgcgt	catcatggag	tccccgggc	tgccagttcc	ggagggggcc	caagaaggag	900
taccctctga	ttgcgggcaa	caacttgatt	tttctgtctt	accggggcac	catctctccc	960
ggtgatgaat	tctcatctct	gggcagtggt	ctggctcacc	tggaagacc	caatcgggca	1020
caaaagaacc	aagcgtctgt	gaagtacgtg	caacccacgg	gctgtgtgct	ggagtggatt	1080
cgaacacatt	tgggcaaccc	gctcggcctt	ggatggggcc	acctggggag	atgtcttcag	1140
ggcggttcaat	agtggcacgt	ataataacca	gtggatgat	gtggactaca	aggtattcat	1200
ccccattggg	ccccagccctg	gaagccgggt	gctcacctc	ctagaacaga	tcccgggcat	1260
gggtgtggtg	gcattcccccc	ggctcgagg	atcgatatac	aagcttatcg	atcacgctgt	1320
aacctctgag	ccaagatctt	ccagagggac	cagtcactag	tagaggacgt	agacacactg	1380
gtccggctca	tgaggtacaa	tgacttctct	catgaccctc	tgtcgttgt	tgaggctctg	1440
agccccgaagc	ccaacgcaga	gaaccgcatc	ctcgcgccgc	ctgatctca	acctgctctaa	1500
ntggctctcta	cccatttcag	gcctctcgct	agcgcggcca	tgccgctcat	gatgtgaagg	1560
tgaccagcgt	tgcactggct	aagtaacatga	gcactgtggc	agccagtggc	ccacgtgggg	1620
accagttgcc	accgttccag	tgagtaaat	caccattcca	caacaagtctg	cacatggggc	1680
aagcctgatc	tttggatggt	ctca				1704

<210> 230

<211> 2004

<212> DNA

<213> Rat

<400> 230

ctcggaggtcg	acggtatcga	taagcttgat	taattaaccc	tcactaaagg	gaacaaaagc	60
tgaggctcgc	ggcgtcgagg	tcgacactag	tggaatccaa	gaattcggca	cgaggcgga	120
gcagcccgag	gtatggcggc	tgccatcgcc	ctgggtttat	cgtgtcgtgt	gctgtgtcta	180
gtggggcgag	gctcgtgtg	ccgctgggag	ggcccccagc	acagctcgcc	agaggaactc	240
gttatcactc	cgctgccttc	cggcgacgtg	gccgcacat	tccagtctcc	cagcggttgg	300
gattccgatc	tgacgcggga	aggaagtgtcc	cattacagcg	ttctccctaa	agccctggga	360
cagttgatct	ccaagtactc	ctcgtgggag	ctacacctgt	cattcacgca	aggcttttgg	420

aggaccgcgat	actggggggcc	acccttctctg	cagggtcccat	cagggtgcaga	gctctgggttc	480
tgggtcccaag	acactgtctac	agatgtggagt	aagctcttggg	aggagctcag	taatgtctctc	540
tcaggggatct	tctgcgcgttc	ctctcaacttc	atcgactcca	ccaaatccgt	cactctccaca	600
gcctctcttca	aactctctggg	gctggccaat	gacactgacc	actacttctct	gcgctatgct	660
gtgctgcccc	gggaggtcgt	ctgcaccgag	aatctcaacg	ctgggaagaa	gctctctgcc	720
tgtagctctca	aggcagggtct	gtccgtgtcta	ctgaaaagcag	atcgattgtt	ccacacacagt	780
taccactccc	aggcagtgca	tatccggcca	atctgcagaa	atgctcactg	caccagtatc	840
tcctggggagc	tgaggcagac	cccttcagtt	gtcttttgat	ccctcatcac	cggacagggc	900
aagaaagact	ggtctctctct	ccgcatgttc	tcccggactc	tcacagaggc	ctgtccattg	960
gcattctcaga	gcttagtttta	tgtggacatc	acaggctaca	gccaggacaa	cgaaacactg	1020
gaggttgagcc	ctcccccaac	ttccacatac	caggatgtca	ttttgggcac	caggaaagacc	1080
tatgcgctgt	atgacttgtt	tgacacagcc	atgatcaata	actcccgaia	ccccaacactg	1140
cagctcaaat	ggaaagagacc	cccagataat	gaagccctgc	ccgtgccctt	cctgcattgca	1200
cagcggctag	tgagtgggtta	tgggctacag	aaggccgagc	tgagcaccct	gttgtacaa	1260
ttctatcctt	accgggcctt	ccctgtgctg	ctactgga	ctgtgccctg	gtacctgcgg	1320
ctgtatctgc	acaccctcac	catcacctcc	aaggccaagg	ataataaac	aagtataatc	1380
cactaccagc	ctgccccagga	ccggcagcag	ccccacctcc	tggaagatgt	cattcaagctg	1440
ctcgcccaact	cgtgaccacaa	ggtctctcat	cagtttgaa	gagccctgct	caagtggaca	1500
gaatacacgc	gcagaccccaa	catgggcttc	tatgtcagcc	catctgctct	cagtgccctt	1560
gtgccacaga	tgtggcgagc	caaacacgtg	gactgggaag	agagccctct	cttcaacacc	1620
ttgtctccgg	tgtctgatgg	ctccagctac	tttgtccag	ctcaacagaa	gacctgtcta	1680
gtgaacctgc	ctaccccaga	cttcagcatg	ccctacaata	tgattctgct	tacattgca	1740
gtggtggcgc	tgtgctatgg	ctccctttac	aattctctca	ccgaacactt	ccacattgaa	1800
gagcccaaat	ccggcgctct	ggccaagcgg	ctgggtcaac	tcctccggcg	tgctctgtgg	1860
gttccccctc	tctaaagattc	ccctttctca	gcaactacag	cttcatactc	acctgcccac	1920
ggggagcagt	ggcagggtctt	ttcttcccat	gccctcttcc	cccagagtta	gcttctgaa	1980
ctaactcccc	ctgatctgg	tctg				2004

<210> 231

<211> 1397

<212> DNA

<213> Rat

<400> 231

cggggcccc	ctgagggtgc	acggtatcga	taagcttgat	taattaaccc	tcactaaagg	60
gaacaaaagg	tggagctcgc	gcgcctgcag	gtcgacatac	gtgggtccaa	agaattccgg	120
acgagcggca	cgagcgcccc	cgaagggggc	tgcacggcg	acttggccgc	gatggctcga	180
gctccggcgc	cgacacgggt	ggccggaggc	ggcgctctct	ccctctctc	ctctcgggct	240
tgggcctcgc	ggtgatccga	gctggcgccc	cgccgcccc	gatgagactg	ttggcgggct	300
ggctgtgcct	gagcctggcg	tcctgttggc	tgcccgcgag	gatgtggagc	ctggcgagac	360
cgctctcccc	ctctctgtac	gtgaacatga	ctagcggccc	tggcgggcca	cgccgcggcca	420
tgggcgggcg	gaaggcacgc	caccagtggt	atgtgtgcga	cagagagaaa	ttatgccaat	480
cacttcagtc	tgtctttgtt	cagagtttac	ttgaccaagg	acacagatc	ttcttaaacca	540
acagcattga	gaaattctggc	tggctattta	tcacactcta	tcattctttt	gtatcatctg	600
tttttagcct	gtttattgtc	agaacatcta	ttaacggggt	gctagggaag	ggctccatgt	660
ttgtgtcttc	accagatcag	tttcagagac	tgcttaaaat	taatccggag	tggaaaaacc	720
atagactctt	tgatttaggt	gctggagatg	gagaagctac	gaaaatcatg	agcccttcat	780
ttgaagaaat	ttatgccact	gaactttctg	aaacaatgat	ctggcagctc	cagaagaaga	840
aatacacagat	gcttgggtata	aatgaatggc	agaatacagg	gttccagtat	gatgtcata	900
gctgtctaaa	tctgtggagt	cgctgtgatt	agcctctcag	attggttaaaa	gatatcagaa	960
gtgtcttga	gccacaccaa	ggcagggtca	tcttgagctt	ggtttggccc	tttcatcctt	1020
atgtgggaaaa	cgtaggtggc	aagtgggaag	aaccatcaga	aattctggaa	atcaagggac	1080
agaaattggga	agacgaagtg	aatagctcgc	ctgaagtggt	caggaaagct	ggctttgtca	1140
tcgaagcttt	cactagactg	ccataactgt	gtgaaggtga	catgtacaat	gactactatg	1200
ttcttgagaca	cgtctctctt	gtttctcagac	cagtgtaaac	atgtggaggc	ccaagttctt	1260
agagtcaccc	ctggaattctg	ccctccagaa	gaggaggtgc	actcagtgat	gtgagggggca	1320
ccctctgggga	ctgtcatctt	cagtatcatg	taggaatttta	aaaagccaaa	atactaatctt	1380
ttctcttgta	gtgtgta					1397

<210> 232

<211> 861

<212> DNA

<213> Rat

<400> 232

gaattcggca	cgagaggaga	gaaagagaag	tgtgcacaaa	gaaacttgta	ttattatttaa	60
ttagcacccta	gcttggttgt	gtctgatata	ccaccaagta	gtaactgttg	aaaaaacgaa	120
tgagaaaaa	aaaaacaaa	aaaccaaac	agtgggtact	caataagat	aggagaaaa	180
tgagagaaca	gacccagttc	tcgacccttg	cttctcaagg	tcctccacac	aggctgcgaa	240
agcaagatgg	tgttgctctg	atccagtcag	tattcttttg	actttttttt	ttaatctcca	300
ggttttgggt	caggctccca	tattcatacc	ctggctcatt	tagctttccc	tcatgttgtg	360
ggttctctctg	tcctcacccc	ccttactctc	cccactgata	ttcttcccag	tcaagactgt	420
ggctctggaa	gaaatatacca	ccatttgtag	agctgatatt	ctgtagatcg	taattgtgaa	480
gcgctgggttg	tcctgggttg	cagaatcact	cctgtattac	ctcgtgtacat	aggtgtctcc	540
tgatagactc	cctggcctta	gtcatgggtg	gtttcttaga	ggcagactaa	gacaggagtc	600
aaaaaagatt	tagaggaagg	agctgaggaa	agaaagacag	ttgtgggagg	aaaatcaagt	660
tctactcagg	atccccagtg	tttctgtaga	tgtagattgg	aatgtgtcca	taacagagag	720
gccagtgaga	gacatcccca	aggacctgcc	aggctttctc	tcgctccagg	aagacgcacc	780
atcactcaaa	aggggtttcc	tagaaagaaa	gacaagtgc	ttaaaaaatc	tgccagtggt	840
ttcttgaggt	catcgaaacct	a				861

<210> Z43

<211> 445

<212> DNA

<213> Mouse

<400> 233

ggagatagaa	ggggccggcg	ttttcatggc	ggcgtcctgg	gggcaggtgc	ttgctctggt	60
gctggtggcc	gcaactgtgg	gtggcagcga	gcgcgtgctg	aagcagacct	cctccggctc	120
ggagcaagtg	cgtgagcggg	cgtgggcctg	gcagctgttc	caggagataa	agggctctct	180
cgggaaatagt	gaggtgcgtc	tagctctcac	ggacgagccc	ctgaaaattt	caccataggt	240
cgggcgtatt	cccagcccat	ctcttactca	ctagaagatt	ctggaagagt	catattatct	300
cttacctgat	gccctttctc	ctcaatcaga	gtggatccct	ctctactact	ttgactttgg	360
catcaacaga	tctgacgtta	gctgtgccca	tctgcaacct	cttgcccatc	gtcttttacac	420
tgatgtgtgg	gaaggtcctt	ggaga				445

<210> 234

<211> 565

<212> DNA

<213> Human

<400> 234

cagcatcctc	aatcaatcca	acagcatatt	cggttgcatc	ttctacacac	taacagctatt	60
gttaggttgc	ctgcggagac	gctgggcctc	tgtcctgatg	ctgctgagct	cctcgggtgc	120
ttctcgtggt	ttctgtctacc	tggcctggat	cctgttcttc	gtgctctatg	atttctgcat	180
tgtttgtatc	accacctatg	ctatcaacgt	gagcctgatg	tggtcagtt	tcgggaaggt	240
ccaagaacc	cagggcaagg	ctaagagcca	ctgagccctc	aacccaagcc	agggctgact	300
ctgctttgct	ttggcatgtg	agccttgctc	aagggggcat	atctgggtcc	ctagaaggcc	360
ctagatgtgg	ggcctctaga	ttaccccttc	ctctgcatat	accgcacat	gacacatggc	420
caaatgtgac	acacgtctgc	ttctttttac	accagtgccc	cttgactctg	tcacctaggg	480
ctggtctcca	aagctctttc	cattgcccag	ggagggaagg	ttctgagcaa	taaaagttct	540
tagatcaatc	aaaaaaaaaa	aaaaa				565

<210> 235

<211> 476

<212> DNA

<213> Human

<400> 235

ggtgggtttc	attggtgctg	tcgccggcat	aggtccatct	ctgcagaagc	catttcagga	60
gtacctggag	gctcaacgac	agaagcttca	ccacaaagac	gaaatgggca	caccacaggg	120
agaaaactgg	ttgtcctgga	tgtttgaaaa	gttggtcggt	gtcatgtggt	gttactctat	180

cctatctatc	attaactcca	tggcacaaa	ttatgcaaa	cgaatccagc	agcgggtgaa	240
ctcagaggag	aaaactaaat	aagttagaga	agttttaaac	tgacagaaat	ggagtggaag	300
gggtctgcct	taaatggga	ggactccaa	cgggaagaa	aaatccctt	ttccaaacct	360
tatcaaat	tttt	ttcctgaa	cagtttagt	catactctgc	actgacatac	420
ttttctcttc	tgtgctaagg	taaggatccc	acctctgag	caatccacct	tgtttt	476

<210> 236

<211> 607

<212> DNA

<213> Human

<400> 236

tatgtccact	aacaatatgt	cggacccacg	gaggccgaac	aaagtgtgta	ggtacaagcc	60
cccgcgcagc	gaatgttaac	cggccttgga	cgaccgcagc	cggactacat	gaacctgctg	120
ggcatgatct	tcagcatgtg	cggcctcatg	cttaagctga	agtgggtgct	ttgggtcgct	180
gtctactgct	ccttcacag	ctttgccaac	tctcggagct	cggaggacac	gaagcaaatg	240
atgagtagct	ctatgctgtc	catctctgcc	gtgggtgatg	cctatctgca	gaatcctcag	300
ccccatgagc	ccccatgggt	ataccagcct	agaagggtca	cattttgga	cctgtctctac	360
ctacaggcct	gggttttggc	tgctaaacct	gctgcttca	gctgcatcc	tggaactccc	420
tgaaatgagg	cgctctgggt	ccccagctg	gatagaggga	acctggccct	ttcttaggga	480
acacccctag	ctacaccctc	ctgctccct	tcctctgct	gctgctggg	gagatgctgt	540
ccatgtttct	aggggtatcc	atttgccttc	tcgttgaaac	ctgtgtgtaa	taaaagtttt	600
catctctg						607

<210> 237

<211> 513

<212> DNA

<213> Mouse

<400> 237

ttctccatta	cctctatgct	taatatccat	cagccttcat	tactctctag	catattcacc	60
ttgattcaac	agattcaaac	ttctctacag	cttctactga	tgtcttacaa	gctcttgctc	120
ctgtgctctt	ctcatgctat	tttttttgc	tagattgctc	tttggtccca	gctcatgttc	180
atcacctccc	tcaaaagcct	ttctccttta	tatctcttga	ctgagctctc	cctgattgac	240
atcacctcat	gcgatgacct	ccctcattct	gtgctgctcc	agcacttctc	ttttgagttt	300
gtctgtgtgg	ccatgtactt	actaatatgt	tgctttgtaa	ttattttcta	gcactctctg	360
ttacagtctt	atattttgat	ttatttccaa	aattaaattg	taagctctct	gaggggcaga	420
ataataaact	ttacatttgt	atctctgcac	ccccgagtc	ctagtatagt	gctgagcaca	480
tagtagggct	ttataaattg	cttggtgaag	tat			513

<210> 238

<211> 944

<212> DNA

<213> Rat

<400> 238

ggcacgagg	gccgcgag	cccgcgggt	cggtgtagct	cgtgcgcag	gctgcgacg	60
tcgtgggtgc	cggtgttcgc	tttctctgc	tacttcagtg	caccgtgcga	gctccggcct	120
cgggtctgac	gcgccacag	atggcttcgc	ctttggagga	gttcagaaaa	gacttagaac	180
aggtcaaat	gctgctggaa	aagtcacta	ggaaaagact	acgtgatct	cttcaaatg	240
aaaaatccaa	gattgagac	gaactaagga	acaagatgca	gcagaagtca	cagaagaac	300
cagaatttga	taattgaaag	ccagctgctg	tggtgtctcc	ctttacaaca	gggtcacagt	360
tgaaaaatcag	taattatgga	tgggatcagt	cagataaagt	ttgtaaaaat	tacattactt	420
taactggagt	tcattcaggt	cctgctgaga	atgtgcaagt	acacttcaac	gagaggtcat	480
ttgatctctt	tgtaaaaaac	ctcaatggca	agaaatctac	catgatttgt	aacactcttt	540
tgaaacctct	ctctgtggaa	agcagttcaa	aaaaagtcac	gactgtatca	gttattatcc	600
tatgtgaaaa	gaaagcgaaa	tcctacgaca	gggaactact	aactcaggtg	gaaaaagaa	660
gcAaagagaa	gaaaagacct	gaagatggag	ctgaggcgag	tcttagtgag	ggatataatg	720
atgttctaaa	atcccagag	aagcaagcca	atgatgacat	gaagcgaaac	attaatcaag	780
cgtgggtgga	atcccagag	gggaagacac	agaattctga	ggctctaaaa	840	
gtcctgtggg	aaccgtcatg	tggaagtctc	gtgtttccag	tagggactgt	tggtgaaactg	900

cacacatgtg ttcatgtggg tatgtagttt tggacagatg acta

944

<210> 239

<211> 386

<212> DNA

<213> Rat

<400> 239

ctcgtgccga	attcggcacg	agtggcgaga	tggggaatgc	ggccctggga	gcggagctgg	60
gcgtggcggt	cctgctcttt	gtggcccttc	tggcgaccga	gctgctccct	ccctccacgc	120
ggcggattca	gcccgaggag	ctgtggcttt	accggaaccc	gtacgtggag	gcggaatact	180
ccccaccgg	cccatgtttt	gtcattgcct	ttctaccccc	actgtccctg	atctctctcg	240
ccaagtcttc	gaggaaaagt	gacgccaccg	acagcaagca	agcctgccct	gctgccagcc	300
gtgccctage	tctgaatggt	gtctttacca	acatcataaa	actgatagtg	ggcaggccac	360
gcccagattt	ctctaccaga	tgcttc				386

<210> 240

<211> 228

<212> DNA

<213> Rat

<400> 240

ttccgggggc	gtccatgacgg	ctgcgggtgt	ctttgggttc	gccttcacgc	ccttcggggc	60
cgcgctctcc	ctttaagctct	tcaccatcgc	cactgatcct	ttgcagatca	tcttctccat	120
cgccgggtgc	ttctctgggt	tggtgtctct	gctgctttcg	tctgtttctt	ggttccctagt	180
gagagtcatc	actgacaaca	gagatggacc	agtacagaat	tacctgct		228

<210> 241

<211> 452

<212> DNA

<213> Human

<400> 241

ttcgaagcgc	cgcccgggca	ggttgaaact	ttagaaagaa	gagccggggg	gatgtattgg	60
ttggttaggaa	aatgtaggct	accagtagaa	aatgacattc	tctattataa	agatctgagg	120
tgcgacacac	ataattgtcc	caatttttaa	gattgatggg	gagcatgaag	cattttttta	180
atgtgttggc	agggcccat	aaatgcataa	actgcattgg	actcatgtgg	tctgaatgta	240
tttttagggct	tcttgggaat	tgctcttgaca	gagaacctca	gctgggacaa	gcagccttga	300
tctgagttag	ctaactgaca	caatgaaact	gtcaggcatg	ttctctgctc	tctctctggc	360
tctttctcgc	tttttaacag	gtgtcttcag	tcaggggagga	caggttgact	gtggtgagtc	420
caggacacca	agggctactg	cactcgggaa	cc			452

<210> 242

<211> 1311

<212> DNA

<213> Mouse

<400> 242

ctgcaacaag	ctgtgttggt	ctctcccaat	gggctccagt	gaagggctcc	tgggcctggg	60
ccctggggccc	aatggtcaca	gtcacctgct	gaagacccca	ctgggtggcc	agaaacgcga	120
tttttcccaac	ctgctgccct	cacctgagcc	cagcccagag	ggcagctacg	tgggccagca	180
ctccacagggc	ctcggcgccc	actacgcgga	ctcctacctg	aagcgggaaga	ggattttcta	240
aggggtcgac	accagagatg	ctccaaaggg	ctgcaccaag	ttgcttttgg	gttttttctg	300
gtatttttgt	ttctgggatg	ttatttttta	ttattttttt	taattgtcct	tctttgggta	360
atagagaaat	ctctgcaaaa	gactttgctg	accaaccagc	tggagctcaa	ggaatgtggg	420
gtactctgggg	ccacaccatt	acctgtgggc	ttgctcctgg	agccaaaacc	tgacgcctta	480
agagagaggg	gctctgacctg	ctctcttttc	ctccctagct	ccaggccctc	ctctcctgct	540
cgtcaactcct	gtgttctggc	ctcttgagtg	ccttgggagg	tgctctctgac	ctgtgaggag	600
cagagacagt	cccggttttt	aaactctgac	aattgacttt	tatttctctt	tctaattttt	660
attatttttt	aaaacaacca	ggatgattat	cacatctact	cccccatcgc	tccagaaaaa	720
ccccaaattg	attccttcag	ggctcggcct	gccacggctc	tattccacat	gtgcagggtc	780

caacagctta	accctattct	cttcccagtc	atctgctgca	ggtagatctg	tctcatgccc	840
ctgcctgcct	attctggcca	gtaccctaag	ccccaagatc	tccagccctc	gcccagtat	900
ccttgctcttc	tgatgcctta	aagtbtggccc	acaggctcct	ctgggtcaga	gcttcacaga	960
tgccggagctc	caaaaagctcc	gctcaggacc	aaagagctct	ggcctagggt	tcattcctttc	1020
tccaggtgtc	tgccctgtgg	acagaaggct	aaagccttga	tcttgccaaa	ccaccctctt	1080
tgcctcaaac	ctggatgcag	agaccagtat	tctctgtggt	cttcaaacagt	ctccccctgt	1140
gtctgtgaaa	ggtagacatt	gtaccagggc	cactgggccc	ctaccatgtt	ctttcaaac	1200
caggctcat	ccatccccag	gtctggatcac	tgagcagacc	ctctctcttg	tccatgtgag	1260
ggggacctag	gggtctctgcc	cttagccagc	tgagccacca	ccagctctcc	t	1311
<210> 243						
<211> 399						
<212> DNA						
<213> Mouse						
<400> 243						
aagggtcctg	aagtcagttg	ttgcatcaaa	tacttcattt	ttggtctcaa	tgtcatattt	60
tggttttttg	gaataacgtt	tcttggaatc	ggactgtggg	ctgtggaatga	aaaaggtgtc	120
ctctccaaca	cttcgtccat	caccgacctc	ggtggctttg	accagatgtg	gctttctctc	180
tgagtggtcca	gcccgagctc	gagctctgtc	aatgacatcc	aaggagaaaa	tgaggttaat	240
gagagacatt	aatataaac	tccctcaccc	cacgcagcca	aaccagttgg	gttctcttat	300
tattctggaa	tactctgggc	tatgttttat	gtttattttc	tttttaaatc	gttctatttt	360
ggctcttttt	tttctttctc	ttttttcttt	gtcccaaaa			399
<210> 244						
<211> 1421						
<212> DNA						
<213> Mouse						
<220>						
<221> unsure						
<222> (1370) ... (1370)						
<221> unsure						
<222> (1395) ... (1395)						
<400> 244						
gccgagggcg	gccagcacca	gccagagcag	ctggcggcag	acagctcgag	cgagacagtt	60
ggactcgagac	agtcgaacgg	tctaacaggg	cctggctctgc	ctacctggca	gctgcaccgc	120
gtccttttcc	cagagctggg	tctgtgggtc	aacatggctc	ctgtgtctct	ctgtgtctctg	180
ctctactctg	tgagcctctg	gctctgtgtg	gctcactctg	gttccctctc	ggcctctctc	240
ctggaggaag	tgggcggcag	tggggaagct	gagggttctt	cagctctctc	cccaagcctg	300
gtgcgcgcgc	ggactccagc	cttcagtcgc	acaccaggga	ggaccagccc	ccagctcccg	360
gtcgccctct	tgccaccacc	caacctcctg	gatgggagcg	tggaattctt	cccgccagat	420
gtgatgtctca	ttgcgggtgt	gggtctcgct	acctttctca	tcagttcata	gtctgcgcgg	480
cactcatcac	gcgcagaga	cacaaggcca	cagctactca	cccgctctct	ttccccgaaa	540
agaagtatgt	ggaccagaga	gaccgggctg	ggggggccca	tgctctcagc	gaggttccctg	600
acaggggcacc	tgacagccgg	cagggaagag	gctcggactc	ctcccagcag	ctccagcgtg	660
acattctctgg	tgctactcag	aacctccggt	ctccagctag	agccctgcca	ggcagtgggg	720
agggaacaaa	acaggtgaag	gggtgggtcg	aggagaggga	ggagaaggaa	gaggaagttg	780
tcagtggcca	ggagagagcc	cgggaagccc	cagtatgtgg	ggctactgaa	gagaagccgg	840
aggtccctcga	cgagacagcc	tcagcagagc	ctgaaggggg	tcccgcagcc	agcagggccc	900
aaggggaaac	agaaggggtct	ttctccttag	cccaggaacc	ccaggagaga	gctggctctt	960
ccgaaaaggtc	ctgtgcctgc	aacagaatct	ccctaatgtg	gtacacggcc	ccagaactgt	1020
gagggctgaa	tcttgggttc	tcgaaggtca	ctcctctggc	caagaaggcc	attcagctttt	1080
gactctctct	tgacaacctg	cttgggcatt	tgtgggtgac	aatctgagc	ctgaatgggc	1140
aaagctcgtg	gctctgtgtg	taccocagga	aacaccaccc	caagtccag	cgcctctaat	1200
gactctcaca	ctctgggggc	ttcaccccca	agcaccactt	ttctggaagg	ggaaggtctag	1260
acacatccca	gtttggagcc	gcaatgagcc	agtcctcaga	acagaagggg	aacaggccag	1320
agggctgactg	tgacatacac	agtaaacacc	ctctgttgca	ccttggctgm	ggagacaaga	1380
ggggctgtgtg	atcanatggc	ctgcggtgtc	ctatctgcgc	t		1421

<210> 245
 <211> 461
 <212> DNA
 <213> Mouse

<400> 245
 cgccctgcagg tcgacactag tggatccaaa gttctttttc tttctttttt cttttttttg 60
 ttgtgtgtgtg ttgtgtgtgt ttgtgtgttt ggttttctctg gaactcactc tgtagaccag 120
 gctagcccaca aactcagaaa ttgtcctccc gagtgtcggg actaagggtg tgcaccacca 180
 ctgccctgggt gcagatgact cctttaagga gctagagtaa cctctgttcg cctcgggtgag 240
 agtctgagaa tcaggcgctt tggctacaca gctcaattta cacagccaag cctttagctt 300
 ctatgtgtgc tgggcatgga cagagcctcc tcatcgccag tgaatgaggc cggggtttcca 360
 ggcagccgtg ttcctgtctg aatattgtct ctaactgccca cagtttcaga gaaaggggaa 420
 caagttctcc ttgctttctt gccctcccag atagaccctt g 461

<210> 246
 <211> 1280
 <212> DNA
 <213> Mouse

<400> 246
 ttggactcgc gcgcctgcag gtcgacacta gtggatccaa agaattcggc acgagagaac 60
 attcgagaat atgttcgggt gatgatgtat tggatgtctt ttgcgatctt catggcagca 120
 gaaaccttca cagacatctt catttcctgg tccggcccaca ggaatggcag gccatgggggt 180
 tgggaagggc ctaccacca ccaccacctg cctctcggct cacaacaacc cctccctgtg 240
 ctacacacaa ggttccctgt ttattacgag ttcaagtggg cttttgtgct gtgggtgctc 300
 tcactctaca ccaagggggc cagcctgtct taccgaaagt ttgtccaccc atccctatcc 360
 gcgcactgaga aggagatcga cgcattgtat gtgcaggcaa agggagccag ctatgaaacc 420
 atgctcagtt ttgggaagcg gagcctcaac atcctgcctc cagctgtctg gcaggtctgt 480
 accaagagtc aaggcgctct agctggaagg ctacggagtt tctctatgca agacctcgcc 540
 tctatccctg acacccctgt cccacacctac caagatcccc tctacctgga agaccaggta 600
 ccccagcgtg gacccctcat tggataccgg ccaggcgccc tgcaggcgag tgacacagag 660
 gatgagtgtt ggtcagacaa tgagattgtc cccacgccac ctgttgggcc ccgagagaaag 720
 cctctaggcc gcagccagag ccttcgggtg gtcaagagga agccattgac tcgagagggc 780
 acctcagcct ccttgaaggt ccgaaccctg aaaaaggcca tgccctcaga catggacagc 840
 tagagtctgc agattgaggc cacttaacct ctggagccag caggggacct ttcgctgcta 900
 caccagctac cggggtctct ctcctgtctg cttgtgccta aatggcacat ggcgtggtac 960
 ctgcacaggg gagacattca ctgtacaaaa gcagcccagg cctggggcctt atttattgcc 1020
 ttctctctgc ttattgtctc tcagacatgg gaccagagcc ccaccagctc ctaccgcaga 1080
 aaccaaaaagt ccaaccagct gctgtcaatc cttctgtccc ttcaaaaatc ttgacagcct 1140
 ttccaaggc ctggtgtgtg tgtgtgtgtg tgtgtgtgtg tgtgtttacg 1200
 tacactagct gcatgtttcg tgtgtgtgag tgaggtcagg cttatgaaat tttttatata 1260
 aataaatacc aaacagttaa 1280

<210> 247
 <211> 833
 <212> DNA
 <213> Rat

<400> 247
 gtgcctctcg ccgggtcggg atggagctgc ctgccgtgaa cttgaagggt attctcctgg 60
 ttcaactggct ggtgacaacc tggggctctct tggccttctc aggcctctat gcttggggga 120
 acttcaactat cctgggcccgt ggtgtgtggg ctgtggccca gcgggactct gttgatgcca 180
 ttggcatgctt tcttgggggc ttggttgcca ccatctctct ggacattatc tacattagca 240
 ttggcatgctt aagcgttgcc gtctggggaca ctggccgctt cagtgccgag atggccatct 300
 tcagctgtgt gctgaagccg ttctcctgtct gctcgtgata ccacatgcac cggagacgag 360
 ggggtgagct ccgctgcgcg tgggatctct tcggacattc tcaggaaact agtgcctacc 420
 agcaattgga ctctggagac tcactctgag acccctctgc aggcctggag aacaagggcc 480
 aagctgcgcc ccggggggat tgaagctgtc cctggccggt ctggggccca cagaggtgct 540
 tgtcactctc ttactggac ctacaaatgg gtatctctca ttccctgcca gtaggtgtgc 600

ctgagtcgat	tgccctcgga	ggcccagct	gagaagagcc	cagtcctaat	tctccatgcc	660
gccccctcat	tcaagacacc	tgttaacccc	tgggctagaa	ctgtggttgg	ttctcttccc	720
tcctccccat	caactaatac	cacaacgcgc	gagctgtgca	gagtggtcag	ggcatccag	780
gccttatggg	ccaatgatca	ctgctcttca	ggctacccca	aggtgaccga	gcc	833

<210> 248
 <211> 1308
 <212> DNA
 <213> Rat

<400> 248						
gccgaggcgg	gcaggcacca	gccagagcag	ctggcggcag	acagtcggag	cgagacagtt	60
ggaccgagac	agtcgaacgg	tctaacaggg	cctggcttgc	ctacctggca	gctgcacccg	120
gtccttttcc	cagagcttgt	tctgtgggtc	aacatgggtc	cctgtctctc	cctgtctctc	180
ctgctacttg	tgaggcctgc	gcctgtgggt	gcctactctg	tgtccctccc	ggcctctctc	240
ctggaggaa	tgccgggagc	tggggagct	gaggttctct	cagcctcttc	cccaagcctg	300
ctgcgcgcgc	ggactccagc	cttcagtcgc	acaccaggga	ggaccacgcc	cacagctccg	360
gtcggccctg	tgccaccacc	caaccttctg	gatgggagtc	tggaactctt	ccgcagatag	420
gtgatgtctc	ttgggggtgt	gggtctcgctg	acctttctca	tcagtgtcat	agtctgcgcg	480
gcactcatca	cgcgcagaaa	gcacaaggcc	acagctcatc	accgctctct	tttccccgaa	540
aagaagtatg	tggccagagc	agaccgggct	ggggggccct	atgccttcag	cgaggtccct	600
gacaggcagc	ctgacagcgc	gcaggaaagag	ggcctggact	cctccacaga	gctccagcgt	660
gacattctgg	ctgctactca	gaacctccgc	tctccagctc	gagcctctgc	agggcagttgg	720
gagggaaaca	aacaggtgaa	gggtgggtcg	gagggagagg	agagaaagga	agaggagctg	780
ttcagtgccc	agggagagcc	ccgggaagcc	ccagtagtgc	gggtcactga	agagaagccc	840
gaggtctcct	acagacagac	ctcagcagag	gctgaaaggg	ttcccgagc	cagcgagggc	900
caaggggaa	cagaagggtc	tttctcttta	gccacaggaa	cccaggagag	agctgtgctc	960
tcgaagaagt	ctctgtgctg	caacagaaac	ttccctaagt	tgttaacagg	cccagaactg	1020
tgaggccctg	ctcttgggtc	ctcgaaggtc	acctctcttg	tcaagaaagg	cattcagctt	1080
tgactgtctc	ctgacaccc	gccttggcca	ttgtgggtgc	caatcctgac	cctgaatggg	1140
caagctgtct	ggcctctgtg	gtacccccag	aaacaccacc	ccaagtctca	gcgcctctaa	1200
tgactctcac	catcctgggg	gcttcacccc	gaagcacacc	ttctctggaa	ggggaaaggtc	1260
agacacatcc	cagttggagc	cgcaatgagg	cagtcctcag	aacagaag		1308

<210> 249
 <211> 1212
 <212> DNA
 <213> Human

<400> 249						
tagctgtgtc	gcggccgagg	tactacagac	tttgtataa	ggctgaagct	tggggcatcg	60
tcctagaana	gggtggccaca	gctgggggtg	tgacctcggt	ggccttcagt	ctcactctcc	120
cgatcctctg	tgcacaaggt	caggactcca	acaggcgaaa	aatgctgcct	actcagtttc	180
ttctctctct	gggtgtgttg	ggcatctttg	gcctcacctt	cgctcttctc	atcgagctgg	240
acgggagcac	agggccccaca	cgcttctctc	ttcttgggag	ctcttttctc	atctgtcttc	300
ctcgtctgtc	ggctcatctg	gtcagctcga	caaagctcgt	ccggggggag	aagccctttt	360
ccctgttggt	gattctgggt	ctggccgtgg	gcttcagctg	agctccagat	gttatcgcta	420
ttgaatatat	tgtcttgacc	atgaatagga	ccaacgtcaa	tgctttttct	gagctttccg	480
ctctctgtgc	caatgaagac	tttgtctctc	tgctcaacta	cgctctcttc	ttgatggcgc	540
tgacctctct	catgtctctc	ttcaacctct	gtgggttccct	cacgggctgg	aagagacatc	600
ggggccacat	ctacctcaag	atgctctctc	ccattgacct	ctgggtggcc	tggaatcccc	660
tgctcatctg	tcctgacttt	gaccgcaggt	gggatgacac	catctctcag	tcgccttggt	720
ctgcacatgg	ctgggtgttc	ctgttggttc	atgttagtct	cgagtttttg	ctgctccaaa	780
agcaacgaaa	ccccaggat	tactctgttg	aggatgcttt	ctgttaacct	caactcgtga	840
agaagagcta	tggtgtggag	aacagagct	actctcaagg	ggaaatcact	caaggttttg	900
aagagagcga	ggacagcttc	tatgcctctc	altccacaca	tttcagctgc	cagaaccagc	960
ctccccaaaa	ggaattctct	atccccaggg	cccacgcttg	ggcagagcct	tacaagaact	1020
atgaagataa	gaagaggggc	agctaaactc	gtcttgaaga	ctgggacaaa	tgacgcgggg	1080
cgcgagatct	agcgggagct	caaagggtat	tggggcaaat	cttgagcttt	ctgagaaaac	1140
tgtaactgcc	cgggcgccgc	ctcgaataca	agcttataga	taccgtcgac	ctcagggggg	1200
ggcccggtac	ac					1212

<210> 250
 <211> 453
 <212> DNA
 <213> Human

<400> 250
 aagaattcca aatgcttact ttcttggtgc agaaagattg tgggaacacg acaggaacca 60
 atgtgggaat tcaacttcaa gtccaaaaaa cagtcacctc ggtaaaagag caagtgtaca 120
 ggaggattgc agcctcccggt tcagtaacgaa gatgttcata ccaatccaga ccaggactgc 180
 tgcctactgc aggtcaccac cctcaatttc atctttatcc cgaattgcat gggaatgata 240
 ttactctgtt ttactatcaa tgtgagcagc gacatgcggc atcatcgagt gagactgggt 300
 ttccaagatt cccctgtcca tgggtggtcg aaactgcgca gtgaacaggg tgtgcaagtc 360
 atcctggacc agtgcacagc gttcgggtct ttgactgggt gcatcctcag taccattctc 420
 cctctgagagc gtacttactg cttcccatcc ctt 453

<210> 251
 <211> 242
 <212> DNA
 <213> Human

<400> 251
 gagagagaga actagtctcg agttttttgt attttttatt ttgttcatct gctgctgttt 60
 acattcttgg gggtttaggg gagtcacctc cctccctttt ccccccaag cacagagggg 120
 agaggggcca gggagattga tctctctccc cctcccaacc caccctgttg tagccctccc 180
 taccctctcc ccatccaggg gctgtgtatt attgtgagcg aataaacaga gagacgctaa 240
 ca 242

<210> 252
 <211> 358
 <212> DNA
 <213> Human

<400> 252
 gatggcccca gtcccaagtt ggcctgtggt ctgccctcac cagctccacc agcagcccca 60
 acagccctgg gggaggctgg tcttgccgag cacagccaga gggatgaccg gtggctgtgtg 120
 gtggcacttc tgggtgcaac gtgtgtcttt ttgggtgtcc tggctgacct gggcatcggtg 180
 tactgcaccc gctgtggccc cactgcaccc aacaagcgca tcaactgact ctatcgctgtg 240
 gtcatccatg ctggggagcaa gagcccaaca gaacccatgc cccccagggg cagcctcaca 300
 ggggtgcaga cctgcagaaac cagcgtgtga tgggtgcag acccccctca tggagtat 358

<210> 253
 <211> 568
 <212> DNA
 <213> Human

<400> 253
 catctgtcat ggcggctggg ctgttttggt tgagcgctcg ccgtcttttg gggcgagcgg 60
 gacgcgaggg gctcccggtc gcccgcgtcc gctgggaatc tagctctccc aggaactgtgg 120
 tgcgccctgc cgtgtgtggg ggaagcgggc cccagaaacc gaaccacccg tggcaagagg 180
 acccagaacc cggagacgaa aacttgtatg agaagaaccc agactcccat ggttatgaca 240
 aggaacccgt ttgggagctc tggaaatgc gaactgtctt cttctttggc gtctccatca 300
 tcttggtcct tggcagcacc ttgttgacct atctgcctga ctacaggatg aaagagtggg 360
 cccgcgcgca agctgagagg ctgtgaaat accgagaggc caatggcctt cccatcatgg 420
 aatccaactg cttgcacccc agcaagatcc agctgcacga ggaatgagtg ccaagtgtcta 480
 agtggggctc aagaagcacc gccttcccca cccccgctc gccattctga cctcttctca 540
 gaggcactaa ttaaaagggg tgaaagtc 568

<210> 254
 <211> 1421
 <212> DNA

<213> Human

<400> 254

gattagcgtg	gtcgcggcgg	aggtgtctgt	tcccaggagt	ccttcggcgg	ctgttgtgtc	60
agtggcctga	tgcgcatggg	gacaaaaggcg	caagtcgaga	ggaactgtt	gtgtctcttc	120
atatctggca	tccgttgttg	ctccctggca	ttgggcagtg	ttacagtgca	ctctctctgaa	180
ctcgaaatga	gaattcctga	gaataatcct	gtgaagtgtg	ctgtgctcta	ctcgggcttt	240
tcttctcccc	gtgtggagtg	gaagtttgac	caaggagaca	ccaccagact	cgtttgctat	300
aatacacaaga	tcacagcttc	ctatgaggac	cgggtgacct	cttgcgaac	tggtatcac	360
tccaagtccg	tgcacggaga	agacactggg	acatacactt	gtatggctcc	tgaggaaggc	420
ggcaacagct	atggggaggat	caaggtcaag	ctcatcttgc	tgtgtctccc	atcccaagctt	480
acagttaaca	tccctctctc	tgccaccatt	gggaaccggg	cagtgtcgac	atgtctcaga	540
caagatggtt	ccccaccttc	tgaatacacc	tggttcaaa	atgggatagt	gagctctacg	600
aatcccaaaa	gcaccctgtc	cttcagcaac	tcttctctatg	tcttgaatcc	cacaacagg	660
gagctgggtt	ttgatcccc	gtcagctctt	gatactggag	aatacagctg	tgaggcagg	720
aatgggtatg	ggacacccat	gacttcaaat	gctgtgcgca	tggaagctgt	ggagcggaat	780
gtcgggggtca	tctgtgcagc	cgctcttgta	acctgatct	tcttgggaat	cttggttttt	840
ggcatctggt	tgtctctatg	ccgaggccac	tttgacagaa	caaagaaagg	gacttcgagt	900
aagaaggatga	tttacagcca	gcctagtggc	cgaagtga	gagaattcaa	acagacctcg	960
tcatctctgg	tgtgagcctg	gtcggctcac	cgccatcat	ctgcatttgc	cttacctagg	1020
tgtcacaggga	ctctggcccc	tgtatgtctg	agtttcaag	gatgccttat	ttgtttttta	1080
ccccccacag	ggccccctac	tcttctggat	gtgtttttta	taattctcag	tatgtgcccc	1140
atctctcttc	atgccctccc	tccctttcct	accactgggt	agtggcctgg	aacttgttta	1200
aagtgtttat	tccccatttc	tttgagggat	caggaaaggaa	tctggggtat	gccattcgat	1260
tccctctctaa	gtagacagca	aaaatggcgg	gggtgcagg	aatctacact	caactgccca	1320
ctcggctggc	agggatctctt	gaataggat	cttgagctg	gttctgggct	ctttctctgt	1380
gtacctctgc	ggggggcgcg	tcaaatcaa	gcttatcgat	a		1421

<210> 255

<211> 1464

<212> DNA

<213> Mouse

<400> 255

ggcacgagcg	ggagcctgct	actgcctcgc	tgggttctct	ggggccgact	gtagccttgc	60
ctgtccacag	ggctgcttgc	gccccagctg	tgccccagtg	tgtacatgct	ggcaaggggc	120
ggcatgtgac	ccagtgctcg	ggacttgcac	ctgtctctccc	gggaagacgg	gaggccattg	180
tgagcggcgg	tgtccccagg	accggtttgg	caagggtctg	gaacacaagt	gtgcctgcag	240
gaatgggggg	ctgtgtcatg	ctaccaatgg	cagctgctcc	tgccccctgg	gctggatggg	300
ggcacactgt	gagcacgcct	gccctgtcgg	gcgctatggt	gctgcctgcc	tcttgagtg	360
tctcgtcag	aacaatggca	gctgtgagcc	caacctccgc	gcttgccttc	gtggccccctg	420
cttctatggt	caagcttgtg	aagcacctg	ccctgcccgc	tcccatggat	ctgggttgcca	480
gagagtctgc	gagtgtaaac	agggcctccc	ctgtagacct	gtcagtgccc	gggtgcctctg	540
ccctgtcggc	tctcgtggcc	agttctggga	gaggggtgtg	aagcaagcct	tcttgggaga	600
tggtgctcgt	cagcagtgta	actgccccac	gggtgtgccc	tgtatcccca	tcagcggctg	660
ctgcctttgc	ccaccagggc	gcgcaggaa	cacatgtgac	ctagattgca	gaagagggcg	720
ctttggggccg	ggctgtggccc	tgcgctgtga	ttgtgggggt	ggggctgact	gcgaccccat	780
cagtgggcag	tgccactgtg	tggaacagta	cacgggaccc	acttgcgggg	aagtgcgccac	840
acagctgtcc	tctatcacag	cagcacccca	gcactccagc	agcaaggcca	tgaagcacta	900
actcagagaa	agccccacag	aggcccacta	ctgtgttcca	gccccaggga	cccaggccctc	960
tgtgtgtgac	taagatagag	gtggcaactt	tggaaccaca	ctctctctgg	aaagccatgtg	1020
atbtgtgtgtg	acagctatgg	atagtcatat	agccacacac	ccgggctcca	tggtcactggg	1080
gaagaaggcc	tcttctggac	acaaggaaac	caggaaagtcg	gctgggcttc	gggccaactgt	1140
ttacatgggg	accctgcagg	ctgtgtctgtg	gaactcctgc	ctctctcagc	gacctgggat	1200
gggaccaaagg	tgggaataga	caaggcccca	cctgcctgcc	aggtctctct	ggtgtaggcg	1260
cacggactcgc	tgcagccagc	caactgttta	cttggaaatg	tatgtccagc	catatttata	1320
taaggctattc	atgggcatct	ccacctggcg	ttatggtcct	gggtcagatg	gaagctgcct	1380
gagcccgaaa	cttaggcagt	ggcctgtggg	gtctccagaa	agtgggata	agggctttgt	1440
aaaaaccagt	gagttaaagg	caca				1464

<210> 256

<211> 2411

<212> DNA

<213> Mouse

<400> 256

tcggccacgag	agtgggtaca	ccttactaca	tgctcccgaga	gagaatacat	gaaaatggat	60
acaactttcaa	gtccgacatc	tggtctcttg	gctgctctgct	atatgagatg	gctgcactgc	120
agagtctctt	ctacggcgac	aagatgaact	tgattctctc	gtgtagaaga	atagagacat	180
gtgactaccc	gctctcccg	tcagatcaact	atccggaggag	gctacgacag	ctagttgagt	240
tatgctcaaa	cccgatccca	gagaagcgac	ccgacatcgc	ctatgtttat	gatgtggcaa	300
agaggatgca	tgcatgtacc	gcaagcactc	aaactgtaca	agatcctgaa	gacggcaacc	360
aagataaact	aaaagtgttt	ttgtgcagat	catactctcc	cgcttatgtc	tggtgtgttaa	420
gattacgtgc	ctcagagctaa	tgccgtttga	atccttaaac	agttttcata	tgagcctcat	480
ttttctacca	ggctcaatca	ccttcccaat	ccacaatttt	gggatgctca	gatggacca	540
agaatgcaag	cccacaaga	gtttttcgtt	tgagaattgt	ttcgagtctc	tgctgataga	600
ctgtgtttat	agatagtca	tgcccgatgg	tgaaagcacac	acacataggc	acatgtccag	660
agcagatcag	aaactgagga	aggacctggg	catttgactt	gtttgtcttt	aagtcaacta	720
atggacgttg	tagtgacat	gattgtgaac	tctcgatttt	ttctctttaa	gtttcaagta	780
catgttttag	tctctagcat	tagagatctc	aaatataatt	cttataagac	atgcagacat	840
aaactttttg	agaaagattt	aaaattttta	gtttatacat	tcaaaatgca	actattaaat	900
gtgaaagcat	agaggctcaa	atgtgagttg	gacactgaag	tcattgtttt	aatgcctttg	960
aaagcctttt	tttgtgtgtg	tttaaatggt	ataaatgaac	ccattttaaa	acgtggttaa	1020
ggacttgttt	gctctgcgtg	atagtcattg	ttaacatgca	caaggctgtg	tggtttttat	1080
gtacatttga	agaataattc	tggaataatc	ttgcagtagt	tatagttcaa	ttctctttaca	1140
aatcttaata	cacttaactc	ataactatac	actgtaatgc	agcatatata	tgattttcat	1200
ataatgaagt	ttgtacagt	tctctctcag	aatctttttt	atccagatta	cttctcttat	1260
tatatgtgtg	gtgcatttca	tccattaaat	gttctcagatt	ttctgagaat	gagttccctt	1320
tttaaaatat	atttggtatg	ccaaacattt	tttaggattg	aaaaaaaatt	tttttaaatg	1380
tttgggcatc	tctagtgcca	tctgtttctt	cttgttagaa	agaaaaaggt	tggtgttaaaa	1440
tgtgcctgtg	aatgtcgata	tgtgttggca	gggtataaat	tttagagatt	gctctagagt	1500
atgtgtgaac	gcgtgaagac	tgccctctac	tgaagacaga	actgttccaa	gagcagcttt	1560
cccggtgaga	tgctttggag	taaaagtactg	tgatatgaca	tgacagacat	tttagttaag	1620
gggggtgaaa	aaaaaggagg	ggatattagg	aaacctgag	gtggaatttt	ggtagaatgc	1680
ttcatcttaa	taccagccaa	tctcttcaga	gaattgtgga	gccaaagaac	agagtaactg	1740
tgccgtgtgc	agaacacggg	gtgccatggg	agagcattgg	gaagcctcat	ctcgcgggtg	1800
ggctgggtcag	acagccctgt	gttggggagc	ttgtactctg	gcccaacagag	ctcgggttga	1860
ttctctacag	agtaattctt	ctacagttat	tttcaagtaa	ttgtaattt	tcaaaagtaa	1920
atctcatctt	tttaattcact	atgtatgctg	tcgtagacaa	aggaatactg	ggtttttttt	1980
tgtttttgtt	tttgtttttt	tttgtcttga	aggctgaact	gggtacatcc	cagatcttag	2040
tggtcatatg	gatataccca	gaggcatgaa	gaaatggctt	ccggtgacca	tttgtgttgk	2100
gktatatccc	atttgaatgt	cacaggactg	attgagatga	aacatcccc	tcttacaaga	2160
gttggtttct	ttccatattt	aaaaacatga	ggttctcgtc	ggcagttgct	gtacacacct	2220
tttaactccag	caccggggag	gcagagggag	gaggaattct	gagtcgaggg	ccagcctggg	2280
ctacaaggtg	agttccagga	cagccaggac	tacacagaa	aaactcgtct	caaaaaaaca	2340
aaactaaatg	aaaatacaag	gcttctcccc	ttgtagtgc	tttgccttat	gaatttgctc	2400
caaaaaaaaa	a					2411

<210> 257

<211> 3516

<212> DNA

<213> Mouse

<400> 257

aaagtggagg	gcgagggccg	gggcccgtgg	gctctggggc	tgctgcgcac	cttcgacgcc	60
ggcgaaattcg	caggctggga	gaaggctggc	tcgggctggc	tcgggcaggt	gtacaaggtg	120
cgccatgtgc	actggaagac	gtggctcgcg	atcaagtctg	cgccagctct	gcacgtcgac	180
gcagcgggaac	gaatggagct	cctggaggaa	gctaaagaag	tgagatggcg	caagttccga	240
tacattctcac	ctgtgtacgg	catatgccag	gaacctgtcg	gcttggtcat	ggagtacatg	300
gagatcaggt	ccctggagaa	gctgctggcc	tcagagccat	tgccctggga	ctcgccttt	360
cgcatcgtgc	acagagacgc	cgtgggcatt	aacttctcgc	attcgatgct	tcgcacactg	420
ctgcacctag	acctgaagcc	agcgaacatc	ctgctgagtg	cccactacaa	tgtaacagat	480

ttcgactttg	ggctggccaa	gtgcaatggc	atgtcccact	ctcatgacct	cagcatggat	540
ggcctgtttg	gtacaaatcgc	ttacctccct	ccagagcgaa	ttcgtgagaa	gagcctgt	600
tttgacacca	aaactgatgt	atacagcttc	gcctatgtga	ttcgtgggtg	gcttacacag	660
aaagaagccat	ttgcagatga	aaagaacatc	ctacacatca	tgatgaaagt	ggtaaaaggc	720
caccggccag	agctgccacc	catctgcaga	ccccggccgc	gtgcctgtgc	cagcctgata	780
gggctctatg	aacggtgtgt	gcattgcagc	ccacaggtgc	ggccaccctt	ccaagaaatt	840
acctctgaaa	cagaagacct	ttgtgagaag	cttgatgagg	agggtgaaag	cttggctctat	900
gagccaggcg	agaaaagctc	ttcagatgtc	aagagttagg	ccaggcccca	gtctctcagc	960
ctcaagctgc	ccctctgtct	ccccctcgat	aacgactgca	gtctctccga	gttgctgata	1020
cagttggagt	ctgggagtct	ccagactctt	gaaggccccc	aagagctcag	ccgaagtctc	1080
tctgaatgca	agctcccatc	gtccagcagt	ggcaagaggg	tctcgggggt	gtcctcagtg	1140
gactcagctt	tttctccagc	aggatctgct	tcactgtctt	ttgagcggga	agcttcaaca	1200
ggcgacctgg	gccccacaga	catccagaag	aagaagctag	tggaatgccat	catatcaggg	1260
gacaccagca	ggctgatgaa	gatcctacag	ccccaaagtg	tggaacttgg	tctagacagc	1320
agtgccagct	tgctgcacct	ggctgtggag	gccggacagg	aggagtgtgt	caagtggctg	1380
ctgtctaaac	atgccaaacc	caacctgacc	aacagggaag	gtctcacacc	actgcataat	1440
gctgtggagc	ggaaggagcg	tggaatttgt	gagctactgc	tgaccccgaa	gaccagtgtc	1500
aatgccaagg	atgaagacca	gtggactgcc	ctgcaacttg	cagccccaga	tggggatgag	1560
gccagcaca	ggctgtgctc	agagaagaat	gcttctgtga	atgaggtgga	ctttgagggc	1620
cgaacaccca	tgcaagttag	ctggcagcat	ggacagagga	acattgtgtg	caccctgtctc	1680
cccgatggtg	tggaatgtgg	cttgcaaggga	aaggatgctt	ggtctgctct	gcaactatgt	1740
gctgtggcag	gccaccttcc	cattgttaag	ctgtacgcca	agcagctcgg	ggtgagtgtg	1800
aatgccccaga	cactagacgg	gaggacaccc	ctgcacctgg	ctgctcagag	ggggcattat	1860
cgtgtggctc	gcattctcat	tgacctgtgc	tctgatgtta	acactctcag	cctacagcca	1920
cagacacctc	tgcatgtttg	tgacagagat	ggacacacat	gtactgccag	gctactcttt	1980
catcgtggtg	ctggcaagga	ggctttgacc	tcagagggct	atactgctt	gcacctgtga	2040
gcccaagaat	gacacctggc	tactgtcaag	ctgctcatag	aggagaaggc	tgatgtgatg	2100
gctcggggct	ccctgaatca	gacagcactg	cacctggctg	ctgccctggg	acactcagag	2160
gtggtagaag	agctgggtcag	tgctgacctc	atgacactgt	ctgatgagca	gggctctcag	2220
gcactgcacc	tggtgtgctca	gggcaggcat	tcacagactg	tggaagacact	gctcaaaact	2280
ggagcacaca	tcaacttgca	gagttctcaag	ttccaaaggag	gccagagctc	tgctgccacc	2340
ttgtctcgac	gcagcaagac	ctagcttgcc	accacaaaac	cagggtcccg	tgtaggcttc	2400
tggaacatcc	ttgtttctct	atgggggacag	aatggtccct	ggacactgct	caccctgtgt	2460
gtggctgtgc	catcacctga	ccaagcagag	gctaattggac	aaaggcaggag	tagctgtctt	2520
ggggccagag	agccaaagtg	tctgatgca	gatggagta	ggctgggtgc	atgtccactgt	2580
ggtattgagt	ggctgtgatg	gcaggacctt	tatgacaaag	ccatacaag	aatgtctcct	2640
ctgtccatag	agcaagccat	ttctgtttgc	ttggagcatc	acactctcag	tagagatgtg	2700
gggaaggcag	tgctctttgt	cttctctatg	tgatggggag	agttagctgtc	tctgaaggca	2760
tagtgggttc	ttaatatatg	agtgacatgg	tagctttgtc	tgagacctgt	gaggatctgg	2820
ctgtcggagt	ctagaaaagg	agtgattata	aagccacagg	gttggtccta	acactggaca	2880
gccttgccaa	catgaaactg	ctgtttcaatt	tggtattttg	gttttggttt	ttagttttga	2940
ttgtctaggt	accatgcctc	gttccccaga	tttccctgtg	gagttctcag	ctaaaatgtc	3000
agagccatat	atataaaagt	taccggaaat	ttttttgtta	atgggtttta	tactaaaagt	3060
tgatttatgca	aacagttttg	tccttcaggc	ttctcttggt	aagtgtatgt	ttggggccag	3120
ggcttttgctg	acttgccctt	tagcaacttc	tgctatgttc	cagttacagt	agatgaaatg	3180
gggcagaagg	ggccatttga	gattgttgta	ctctgaggag	tcagatttga	tagccttttg	3240
ttgtaccttc	cccattttcg	ttctgaacac	tgtaactgta	gagatgacct	gtgtgtcaac	3300
atgctatagc	atggctatgt	acacagaagt	atattaaagt	actgtgtact	ttgacatgaa	3360
tcatgtgacag	gatactcttc	catgacagga	agtagtcagg	ctgtctatgt	tttaaatcgc	3420
ctcaatttgc	cttcaactgt	tcctctcttc	gtgtaaaaac	cggggaccat	aggagatctg	3480
ttttatgtca	ataaaggact	ccgectaaaa	aaaaaa			3516

<210> 258

<211> 946

<212> DNA

<213> Mouse

<400> 258

ccgtgctgca	aatcttgccac	tgtgtgtcgt	catggcctgt	gtcgtctcgt	ggagaaggac	60
agcgtagtgt	gtgagtgcga	ccgggagtg	accggctccg	tatgtgatca	ggaagctcgg	120
gaccctgtgc	ttggtcacag	ctgcaggcac	gggacatgca	tgggactcgg	ggactctctac	180

gtgtgcaagt	gtgccgaggg	ctacggaggg	gctttgtgtg	accagaagaa	tgactctgcc	240
agtgctcgtc	cagccttcaa	gtgccacat	gggcagtgct	acatctcaga	tcgaggggag	300
ccctattgct	tatccagcc	tggtctcagt	ggccatcact	gtgagcaaga	gaatccatgt	360
atgggggaga	tagtccgtga	agccatccgc	cgccagaaga	actaccgctc	ttgtgccacg	420
gcgtccaagg	tgcccatcat	ggaatccgc	gggggtgctg	ggaccacgtg	ctgccagccg	480
attcgaaaga	agcggcgaa	atatgtcttc	cagtgacacg	acggctctct	attctggaa	540
gaggttgaga	gacacttgga	atgtggctgc	cgcgcgtggt	ctcgagcccc	ctctgccacc	600
caccctctct	cgcgtttctg	gaccccagct	catctgggctg	ggaacagcca	catggaacct	660
ctttgagatt	cagaacgaag	gagagaatat	tgagagacaa	gaggcataag	agagaatat	720
aagtatatgt	taataataacc	aaaaatagaa	cttattttta	ttatggaaag	tgactatttt	780
catcttttat	tataataata	tatcacacog	ctctgagtata	tggaactatac	agtgagttat	840
ttttaccaag	ttttgttttg	tggtgtgtat	ctgtgtgtgt	tttataaaca	gctgtttata	900
aaatttttaag	acaaagaaaa	aactactaata	aaaatgtttt	aaacac		946

<210> 259

<211> 1018

<212> DNA

<213> Human

<400> 259

gttaccgcta	ctgccagcac	cgtctgtgtg	acctgcclgy	tctctctccg	tgccagtgcg	60
agccgggctt	ccagctgggg	cttaacaacc	gctctgtgtg	tgatgtgaac	gagtggtgac	120
tgggggcccc	attcgagcag	cgtctgttca	actcctatgg	gaacctctcg	tgctcgtgcc	180
accagggtcta	tgagctgcac	cgggatggct	tctctctcag	tgatatgagt	gagtgagct	240
actccagcta	ctctgtctac	taccgtctgc	tcaacgagcc	agggcgtttc	tcttgcacct	300
gccccagagg	ttaccagctg	ctggcccacac	gctctctgca	agacattgat	gagtggtgag	360
ctgtgtcgca	ccagtgctcc	gagggccaaa	cctgtgtcaa	cttccatggg	ggctaccgct	420
cggtggacac	caaccgtctg	gtggagccct	acatccaggt	ctctgagaac	cgtgtctctc	480
gcccgccttc	caacctctta	tgtcgagagc	agccttcac	cattgtgtac	cgtctacatga	540
ccatcacctc	ggagcggagc	gtgcccgctg	acgtgttcca	gatccagcgc	acctccgctc	600
accccggtgc	ctacaatgoc	tttcagatcc	gtgtggaaa	ctcgcagggg	gacttttaca	660
ttaggcaaat	caacaacgtc	agcgcacatg	tggtctctgc	ccggccggtg	acggggcccc	720
gggagtagct	gctggacctg	gagatggcca	ccatgaattc	ctctatgagc	taccggggcca	780
gctctgtact	gaggtctcac	gtctttgtag	gggcctacac	cttctgagga	gcaggagggga	840
gccacccttc	ctgcagctac	cttagctgag	gagcctgtgt	tgaggggcag	aatgagaaaag	900
gcccaggggc	ccccattgac	agggagctgg	agctctgac	ccagagcttc	agtcacggccg	960
agaggagtag	aggtaacag	gagggcgagc	tccagggccc	ggccagagga	tttggact	1018

<210> 260

<211> 2800

<212> DNA

<213> Mouse

<400> 260

ggcacgagga	agagccgtgc	aataatgggt	ctgaaatcct	tgettataac	atcgactctgg	60
gagacagctg	cattactctg	ggcaacacta	ccacacacgt	gatgaagaac	ctccttccag	120
aaacgacata	ccggtacaga	attcaggcta	tcaatgaaat	tggaagtggg	ccatttagtc	180
agttctattaa	agcaaaaaat	cggccattac	cgctctcgcc	tcttaggctt	gagtggtgtg	240
cgctgggtcc	tcagagcctg	aaagctcaagt	ggggagacag	taactccaag	acacattctg	300
ctgggtgacat	gggtgacaca	ctacagctgg	aagacaggaa	caagagggtt	atcttcaatct	360
accgaggaac	agccacaccc	tacaaaggctc	agagactgac	agagttcacc	tgctactctc	420
tcaggtatcca	ggcaattgagc	gagggcctta	aggggcttta	ctcagaaacc	tacactctca	480
ggcacacaaa	aagctgtgct	ccacacctta	aagcactcgt	agtgacgag	ttagaaggga	540
attctctgtga	aatcttctgg	gagacgggtac	caccgatgag	agggcaccct	gtgagctacg	600
ttctacaggt	gctggtttgga	agagactctg	agtaacaaga	ggtgtacaag	ggagaagagc	660
ccacattcca	aactctcagc	ctccagagca	acacagatta	caggtctccg	gtgtgtgact	720
gcgcgcgctg	ttgtggacag	tctcaggagc	tcagtgccgc	gttcagcccc	tctcggtgtt	780
tcattgttaca	acagcgtgag	gttatgctta	caggggacat	ggaggagcatg	gaagagggcca	840
agatgaaggg	catgatgtcc	accgacgaac	agtttgtctg	atctcatctg	cttggctctg	900
cgacctgtgc	cattttgttt	gcctttatat	tacagtacct	cttaatatga	taaatctcagc	960
aggccagtg	tatgctcgga	acgccacacg	ttttaataca	catttactca	gagcctcccc	1020

```

tttttagcgt gttctgttct ttgatttata cgtctctctt gttttacaca ttttagctagg 1080
ggaaagaggt tggctgcacc tatttgagat gaaagagaag gaagcgcgg gcaagctcca 1140
tttttaaac taataataaa aaaggataaa agacggcgag gaagcgcgg gcaagctcca 1200
gacacccgga gccagctgtgc ccaacagagt tgcctgtctgc ggtctccccc tgtgctctgc 1260
gtctgtctcc actgagtctc ttgcgaagcc ttgtatcatc ttgtgtgta cagtctagta 1320
atttatattc acagtcatct ctgtgatcac tatacctgctt aacagaatca cagtgtatgt 1380
agttcagggg tgggattccg gtgtgtgtcag agtattgcga catgagaata ttcagttgtc 1440
ctctcgaggga gccaccctgc accatcctta cgtcactcag ttacgttaac gtgttagctgc 1500
actcaagtca aagtggtgtac tttaattcaa aatgtttttt tactctgtat cctttatgat 1560
tttaacacta tgaatttgctt gtctaagaag tcacataacc aaatgcgcct ataaatgata 1620
gagcattgta gattttccaca tcggtccata gcagtaacct taagaggcca ttgtgcaata 1680
gttagtgttt tctgtttcgg ctactcttaa agctgcttta acttgctctgt ctgtctttgt 1740
acataaactac ttctaataata atcactagag ttatttatatt ctgttatggt tgaccgggat 1800
tatgtgcaga gagctcatgg cagttgtgaa ctgtctccctt acatgttggc ccatcatatt 1860
tgaagagctt gcctttggct atctcttggg gtgtcagta cgtgaatgaa gttgaatccc 1920
atatttcagt gccactgata ctaatgtagc agtagataga aatcttactg ataaagccca 1980
ccacaaggga accatttaca ttgtctctgt ttctgggggg ttcatctggc cgcattggaga 2040
gagggaagtg aactggctgt tgagcatgag atgtttgggg gccaaagagc ctactagatt 2100
ctctccctgg gctctgcact aatttgcttt gtgacctctc tggcctggt ttcccatgca 2160
tgagtaatac taatcaaatg gatttcaata cctgttaagt ctaagagacc ttggatccac 2220
cggtgctatg taagtgcggg gaatactctt caaggallca cttagagcca tgaggtaatt 2280
atgtctaacc caaagtcatg ggatccctca accaaagtcca caatgttcaa gtacctgac 2340
gacacttaag aagttggagg tgcaactgta ttccaaaggg gtgcgacaga catagccgat 2400
tccccccttc actgtttttt gtatttttt gctccttggg ttctttgat caragctact 2460
ttgtgtctgg tctatgttgt ctatgatgca gtaagtaccc tgtaactagt tatactattc 2520
ccataccaaa gtagtgggga aaccaacatt attttgtttt gggtttatt atactcttc 2580
ctgcatacac tactttaaat gccaatgaca gtgcaatctt tatttatgtt aatgttaaat 2640
gtactttata ctaatgtgccc ctccatgcat gttatattt gtgtgtttta tactttttgt 2700
aattttaggt cagtttagtt ccttggaacc atctgtagta ttgacctctt gacatctttc 2760
ttgtgttttt aaagataaga gcatctaact cattaaatgc 2800

```

<210> 261

<211> 1335

<212> DNA

<213> Mouse

<400> 261

```

acccaaacag cccgggacca tgctgtcgtc cgcctccttg ctccacacac tgggaactgtt 60
cctgtgcctg gctctgcact tatccccctc cctctctgcc agtgataatg ggtcctgcgt 120
ggctcctgat aaactctaca cctccgacat cttggaatcc agcactatgg ctacgtcttc 180
tgggtgggat tgaacctata cagtgaagg ccccgtagac gattcagta gtgcctgat 240
cctgaagaga ctgaaggagg acgacagccc agtgggacac tggagtgga catatgaga 300
gtgcaacgac agcagtgctc actataaact gacatcccaa agccagtcgg tctccagac 360
aaactggaca gtctctactt ccgaggatgt gactaaagtc aacctgcagg tctctatcgt 420
cgtaaatgca acagcctcaa agtcatccgt gaaaatggaa caagtacaac cctcagctcc 480
aaccctattt cctgagagtt ctgagaccag ccagaccata aacacgactc caactgtgaa 540
cacagccaag actacagcca aggcacacag caaacaccaca cgcgtgacca cagccaatac 600
cacagccaat accacagccc tgaccacagc caagaccaca gccaaaagcc tggccatcgg 660
cactctcggc agcccctcgg caggtgcctc catatccctg ctgttttttc tcatattag 720
actctctctc caagaaaaac tggggaagca gatctccaac ctccaggta tctctccag 780
ctcatctcag cagagtgctt aaacataccc gaatcgaaagt ttatgtctct cagtcgcgag 840
ctccaccacc tggaccacca gacctgcaac actagtgac ttgaggata caaatgtgc 900
cctggattct tccgggcaca aattcgcgtt cttgtaataa cttagtccat ccatctcgg 960
tgtaacctga agttctgact ctacgtttaa cctgttgaca gccaatctga actgtgttt 1020
ctgtgccaag gattcccat gagcctcctg ggtgtggggg tggggaggga atgactcttc 1080
tttaacttca agcagatttc agatttctgg ccaaacctac tcaggttgca aagactctat 1140
gtgacttatg tgactgtagg aaaaagagaa atgagtgtac atcctgtggc tactagcaga 1200
tttccactgt gccacagcca gtcggtaggt tttagaggaa gtatatgaa actgtgcttc 1260
agaagccaat gacggagcac atgacttttt ttctcgaagt caaataaaca atatattgaa 1320
caaggaaaaa aaaaa 1335

```

<210> 262
 <211> 1816
 <212> DNA
 <213> Mouse

<400> 262

ggcacgaggga	ctctctgctag	tacttgctcc	tggcgggtggc	tgagcaaccg	gtctcaccag	60
catgctctgc	ctgtgctctgt	atgtgcccat	cgccggggcg	gtccagactg	agttccagta	120
ctttgagtc	aaggggcttc	ctgccgagct	gaatccatc	ttcaaaactca	gtgtctttat	180
ccccctctcaa	gagttctctca	cataccgccca	atggaagcag	aaaatttgtgc	aagcagggtga	240
caaggaccctt	gatgggcaac	tggactttga	agagtttgtta	cattacctcc	aagatcatga	300
gaaaaaacctg	aggctgggtgt	tcaagatgtct	ggacaaaaag	aatgatgtgtc	gaatcgatgc	360
tcaggagatct	atgcagtcct	tgcgggaacct	gggtgtccaag	atctcggaac	agcaggcgcca	420
gaagattctct	aagagcatgtg	ataaagaatgg	cagcatgacc	atcgactgga	acgagtgagg	480
ggactaccac	ctctctgcacc	ctgtggagaa	catcccggaag	atcatctgtgt	actgggaagca	540
ctcgacgactc	ctcgatgtctg	gtgagaatctc	gacagtcacca	gatgagtcca	cagtggagga	600
gagggcagacg	gggagtgtgtt	ggaaggacact	ggtggcgagga	gggtggggcag	gggcagttct	660
cagaacctctg	actgcctccc	tggacagactc	gaagggtgctc	atcgaggctcc	atgcctctccg	720
cagacaacaac	atgtgcatctc	taggtggattg	cacacagatgt	attcgagagag	ggggagcaca	780
gtcactctcgg	cgggggcaacg	gcatcaatgt	cctcaaaaatt	gcccttgagt	cgcccatcaa	840
attcatggcca	tatgacagca	tgaaacgggtt	tgtcgttagt	gatccaggaga	cgtcaggagg	900
ccacgaaaagg	cttgtggcag	gtcctctggc	cggaagccatt	gccagagta	gcattctacc	960
aatggagggtt	ctgaagaccc	gaatggccct	gcggaaaaca	ggacagtact	ccggcatgct	1020
ggactgtgtcc	aggaggtatct	tggctaaaaa	gggtgtagct	gcctctctaca	aaggctacat	1080
cccccaacatg	ctggggatcca	tccccatgc	tggcatcgac	ctagctgtct	atgagacatt	1140
gaaaaataacc	tggctccagc	gctacgcagt	aaacagtcca	gaccctgggt	tgttctgtgt	1200
ctcggccctgt	ggatcatctc	ccagtacttg	tggccagctg	gccagctacc	cactagccct	1260
ggctcaggacc	cggaatgcagg	cacaagcttc	cattgaggcg	gcacctgagg	taacctgact	1320
cagctctcttc	aaacagattc	tgcggaactga	ggggggcttt	gggctctacc	gggggctggc	1380
cccccaacttc	atgaaggtga	tcccggctgt	gagcatcagc	tacgtggtct	acgaaaaact	1440
gaagatcacc	ctgggctgtgc	agttctcgggt	acgggaagggt	ggtggactgt	gtgagcctgt	1500
gctcggggcc	agggatgtga	gtccactcat	tctgtgaatt	tgccaaacct	aagctgactt	1560
acctaaagctg	tgaacctcag	gatacctgag	gggaacggga	gggagctggc	aagctctggg	1620
ctgggtctctg	tgactctggca	gacctctctg	tctcttccaa	ggagagctgt	tgtatgtctt	1680
tgggggtttca	ggggctcagta	agatgtaggc	tcttgcacta	gagacaggac	gtttctctca	1740
gtgccttgcca	gatagcgagc	ttggatgcca	gcttagttct	tccattctctg	tcactagacc	1800
ggactctcagc	cacggg					1816

<210> 263
 <211> 764
 <212> DNA
 <213> Mouse

<400> 263

gcagcacccca	gcgccaaagc	caccaaggc	cgcgacagac	ggcaggagca	cccatcgagc	60
ggcgctactcg	agcgagcgca	gcagagcaga	gagaggcggt	cttgaacctc	agaaccagac	120
cggcgggcat	ccccggcg	cgccagcgac	agcgcgcg	ctctctctgc	tcctgtctcc	180
ccacgcggcc	cctctcgcca	gcataaggct	ggcgctggcg	cgctgtctcc	tgtgtgtctt	240
ggcgctgtgc	gcctcgcgcg	tggcagggtc	caagtgtaa	tgtctccgga	aggggcca	300
gatcgcttac	agcgactga	agaagctgga	aatgaagcca	agatccca	actgcgagga	360
gaagatggtt	atctgcacca	ccaagagcat	gtccaggatc	cgggggcagg	agcatgctct	420
gcacctaaag	ctcgagagca	cacaacgctt	catcaagtgt	tacaattgct	ggaaagcaga	480
gcgcagggtc	tacgaagaat	aggggtggag	atcatgga	gaaaaactcc	agggcagttg	540
agagacttca	gcagaggact	ttgcagatta	aaataaaaag	cctttcttcc	tcacaaagcat	600
aaagcaaaatt	atatattgtc	atgaagctct	tcttaccagg	gtcagttttt	acattttata	660
gcgtgtgtgt	aaaggcttcc	agatgtgaga	tccagctcgc	ctcgccacca	gacttcatta	720
caagtggtct	tttctggggc	gggtggcggg	ggcggggggg	acct		764

<210> 264
 <211> 1697
 <212> DNA

<213> Mouse

<400> 264

gcgcggcccg	ggggactcac	attccccggt	ccccccctccg	ccccacgcgg	ctggggccatg	60
gacgcagat	ggtgggcagt	agtgggtactc	gccacactcc	cttccttggg	agcagggtgga	120
gagtcacccg	aagccccctcc	cgagtcctggg	acacagctgt	ggctcttccg	ctctcttggtg	180
aatgtagcgg	gctatgccag	ctttatggta	cctggctacc	tcctgggtgca	gtaccttaaga	240
cggagaactc	acctggagac	aggcagggggt	ctctgcttcc	cctctggtgaa	agcctgtgtg	300
tttggcaatg	agcccaaggc	tcctgatgag	gttctcctggg	ctcgcggagc	agagacagcg	360
gaatccacc	cgtcttggca	ggtcctgaag	ctggctctct	gtgcctcggg	tctccagggtg	420
tctatctga	cttggggcat	actgcaggaa	agagtgatga	ctggcagcta	cgggggccaca	480
gccacatcac	caggagagca	tctcacagac	tcccagtttc	tgggtgctgat	gaaccgtgtg	540
ctggcgctgg	tgttggcaag	ctcttaactgt	gtcctgggca	agcagcccg	tcatgggtgca	600
ccatgtatac	ggtaactcct	tgccagctctg	tcaaatgtgc	ttagcagctg	gtgcagatga	660
gaagcaacta	agtctgtcag	cttccctacc	caggtgctgg	cgaaggcctc	caaggtgatc	720
cctgtcatga	tgatgggaaa	gctggtgtcc	cggcgcagct	atgaacactg	ggaatacctg	780
actgcggcgc	tcatctccat	tggagttagc	atgttctctc	tatccagtgg	accagagcct	840
agaagctctc	cagccaccac	actctctggc	ttgtctctac	tggcaggcta	tattgcttcc	900
gcagacttca	cttcaaatgt	gcaggatgcc	ctgtttgctc	ataagatgtc	atcgggtcag	960
atgatgtttg	gggtcaattt	attctctctg	cttttcacag	taggctcact	actggaaacg	1020
ggggccctac	tggagggggc	acgcttctatg	gggcggcaca	gtcagtttgc	gctccatctg	1080
clctctctct	ccatctgtctc	cgctcttggg	cagctcttca	tctctacac	cattggacaa	1140
tttgagctgt	ctgtcttctc	tatcatcatg	actctacgcc	aggtctatgc	catctccctc	1200
tctctcctcc	tctatggcca	tactgtcact	gtggtggggg	gactggaggt	agctgtgggtc	1260
tctactgccc	tctactacac	agtcctatgc	cgggcccgga	agcagcgggg	aaagaaggct	1320
gtgcccaatg	agccccagct	acagaagggtg	tgagcagctc	agtaaaagcc	ctcatctctt	1380
gagggactg	ctcagtatca	gcatacacga	gaggatttga	gcctctggag	cagctctctt	1440
tgtcttaaaa	gcccccaact	catggaaatg	acagctgtgg	gtgttttgggt	agaggttgacc	1500
cagagctcct	cccccaatct	ctgaaatctt	gtctgtgggc	agacaaacga	gcaccaagggc	1560
tttgctcata	gcacgacccc	ttgaggttac	caggacacac	ctgggaagag	aattacagag	1620
tctctcaggt	ccccctaggg	ctagtgagaa	tgggtgctgtg	ccagaaggga	caaaggccccc	1680
cagccccagtt	ggggcccc					1697

<210> 265

<211> 159

<212> DNA

<213> Mouse

<220>

<400> 265

gtttttctct	ccaggctgaa	gacctgaacg	tcaagtttga	aggggaagcct	tccatcgcca	60
aaccaaaagca	ggggcgccgg	cggagagccc	tcatcatccc	caccaaggcg	ggcactttca	120
tgcgcccctc	tgtctacttc	aacatcaccc	cttaccaga			159

<210> 266

<211> 292

<212> DNA

<213> Mouse

<400> 266

gtgggggtccc	agacttgcca	accaaagggc	cattcctggt	atatggttct	ggcttcagct	60
ctggtggcat	ggactatggt	atgggtgggtg	gcaaggagcg	tgggaccag	tctcgcttca	120
aacagtggac	ctcaatgatg	gaaggggtgc	catctgtggc	cacacaagaa	gccaccatgc	180
acaaaacgg	gcctatagtg	gccccggta	agacccgagg	aggttcaaca	tacaaccagt	240
ttgatataat	ccccagtgac	acactgggtg	gccatacggg	tctctgctgt	ga	292

<210> 267

<211> 339

<212> DNA

<213> Mouse

<400> 267

ccactgacct	tccacgaagg	tgacagccgg	cggcggatgt	tgtcaaggag	ccgagatagt	60
ccagcagtgc	ctcggtaccc	agaagacggg	ctgtctcccc	ccaaaagacg	gcgacattcg	120
atgagaagtc	accacagtga	tctcacattt	tgcgagatta	tcctgatgga	gatggagtc	180
catgatgcag	cctggccttt	cctagagcct	gtgaaccctc	gcttggtag	tggtaccga	240
cggtcatcac	agaaccctat	ggatttttcc	accatgcgag	aacgcctgct	ccgtggaggg	300
tacactagct	cagaagagtt	tgacgtgat	gctctgctg			339

<210> 268

<211> 153

<212> DNA

<213> Mouse

<400> 268

ctgaagtctc	ctcatccttg	tctggaagac	cataatagtt	actgcattaa	tgagcatgt	60
gcattccacc	atgagctgaa	gcaagccatt	tcgagatgct	ttactgggta	tacgggacaa	120
cgatgtgagc	atttgaccct	aacttcgtat	gct			153

<210> 269

<211> 153

<212> DNA

<213> Human

<400> 269

ttgaagtctc	cacacctttg	cctggaagat	cataaacagt	actgcattca	cggtgcttgt	60
gcattccacc	atgagctaga	gaaagccatc	tcgagtggtt	ttactgggta	tactggagaa	120
aggtgtgagc	acttgacttt	aacttcatat	gct			153

<210> 270

<211> 289

<212> DNA

<213> Human

<400> 270

gcggccgcgc	tgctcctgct	gctgctggcg	ctgtacacgg	cgcggtgtgga	cggttccaaa	60
tgcaagtgtc	cccggaaggg	acccaagatc	cgctacacgg	acgtgaagaa	gctggaaagt	120
aagccaaagt	accgcactg	cgaggagaag	atgggttatca	tcaccaccaa	gagcgtgtcc	180
aggtaccagg	gtcaggagca	ctgcctgcac	cccaagctgc	agagcaccaa	gcgttctatc	240
aagtggtaca	acgcctggaa	cgagaagcgc	aggggtctacg	aagaatag		288

<210> 271

<211> 234

<212> DNA

<213> Mouse

<400> 271

tcacagtgtg	agtgttcccc	gaaggggccc	aagatccgct	acagcgacgt	gaagaagctg	60
gaatgaagc	caaatgaccc	acactgcgag	gagaagatgg	ttatctcac	caccaagagc	120
atgtccaggc	accggggcca	ggagcactgc	ctgcacccta	agctgcagag	caccaaacgc	180
ttcatcaagt	ggtacaatgc	ctggaacgag	aagcgcaggg	tctacgaaga	atag	234

<210> 272

<211> 234

<212> DNA

<213> Human

<400> 272

tcacaaatgca	agtgtctccc	gaagggaccc	aagatccgct	acagcgacgt	gaagaagctg	60
gaatgaagc	caaatgaccc	gcactgcgag	gagaagatgg	ttatctcac	caccaagagc	120
gtgtccaggc	accgaggtca	ggagcactgc	ctgcacccca	agctgcagag	caccaagcgc	180

ttcataaagt ggtacaacgc ctggaacgag aagcgcaggg tctacgaaga atag

234

<210> 273

<211> 645

<212> DNA

<213> Mouse

<400> 273

atgctgtgcg tccgtccctt gcttccacac ctgggactgt tctctgtcct ggctctgcac 60
 ttatccccct cctctctctg cagtataat gggctctctg tggctcctta taacatctac 120
 acctccgaca tcttggaat cagcactatg gctaacgtct ctgggtggga tgtaacctat 180
 acagtgcagg tccccgtgaa cgattcagtc agtgccgtga tctctgaaag agtgaaggag 240
 gacgacagcc cagtgggcac ctggagtgga acatatgaga agtgcaacga cagcagtgct 300
 tactataact tgacatccca aagccagtcg gtcttccaga caaactggag agttctctat 360
 tccgaggatg tgactaaagt caacctgcag gtctctatcg tctgcaatcg cacagcctca 420
 aagtcattccg tgaataatgga acaagtacaa ccttcagcct caacccctat tcttgagagt 480
 ttggagacca gcagagccat aaacacgact ccaactgtga acacagccaa gactacagcc 540
 aaggacacag ccaacaccac agccgtgacc acagccaata ccacagccaa taccacagcc 600
 gtgaccacag ccaagaccac agccaaaagc ctggccatcc gcact 645

<210> 274

<211> 63

<212> DNA

<213> Mouse

<400> 274

gggtacagt atggttacca agtgtgtagt aggttcggaa gcaaaagtgc tcagtttctg .60
aac 63

<210> 275

<211> 388

<212> PRT

<213> Mouse

<400> 275

Met Gly Leu Glu Pro Ser Trp Tyr Leu Leu Leu Cys Leu Ala Val Ser
 1 5 10 15
 Gly Ala Ala Gly Thr Asp Pro Pro Thr Ala Pro Thr Thr Ala Glu Arg
 20 25 30
 Gln Arg Gln Pro Thr Asp Ile Ile Leu Asp Cys Phe Leu Val Thr Glu
 35 40 45
 Asp Arg His Arg Gly Ala Phe Ala Ser Ser Gly Asp Arg Glu Arg Ala
 50 55 60
 Leu Leu Val Leu Lys Gln Val Pro Val Leu Asp Asp Gly Ser Leu Glu
 65 70 75 80
 Gly Ile Thr Asp Phe Gln Gly Ser Thr Glu Thr Lys Gln Asp Ser Pro
 85 90 95
 Val Ile Phe Glu Ala Ser Val Asp Leu Val Gln Ile Pro Gln Ala Glu
 100 105 110
 Ala Leu Leu His Ala Asp Cys Ser Gly Lys Ala Val Thr Cys Glu Ile
 115 120 125
 Ser Lys Tyr Phe Leu Gln Ala Arg Gln Glu Ala Thr Phe Glu Lys Ala
 130 135 140
 His Trp Phe Ile Ser Asn Met Gln Val Ser Arg Gly Gly Pro Ser Val
 145 150 155 160
 Ser Met Val Met Lys Thr Leu Arg Asp Ala Glu Val Gly Ala Val Arg
 165 170 175
 His Pro Thr Leu Asn Leu Pro Leu Ser Ala Gln Gly Thr Val Lys Thr
 180 185 190
 Gln Val Glu Phe Gln Val Thr Ser Glu Thr Gln Thr Leu Asn His Leu
 195 200 205
 Leu Gly Ser Ser Val Ser Leu His Cys Ser Phe Ser Met Ala Pro Asp

WO 99/55865

PCT/NZ99/00051

210 215 220
 Leu Asp Leu Thr Gly Val Glu Trp Arg Leu Gln His Lys Gly Ser Gly
 225 230 235 240
 Gln Leu Val Tyr Ser Trp Lys Thr Gly Gln Gly Gln Ala Lys Arg Lys
 245 250 255
 Gly Ala Thr Leu Glu Pro Glu Glu Leu Leu Arg Ala Gly Asn Ala Ser
 260 265 270
 Leu Thr Leu Pro Asn Leu Thr Leu Lys Asp Glu Gly Thr Tyr Ile Cys
 275 280 285
 Gln Ile Ser Thr Ser Leu Tyr Gln Ala Gln Gln Ile Met Pro Leu Asn
 290 295 300
 Ile Leu Ala Pro Pro Lys Val Gln Leu His Leu Ala Asn Lys Asp Pro
 305 310 315 320
 Leu Pro Ser Leu Val Cys Ser Ile Ala Gly Tyr Tyr Pro Leu Asp Val
 325 330 335
 Gly Val Thr Trp Ile Arg Glu Glu Leu Gly Gly Ile Pro Ala Gln Val
 340 345 350
 Ser Gly Ala Ser Phe Ser Ser Leu Arg Gln Ser Thr Met Gly Thr Tyr
 355 360 365
 Ser Ile Ser Ser Thr Val Met Ala Asp Pro Gly Pro Thr Gly Ala Thr
 370 375 380
 Tyr Thr Cys Gln
 385

<210> 276
 <211> 151
 <212> PRT
 <213> Rat

<400> 276
 Met Ala Glu Pro Trp Ala Gly Gln Phe Leu Gln Ala Leu Pro Ala Thr
 1 5 10 15
 Val Leu Gly Ala Leu Gly Thr Leu Gly Ser Glu Phe Leu Arg Glu Trp
 20 25 30
 Glu Thr Gln Asp Met Arg Val Thr Leu Phe Lys Leu Leu Leu Trp
 35 40 45
 Leu Val Leu Ser Leu Leu Gly Ile Gln Leu Ala Trp Gly Phe Tyr Gly
 50 55 60
 Asn Thr Val Thr Gly Leu Tyr His Arg Pro Gly Lys Trp Gln Gln Met
 65 70 75 80
 Lys Leu Ser Lys Leu Thr Glu Asn Lys Gly Arg Gln Gln Glu Lys Gly
 85 90 95
 Leu Gln Arg Tyr Arg Trp Val Cys Trp Leu Leu Cys Cys Thr Leu Leu
 100 105 110
 Leu Ser Arg Pro Leu Arg Gln Leu Gln Arg Ala Trp Val Gly Gly Leu
 115 120 125
 Glu Tyr His Asp Ala Pro Arg Val Ser Leu His Cys Pro Gln Pro Cys
 130 135 140
 Leu Gln Gln Arg Gln Val Leu
 145 150

<210> 277
 <211> 163
 <212> PRT
 <213> Rat

<400> 277
 Met Pro Leu Val Thr Thr Leu Phe Tyr Ala Cys Phe Tyr His Tyr Thr
 1 5 10 15
 Glu Ser Glu Gly Thr Phe Ser Ser Pro Val Asn Leu Lys Lys Thr Phe
 20 25 30

Lys Ile Pro Asp Arg Gln Tyr Val Leu Thr Ala Leu Ala Ala Arg Ala
 35 40 45
 Lys Leu Arg Ala Trp Asn Asp Val Asp Ala Leu Phe Thr Thr Lys Asn
 50 55 60
 Trp Leu Gly Tyr Thr Lys Lys Arg Ala Pro Ile Gly Phe His Arg Val
 65 70 75 80
 Val Glu Ile Leu His Lys Asn Ser Ala Pro Val Gln Ile Leu Gln Glu
 85 90 95
 Tyr Val Asn Leu Val Glu Asp Val Asp Thr Lys Leu Asn Leu Ala Thr
 100 105 110
 Lys Phe Lys Cys His Asp Val Val Ile Asp Thr Cys Arg Asp Leu Lys
 115 120 125
 Asp Arg Gln Gln Leu Leu Ala Tyr Arg Ser Lys Val Asp Lys Gly Ser
 130 135 140
 Ala Glu Glu Glu Lys Ile Asp Val Ile Leu Ser Ser Ser Gln Ile Arg
 145 150 155 160
 Trp Lys Asn

<210> 278

<211> 330

<212> PRT

<213> Rat

<400> 278

Met Ala Gly Trp Ala Gly Ala Glu Leu Ser Val Leu Asn Pro Leu Arg
 1 5 10 15
 Ala Leu Trp Leu Leu Ala Ala Ala Phe Leu Leu Ala Leu Leu Leu
 20 25 30
 Gln Leu Ala Pro Ala Arg Leu Leu Pro Ser Cys Ala Leu Phe Gln Asp
 35 40 45
 Leu Ile Arg Tyr Gly Lys Thr Lys Gln Ser Gly Ser Arg Arg Pro Ala
 50 55 60
 Val Cys Arg Ala Phe Asp Val Pro Lys Arg Tyr Phe Ser His Phe Tyr
 65 70 75 80
 Val Val Ser Val Leu Trp Asn Gly Ser Leu Leu Trp Phe Leu Ser Gln
 85 90 95
 Ser Leu Phe Leu Gly Ala Pro Phe Pro Ser Trp Leu Trp Ala Leu Leu
 100 105 110
 Arg Thr Leu Gly Val Thr Gln Phe Gln Ala Leu Gly Met Glu Ser Lys
 115 120 125
 Ala Ser Arg Ile Gln Ala Gly Glu Leu Ala Leu Ser Thr Phe Leu Val
 130 135 140
 Leu Val Phe Leu Trp Val His Ser Leu Arg Arg Leu Phe Glu Cys Phe
 145 150 155 160
 Tyr Val Ser Val Phe Ser Asn Thr Ala Ile His Val Val Gln Tyr Cys
 165 170 175
 Phe Gly Leu Val Tyr Tyr Val Leu Val Gly Leu Thr Val Leu Ser Gln
 180 185 190
 Val Pro Met Asn Asp Lys Asn Val Tyr Ala Leu Gly Lys Asn Leu Leu
 195 200 205
 Leu Gln Ala Arg Trp Phe His Ile Leu Gly Met Met Met Phe Phe Trp
 210 215 220
 Ser Ser Ala His Gln Tyr Lys Cys His Val Ile Leu Ser Asn Leu Arg
 225 230 235 240
 Arg Asn Lys Lys Gly Val Val Ile His Cys Gln His Arg Ile Pro Phe
 245 250 255
 Gly Asp Trp Phe Glu Tyr Val Ser Ser Ala Asn Tyr Leu Ala Glu Leu
 260 265 270
 Met Ile Tyr Ile Ser Met Ala Val Thr Phe Gly Leu His Asn Val Thr
 275 280 285

Trp Trp Leu Val Val Thr Tyr Val Phe Phe Ser Gln Ala Leu Ser Ala
 290 295 300
 Phe Phe Asn His Arg Phe Tyr Lys Ser Thr Phe Val Ser Tyr Pro Lys
 305 310 315 320
 His Arg Lys Ala Phe Leu Pro Phe Leu Phe
 325 330

<210> 279

<211> 61

<212> PRT

<213> Rat

<400> 279

Met Glu Asn Ile Tyr Tyr Thr Asn Leu Ile Thr Ile Leu Gly Asn Lys
 1 5 10 15
 His Ala Asn Gln Met Glu Leu Asn Leu Gln Ala Leu Ile Leu Ser Pro
 20 25 30
 Trp Phe Ala Val Cys Ala Pro Pro Gly Phe Ala Arg Asp Gln Ala Val
 35 40 45
 Arg Gly Leu Ala Leu Ala Gly Arg Arg Ile Thr Val Val
 50 55 60

<210> 280

<211> 105

<212> PRT

<213> Rat

<400> 280

Met Leu Arg Arg Gln Leu Val Trp Trp His Leu Leu Ala Leu Leu Phe
 1 5 10 15
 Leu Pro Phe Cys Leu Cys Gln Asp Glu Tyr Met Glu Ser Pro Gln Ala
 20 25 30
 Gly Gly Leu Pro Pro Asp Cys Ser Lys Cys Cys His Gly Asp Tyr Gly
 35 40 45
 Phe Arg Gly Tyr Gln Gly Pro Pro Gly Pro Pro Gly Pro Gly Ile
 50 55 60
 Pro Gly Asn His Gly Asn Asn Gly Asn Asn Gly Ala Thr Gly His Glu
 65 70 75 80
 Gly Ala Lys Gly Glu Lys Gly Asp Lys Gly Asp Leu Gly Pro Arg Gly
 85 90 95
 Glu Arg Gly Gln His Gly Pro Lys Gly
 100 105

<210> 281

<211> 27

<212> PRT

<213> Mouse

<400> 281

Met Leu Lys Ala Ser Leu His Ile Leu Phe Leu Gly Ile Leu Asn Val
 1 5 10 15
 Pro Ile Val Asp Thr Ser Thr Lys Thr Gly Val
 20 25

<210> 282

<211> 169

<212> PRT

<213> Mouse

<400> 282

Met Ser Gly Leu Arg Thr Leu Leu Gly Leu Gly Leu Leu Val Ala Gly

1 5 10 15
 Ser Arg Leu Pro Arg Val Ile Ser Gln Gln Ser Val Cys Arg Ala Arg
 20 25 30
 Pro Ile Trp Trp Gly Thr Gln Arg Arg Gly Ser Glu Thr Met Ala Gly
 35 40 45
 Ala Ala Val Lys Tyr Leu Ser Gln Glu Glu Ala Gln Ala Val Asp Gln
 50 55 60
 Glu Leu Phe Asn Glu Tyr Gln Phe Ser Val Asp Gln Leu Met Glu Leu
 65 70 75 80
 Ala Gly Leu Ser Cys Ala Thr Ala Ile Ala Lys Ala Tyr Pro Pro Thr
 85 90 95
 Ser Met Ser Lys Ser Pro Pro Thr Val Leu Val Ile Cys Gly Pro Gly
 100 105 110
 Asn Asn Gly Gly Asp Gly Leu Val Cys Ala Arg His Leu Lys Leu Phe
 115 120 125
 Gly Tyr Gln Pro Thr Ile Tyr Tyr Pro Lys Arg Pro Asn Lys Pro Leu
 130 135 140
 Phe Thr Gly Leu Val Thr Gln Cys Gln Lys Met Asp Ile Pro Phe Leu
 145 150 155 160
 Gly Glu Met Pro Pro Glu Asp Gly Met
 165

<210> 283

<211> 61

<212> PRT

<213> Mouse

<400> 283

Met Glu Lys Gln Met Asp Ala Ser Val Ser Val Ile Phe Gly Ser Ile
 1 5 10 15
 Val Ile Ser Ala Phe Leu Tyr Leu Ser Leu Ala Gly Pro Trp Ala Val
 20 25 30
 Thr Val Thr Gln Met Arg Thr Ile Ile Ile Thr Met Asp Gln Leu Arg
 35 40 45
 Asp Ala Leu Ile Leu Asp Gln Leu Lys Val Ala Val Ser
 50 55 60

<210> 284

<211> 131

<212> PRT

<213> Mouse

<400> 284

Met Ala Pro Ser Leu Trp Lys Gly Leu Val Gly Val Gly Leu Phe Ala
 1 5 10 15
 Leu Ala His Ala Ala Phe Ser Ala Ala Gln His Arg Ser Tyr Met Arg
 20 25 30
 Leu Thr Glu Lys Glu Asp Glu Ser Leu Pro Ile Asp Ile Val Leu Gln
 35 40 45
 Thr Leu Leu Ala Phe Ala Val Thr Cys Tyr Gly Ile Val His Ile Ala
 50 55 60
 Gly Glu Phe Lys Asp Met Asp Ala Thr Ser Glu Leu Lys Asn Lys Thr
 65 70 75 80
 Phe Asp Thr Leu Arg Asn His Pro Ser Phe Tyr Val Phe Asn His Arg
 85 90 95
 Gly Arg Val Leu Phe Arg Pro Ser Asp Ala Thr Asn Ser Ser Asn Leu
 100 105 110
 Asp Ala Leu Ser Ser Asn Thr Ser Leu Lys Leu Arg Lys Phe Asp Ser
 115 120 125
 Leu Arg Arg
 130

<210> 285
 <211> 78
 <212> PRT
 <213> Mouse

<400> 285
 Gly Thr Arg Lys Pro Leu Pro Met Glu Ala His Ser Arg Arg Glu Lys
 1 5 10 15
 Ala Ser Gly Leu Arg Leu Ala Trp His Tyr Glu Cys Ser Gly Val Ser
 20 25 30
 Val Trp Trp Met Cys Val Leu Gly Trp Leu Ser Phe Leu Val Phe Leu
 35 40 45
 Leu Phe Ser Leu Val Cys Ser Phe Pro Ser Pro Ile Asn His Ser His
 50 55 60
 Met Leu Pro Cys Leu Phe Leu Arg Gly Gly Ser Asn Val
 65 70 75

<210> 286
 <211> 206
 <212> PRT
 <213> Mouse

<400> 286
 Met Leu Pro Pro Ala Ile His Leu Ser Leu Ile Pro Leu Leu Cys Ile
 1 5 10 15
 Leu Met Arg Asn Cys Leu Ala Phe Lys Asn Asp Ala Thr Glu Ile Leu
 20 25 30
 Tyr Ser His Val Val Lys Pro Val Pro Ala His Pro Ser Ser Asn Ser
 35 40 45
 Thr Leu Asn Gln Ala Arg Asn Gly Gly Arg His Phe Ser Ser Thr Gly
 50 55 60
 Leu Asp Arg Asn Ser Arg Val Gln Val Gly Cys Arg Glu Leu Arg Ser
 65 70 75
 Thr Lys Tyr Ile Ser Asp Gly Gln Cys Thr Ser Ile Ser Pro Leu Lys
 85 90 95
 Glu Leu Val Cys Ala Gly Glu Cys Leu Pro Leu Pro Val Leu Pro Asn
 100 105 110
 Trp Ile Gly Gly Tyr Gly Thr Lys Tyr Trp Ser Arg Arg Ser Ser
 115 120 125
 Gln Glu Trp Arg Cys Val Asn Asp Lys Thr Arg Thr Gln Arg Ile Gln
 130 135 140
 Leu Gln Cys Gln Asp Gly Ser Thr Arg Thr Tyr Lys Ile Thr Val Val
 145 150 155 160
 Thr Ala Cys Lys Cys Lys Arg Tyr Thr Arg Gln His Asn Glu Ser Ser
 165 170 175
 His Asn Phe Glu Ser Val Ser Pro Ala Lys Pro Ala Gln His His Arg
 180 185 190
 Glu Arg Lys Arg Ala Ser Lys Ser Ser Lys His Ser Leu Ser
 195 200 205

<210> 287
 <211> 169
 <212> PRT
 <213> Mouse

<400> 287
 Met Ser Gly Leu Arg Thr Leu Leu Gly Leu Gly Leu Leu Val Ala Gly
 1 5 10 15
 Ser Arg Leu Pro Arg Val Ile Ser Gln Gln Ser Val Cys Arg Ala Arg
 20 25 30

WO 99/55865

PCT/NZ99/00051

Pro Ile Trp Trp Gly Thr Gln Arg Arg Gly Ser Glu Thr Met Ala Gly
 35 40 45
 Ala Ala Val Lys Tyr Leu Ser Gln Glu Ala Gln Ala Val Asp Gln
 50 55 60
 Glu Leu Phe Asn Glu Tyr Gln Phe Ser Val Asp Gln Leu Met Glu Leu
 65 70 75 80
 Ala Gly Leu Ser Cys Ala Thr Ala Ile Ala Lys Ala Tyr Pro Pro Thr
 85 90 95
 Ser Met Ser Lys Ser Pro Pro Thr Val Leu Val Ile Cys Gly Pro Gly
 100 105 110
 Asn Asn Gly Gly Asp Gly Leu Val Cys Ala Arg His Leu Lys Leu Phe
 115 120 125
 Gly Tyr Gln Pro Thr Ile Tyr Tyr Pro Lys Arg Pro Asn Lys Pro Leu
 130 135 140
 Phe Thr Gly Leu Val Thr Gln Cys Gln Lys Met Asp Ile Pro Phe Leu
 145 150 155 160
 Gly Glu Met Pro Pro Glu Asp Gly Met
 165

<210> 288
 <211> 114
 <212> PRT
 <213> Mouse

<400> 288
 Met Ser Val Thr Ile Gly Arg Leu Ala Leu Phe Leu Ile Gly Ile Leu
 1 5 10 15
 Leu Cys Pro Val Ala Pro Ser Leu Thr Arg Ser Trp Pro Gly Pro Asp
 20 25 30
 Thr Cys Ser Leu Phe Leu Gln His Ser Leu Ser Leu Ser Leu Arg Leu
 35 40 45
 Gly Gln Ser Leu Glu Gly Gly Leu Ser Val Cys Phe His Val Cys Ile
 50 55 60
 His Ala Cys Glu Cys Val Ala Cys Cys Arg Val Leu Trp Asp Pro Lys
 65 70 75 80
 Pro Arg Gly Ser Ser Leu Cys Arg Trp Val Leu Gly Ser Ile Thr Cys
 85 90 95
 Leu Phe Met Tyr Glu Val Gly Gly Trp Thr Gln Gly Gly Leu Ile Val
 100 105 110
 Ser Leu

<210> 289
 <211> 46
 <212> PRT
 <213> Mouse

<400> 289
 Met His Tyr Pro Cys Leu Ala Cys Leu Phe Val Asn Val His Trp Cys
 1 5 10 15
 Phe Ala Trp Met Cys Ile Leu Val Lys Met Ser Glu Leu Leu Glu Leu
 20 25 30
 Glu Leu Glu Thr Met Val Ser Cys Leu Val Asp Val Gly Asn
 35 40 45

<210> 290
 <211> 199
 <212> PRT
 <213> Mouse

<400> 290

Met Val Leu Pro Thr Val Leu Ile Leu Leu Leu Ser Trp Ala Ala Gly
 1 5 10 15
 Leu Gly Gly Glu Thr Arg Pro Arg Ala Ala Thr Glu Arg Arg Ser Val
 20 25 30
 Gly Pro Ser Ala Arg Arg Gly Ala Gly Pro Arg Val Ser Gly Leu Leu
 35 40 45
 Gly Phe Cys Gln Leu Ser Gln Leu Ala Ser Ala Asp Pro Glu Arg Arg
 50 55 60
 Ser Pro Arg Ala Ile Val Pro Arg Ala Pro Arg Pro Arg Ser Arg Arg
 65 70 75 80
 Arg Pro Cys Leu Pro Gly Phe Ser Arg Arg Phe Pro Arg Glu Arg Arg
 85 90 95
 Ser Pro Gly Gln Pro Pro Ser Arg Thr Pro Gln Pro Pro Gln Pro Cys
 100 105 110
 Arg Gly Pro Ser Pro Gly Thr Ala Gln Thr Arg Ser Asn Leu Arg Gly
 115 120 125
 Trp Gln Arg Gly Gly Ser Ile Val Leu Gln Ala Ser Glu Arg Thr Arg
 130 135 140
 Ala Gly Cys Arg Thr Pro Val Cys Val Ser His Pro Ser Ala Phe Pro
 145 150 155 160
 Pro Pro Arg Ala Leu Phe Gly Val Phe Val Ala Ser Ala Pro Glu Val
 165 170 175
 Val Cys Val Cys Val Ser Val Val Leu Ser Val Cys Leu Leu Ser Pro
 180 185 190
 Arg Gly Lys Thr Leu Val Asp
 195

<210> 291
 <211> 568
 <212> PRT
 <213> Rat

<400> 291
 Met Glu Leu Leu Tyr Trp Cys Leu Leu Cys Leu Leu Leu Pro Leu Thr
 1 5 10 15
 Ser Arg Thr Gln Lys Leu Pro Thr Arg Asp Glu Glu Leu Phe Gln Met
 20 25 30
 Gln Ile Arg Asp Lys Ala Leu Phe His Asp Ser Ser Val Ile Pro Asp
 35 40 45
 Gly Ala Glu Ile Ser Ser Tyr Leu Phe Arg Asp Thr Pro Arg Arg Tyr
 50 55 60
 Phe Phe Met Val Glu Glu Asp Asn Thr Pro Leu Ser Val Thr Val Thr
 65 70 75 80
 Pro Cys Asp Ala Pro Leu Glu Trp Lys Leu Ser Leu Gln Glu Leu Pro
 85 90 95
 Glu Glu Ser Ser Ala Asp Gly Ser Gly Asp Pro Glu Pro Leu Asp Gln
 100 105 110
 Gln Lys Gln Gln Met Thr Asp Val Glu Gly Thr Glu Leu Phe Ser Tyr
 115 120 125
 Lys Gly Asn Asp Val Glu Tyr Phe Leu Ser Ser Ser Pro Ser Gly
 130 135 140
 Leu Tyr Gln Leu Glu Leu Leu Ser Thr Glu Lys Asp Thr His Phe Lys
 145 150 155 160
 Val Tyr Ala Thr Thr Thr Pro Glu Ser Asp Gln Pro Tyr Pro Asp Leu
 165 170 175
 Pro Tyr Asp Pro Arg Val Asp Val Thr Ser Ile Gly Arg Thr Thr Val
 180 185 190
 Thr Leu Ala Trp Lys Gln Ser Pro Thr Ala Ser Met Leu Lys Gln Pro
 195 200 205
 Ile Glu Tyr Cys Val Val Ile Asn Lys Glu His Asn Phe Lys Ser Leu
 210 215 220

Cys Ala Ala Glu Thr Lys Met Ser Ala Asp Asp Ala Phe Met Val Ala
 225 230 235 240
 Pro Lys Pro Gly Leu Asp Phe Ser Pro Phe Asp Phe Ala His Phe Gly
 245 250 255
 Phe Pro Thr Asp Asn Leu Gly Lys Asp Arg Ser Phe Leu Ala Lys Pro
 260 265 270
 Ser Pro Lys Val Gly Arg His Val Tyr Trp Arg Pro Lys Val Asp Ile
 275 280 285
 Lys Lys Ile Cys Ile Gly Ser Lys Asn Ile Phe Thr Val Ser Asp Leu
 290 295 300
 Lys Pro Asn Thr Gln Tyr Tyr Phe Asp Val Phe Met Val Asn Thr Asn
 305 310 315 320
 Thr Asn Met Asn Thr Ala Phe Val Gly Ala Phe Ala Arg Thr Lys Glu
 325 330 335
 Glu Ala Lys Gln Lys Thr Val Glu Leu Lys Asp Gly Arg Val Thr Asp
 340 345 350
 Val Val Val Lys Arg Lys Gly Lys Lys Phe Leu Arg Phe Ala Pro Val
 355 360 365
 Ser Ser His Gln Lys Val Thr Leu Phe Ile His Ser Cys Met Asp Thr
 370 375 380
 Val Gln Val Gln Val Arg Arg Asp Gly Lys Leu Leu Ser Gln Asn
 385 390 395 400
 Val Glu Gly Ile Arg Gln Phe Gln Leu Arg Gly Lys Pro Lys Gly Lys
 405 410 415
 Tyr Leu Ile Arg Leu Lys Gly Asn Lys Lys Gly Ala Ser Met Leu Lys
 420 425 430
 Ile Leu Ala Thr Thr Arg Pro Ser Lys His Ala Phe Pro Ser Leu Pro
 435 440 445
 Asp Asp Thr Arg Ile Lys Ala Phe Asp Lys Leu Arg Thr Cys Ser Ser
 450 455 460
 Val Thr Val Ala Trp Leu Gly Thr Gln Glu Arg Arg Lys Phe Cys Ile
 465 470 475 480
 Tyr Arg Lys Glu Val Gly Gly Asn Tyr Ser Glu Glu Gln Lys Arg Arg
 485 490 495
 Glu Arg Asn Gln Cys Leu Gly Pro Asp Thr Arg Lys Lys Ser Glu Lys
 500 505 510
 Val Leu Cys Lys Tyr Phe His Ser Gln Asn Leu Gln Lys Ala Val Thr
 515 520 525
 Thr Glu Thr Ile Arg Asp Leu Gln Pro Gly Lys Ser Tyr Leu Leu Asp
 530 535 540
 Val Tyr Val Val Gly His Gly Gly His Ser Val Lys Tyr Gln Ser Lys
 545 550 555 560
 Leu Val Lys Thr Arg Lys Val Cys
 565

<210> 292

<211> 123

<212> PRT

<213> Mouse

<400> 292

Met Leu Thr Glu Pro Ala Gln Leu Phe Val His Lys Lys Asn Gln Pro
 1 5 10 15
 Pro Ser His Ser Ser Leu Arg Leu His Phe Arg Thr Leu Ala Gly Ala
 20 25 30
 Leu Ala Leu Ser Ser Thr Gln Met Ser Trp Gly Leu Gln Ile Leu Pro
 35 40 45
 Cys Leu Ser Leu Ile Leu Leu Leu Trp Asn Gln Val Pro Gly Leu Glu
 50 55 60
 Gly Gln Glu Phe Arg Phe Gly Ser Cys Gln Val Thr Gly Val Val Leu
 65 70 75 80

WO 99/55865

PCT/NZ99/00051

Pro Glu Leu Trp Glu Ala Phe Trp Thr Val Lys Asn Thr Val Gln Thr
 85 90 95
 Gln Asp Asp Ile Thr Ser Ile Arg Leu Leu Lys Pro Gln Val Leu Arg
 100 105 110
 Asn Val Ser Val Ile Arg Trp Glu Gly Asp Ser
 115 120

<210> 293
 <211> 66
 <212> PRT
 <213> Mouse

<400> 293
 Met Asp Val Trp Ser Gly Leu Pro Leu Glu Thr Leu Trp Ile Tyr Glu
 1 5 10 15
 Ala Val Leu Pro Trp Leu Leu Met Gly Gln Gly His Ala Trp Val Cys
 20 25 30
 Gly Pro Ile Ala Leu Trp Val Phe Val Asn Val Pro Gly Leu Cys Tyr
 35 40 45
 His Gln Lys Pro Phe Arg Cys Pro Trp Ser Gly Leu Leu Pro Glu Ala
 50 55 60
 Leu Cys
 65

<210> 294
 <211> 294
 <212> PRT
 <213> Rat

<400> 294
 Met Thr Val Phe Arg Lys Val Thr Thr Met Ile Ser Trp Met Leu Leu
 1 5 10 15
 Ala Cys Ala Leu Pro Cys Ala Ala Asp Pro Met Leu Gly Ala Phe Ala
 20 25 30
 Arg Arg Asp Phe Gln Lys Gly Gly Pro Gln Leu Val Cys Ser Leu Pro
 35 40 45
 Gly Pro Gln Gly Pro Pro Gly Pro Pro Gly Ala Pro Gly Ser Ser Gly
 50 55 60
 Met Val Gly Arg Met Gly Phe Pro Gly Lys Asp Gly Gln Asp Gly Gln
 65 70 75 80
 Asp Gly Asp Arg Gly Asp Ser Gly Glu Glu Gly Pro Pro Gly Arg Thr
 85 90 95
 Gly Asn Arg Gly Lys Gln Gly Pro Lys Gly Lys Ala Gly Ala Ile Gly
 100 105 110
 Arg Ala Gly Pro Arg Gly Pro Lys Gly Val Ser Gly Thr Pro Gly Lys
 115 120 125
 His Gly Ile Pro Gly Lys Lys Gly Pro Lys Gly Lys Lys Gly Glu Pro
 130 135 140
 Gly Leu Pro Gly Pro Cys Ser Cys Gly Ser Arg Ala Lys Ser Ala
 145 150 155 160
 Phe Ser Val Ala Val Thr Lys Ser Tyr Pro Arg Glu Arg Leu Pro Ile
 165 170 175
 Lys Phe Asp Lys Ile Leu Met Asn Glu Gly Gly His Tyr Asn Ala Ser
 180 185 190
 Ser Gly Lys Phe Val Cys Ser Val Pro Gly Ile Tyr Tyr Phe Thr Tyr
 195 200 205
 Asp Ile Thr Leu Ala Asn Lys His Leu Ala Ile Gly Leu Val His Asn
 210 215 220
 Gly Gln Tyr Arg Ile Arg Thr Phe Asp Ala Asn Thr Gly Asn His Asp
 225 230 235 240
 Val Ala Ser Gly Ser Thr Ile Leu Ala Leu Lys Glu Gly Asp Glu Val

PCT/NZ99/00051

```
<210> 295
<211> 243
<212> PRT
<213> Rat
```

```
<210> 296
<211> 444
<212> PRT
<213> Rat
```

112

Pro Glu Glu Lys Lys Lys Arg Ser Gly Phe Arg Asp Arg Lys Val
 65 70 75
 Met Glu Tyr Glu Asn Arg Ile Arg Ala Tyr Ser Thr Pro Asp Lys Ile
 85 90 95
 Phe Arg Tyr Phe Ala Thr Leu Lys Val Ile Asn Glu Pro Gly Glu Thr
 100 105 110
 Glu Val Phe Met Thr Pro Gln Asp Phe Val Arg Ser Ile Thr Pro Asn
 115 120 125
 Glu Lys Gln Pro Glu His Leu Gly Leu Asp Gln Tyr Ile Ile Lys Arg
 130 135 140
 Phe Asp Gly Lys Lys Ile Ala Gln Glu Arg Glu Lys Phe Ala Asp Glu
 145 150 155 160
 Gly Ser Ile Phe Tyr Thr Leu Gly Glu Cys Gly Leu Ile Ser Phe Ser
 165 170 175
 Asp Tyr Ile Phe Leu Thr Thr Val Leu Ser Thr Pro Gln Arg Asn Phe
 180 185 190
 Glu Ile Ala Phe Lys Met Phe Asp Leu Asn Gly Asp Gly Glu Val Asp
 195 200 205
 Met Glu Glu Phe Glu Gln Val Gln Ser Ile Ile Arg Ser Gln Thr Ser
 210 215 220
 Met Gly Met Arg His Arg Asp Arg Pro Thr Thr Gly Asn Thr Leu Lys
 225 230 235 240
 Ser Gly Leu Cys Ser Ala Leu Thr Thr Tyr Phe Phe Gly Ala Asp Leu
 245 250 255
 Lys Gly Lys Leu Thr Ile Lys Asn Phe Leu Glu Phe Gln Arg Lys Leu
 260 265 270
 Gln His Asp Val Leu Lys Leu Glu Phe Glu Arg His Asp Pro Val Asp
 275 280 285
 Gly Arg Ile Ser Glu Arg Gln Phe Gly Gly Met Leu Leu Ala Tyr Ser
 290 295 300
 Gly Val Gln Ser Lys Lys Leu Thr Ala Met Gln Arg Gln Leu Lys Lys
 305 310 315 320
 His Phe Lys Asp Gly Lys Gly Leu Thr Phe Gln Glu Val Glu Asn Phe
 325 330 335
 Phe Thr Phe Leu Lys Asn Ile Asn Asp Val Asp Thr Ala Leu Ser Phe
 340 345 350
 Tyr His Met Ala Gly Ala Ser Leu Asp Lys Val Thr Met Gln Gln Val
 355 360 365
 Ala Arg Thr Val Ala Lys Val Glu Leu Ser Asp His Val Cys Asp Val
 370 375 380
 Val Phe Ala Leu Phe Asp Cys Asp Gly Asn Gly Glu Leu Ser Asn Lys
 385 390 395 400
 Glu Phe Val Ser Ile Met Lys Gln Arg Leu Met Arg Gly Leu Glu Lys
 405 410 415
 Pro Lys Asp Met Gly Phe Thr Arg Leu Met Gln Ala Met Trp Lys Cys
 420 425 430
 Ala Gln Glu Thr Ala Trp Asp Phe Ala Leu Pro Lys
 435 440

<210> 297

<211> 65

<212> PRT

<213> Human

<400> 297

Met Thr Met Leu His Leu Ala Val Ile Phe Leu Phe Ser Ala Leu Ser
 1 5 10 15
 Arg Ala Leu Val Gln Cys Ser Ser His Arg Ala Arg Val Val Leu Ser
 20 25 30
 Trp Ala Asp Tyr Leu Arg Arg Val Ala Pro Thr Ala Leu Ala Thr Ala
 35 40 45

Leu Asp Val Gly Leu Ser Asn Trp Ser Phe Leu Tyr Val Thr Val Ser
 50 55 60
 Leu
 65

<210> 298
 <211> 52
 <212> PRT
 <213> Human

<400> 298
 Met Lys Ile Asn Ile Ile Gln Gly Ser Ile Met Ile Leu Leu Ile Cys
 1 5 10 15
 Leu Ser Gln Thr Cys Thr Ser Leu Pro Val Gln Glu Ala Leu Ile Thr
 20 25 30
 Phe Cys His Leu Tyr Phe Thr Tyr Cys Tyr Ser Gly Asn Ser Asn Lys
 35 40 45
 Met Gln Val Leu
 50

<210> 299
 <211> 41
 <212> PRT
 <213> Human

<400> 299
 Met Pro Cys Val Leu Phe Phe Phe Phe Phe Leu Ser Thr Ser Lys Ser
 1 5 10 15
 Met Ile Tyr Ser Ser Leu Met Leu Gly Leu Tyr Ile Pro Ser Glu Ala
 20 25 30
 Cys Val Leu Gly Leu Lys Phe Lys Phe
 35 40

<210> 300
 <211> 80
 <212> PRT
 <213> Mouse

<400> 300
 Met Val Trp Gly Thr Leu Leu Gly Arg Val Leu Ala Ala Leu Leu Asn
 1 5 10 15
 Ile Val Pro Thr Glu Ser Ser Tyr Arg Ser Pro Ser Phe Leu Ala Gly
 20 25 30
 Phe Arg Phe Cys Cys Ser Pro Trp Ser Gln His Phe Gly Cys Gly Arg
 35 40 45
 Leu Thr Ser Cys Leu Pro Pro Cys Val Asp Arg Val Val Lys Thr Tyr
 50 55 60
 Ser Ser Pro Pro Cys Leu Ser Val Asn Gly His Asp Val Thr Ile Cys
 65 70 75 80

<210> 301
 <211> 82
 <212> PRT
 <213> Mouse

<400> 301
 Met Gly Ser Val Leu Thr Ser Cys Phe Cys Val Gly Gly Ser Ala Glu
 1 5 10 15
 Ala Trp Asn Trp Leu Pro Ser Ala Ser Ser Leu Phe Pro Cys Cys Ile
 20 25 30
 Ala Thr Leu Leu Pro Leu Leu Phe Leu Leu Pro His Leu His Ser Thr

35
 Leu Ser Arg Val Gln Arg Leu Asn Phe Asn Ile Gly His Leu Gly Val
 50
 Tyr Leu Tyr Val Asn Asn Asp Ile Arg Ser Arg Val Thr Pro Leu Leu
 65
 Ser Ser
 70 75 80

<210> 302
 <211> 411
 <212> PRT
 <213> Rat

<400> 302
 Met Pro Thr Met Trp Pro Leu Leu His Val Leu Trp Leu Ala Leu Val
 1 10 15
 Cys Gly Ser Val His Thr Thr Leu Ser Lys Ser Asp Ala Lys Lys Ala
 20 25 30
 Ala Ser Lys Thr Leu Leu Glu Lys Thr Gln Phe Ser Asp Lys Pro Val
 35 40 45
 Gln Asp Arg Gly Leu Val Thr Asp Ile Lys Ala Glu Asp Val Val
 50 55 60
 Leu Glu His Arg Ser Tyr Cys Ser Ala Arg Ala Arg Glu Arg Asn Phe
 65 70 75 80
 Ala Gly Glu Val Leu Gly Tyr Val Thr Pro Trp Asn Ser His Gly Tyr
 85 90 95
 Asp Val Ala Lys Val Phe Gly Ser Lys Phe Thr Gln Ile Ser Pro Val
 100 105 110
 Trp Leu Gln Leu Lys Arg Arg Gly Arg Glu Met Phe Glu Ile Thr Gly
 115 120 125
 Leu His Asp Val Asp Gln Gly Trp Met Arg Ala Val Lys Lys His Ala
 130 135 140
 Lys Gly Val Arg Ile Val Pro Arg Leu Leu Phe Glu Asp Trp Thr Tyr
 145 150 155 160
 Asp Asp Phe Arg Ser Val Leu Asp Ser Glu Asp Glu Ile Glu Glu Leu
 165 170 175
 Ser Lys Thr Val Val Gln Val Ala Lys Asn Gln His Phe Asp Gly Phe
 180 185 190
 Val Val Glu Val Trp Ser Gln Leu Leu Ser Gln Lys His Val Gly Leu
 195 200 205
 Ile His Met Leu Thr His Leu Ala Glu Ala Leu His Gln Ala Arg Leu
 210 215 220
 Leu Val Ile Leu Val Ile Pro Pro Ala Val Thr Pro Gly Thr Asp Gln
 225 230 235 240
 Leu Gly Met Phe Thr His Lys Glu Phe Glu Gln Leu Ala Pro Ile Leu
 245 250 255
 Asp Gly Phe Ser Leu Met Thr Tyr Asp Tyr Ser Thr Ser Gln Gln Pro
 260 265 270
 Gly Pro Asn Ala Pro Leu Ser Trp Ile Arg Ala Cys Val Gln Val Leu
 275 280 285
 Asp Pro Lys Ser Gln Trp Arg Ser Lys Ile Leu Leu Gly Leu Asn Phe
 290 295 300
 Tyr Gly Met Asp Tyr Ala Ala Ser Lys Asp Ala Arg Glu Pro Val Ile
 305 310 315 320
 Gly Ala Arg Ala Val Leu Lys Val Ala Leu Pro Leu Ala Val Ser Ser
 325 330 335
 Gln Gln Ile Trp Thr Leu Gly Arg Gly Gly Ser Thr Ser Ala Leu Leu
 340 345 350
 Leu Ala Gly Leu Gly Leu Ala Ser Glu Pro Cys Thr Lys Ser Glu Glu
 355 360 365
 Val Pro Lys Lys Ser Leu Leu Asp Thr Val Trp His Trp Gln Gly Glu

370 375 380
 Pro Gly Ala Leu Cys Arg Gly Arg Leu His Thr Trp Ile Leu Val Ser
 385 390 395 400
 Ala Val Pro Gln Ala Cys Thr Cys Leu Phe Gln
 405 410

<210> 303

<211> 617

<212> PRT

<213> Mouse

<400> 303

Met Gly Ser Pro Arg Leu Ala Ala Leu Leu Leu Ser Leu Pro Leu Leu
 1 5 10 15
 Leu Ile Gly Leu Ala Val Ser Ala Arg Val Ala Cys Pro Cys Leu Arg
 20 25 30
 Ser Trp Thr Ser His Cys Leu Leu Ala Tyr Arg Val Asp Lys Arg Phe
 35 40 45
 Ala Gly Leu Gln Trp Gly Trp Phe Pro Leu Leu Val Arg Lys Ser Lys
 50 55 60
 Ser Pro Pro Lys Phe Glu Asp Tyr Trp Arg His Arg Thr Pro Ala Ser
 65 70 75 80
 Phe Gln Arg Lys Leu Leu Gly Ser Pro Ser Leu Ser Glu Glu Ser His
 85 90 95
 Arg Ile Ser Ile Pro Ser Ser Ala Ile Ser His Arg Gly Gln Arg Thr
 100 105 110
 Lys Arg Ala Gln Pro Ser Ala Ala Glu Gly Arg Glu His Leu Pro Glu
 115 120 125
 Ala Gly Ser Gln Lys Cys Gly Gly Pro Glu Phe Ser Phe Asp Leu Leu
 130 135 140
 Pro Glu Val Gln Ala Val Arg Val Thr Ile Pro Ala Gly Pro Lys Ala
 145 150 155 160
 Ser Val Arg Leu Cys Tyr Gln Trp Ala Leu Glu Cys Glu Asp Leu Ser
 165 170 175
 Ser Pro Phe Asp Thr Gln Lys Ile Val Ser Gly Gly His Thr Val Asp
 180 185 190
 Leu Pro Tyr Glu Phe Leu Leu Pro Cys Met Cys Ile Glu Ala Ser Tyr
 195 200 205
 Leu Gln Glu Asp Thr Val Arg Arg Lys Lys Cys Pro Phe Gln Ser Trp
 210 215 220
 Pro Glu Ala Tyr Gly Ser Asp Phe Trp Gln Ser Ile Arg Phe Thr Asp
 225 230 235 240
 Tyr Ser Gln His Asn Gln Met Val Met Ala Leu Thr Leu Arg Cys Pro
 245 250 255
 Leu Lys Leu Glu Ala Ser Leu Cys Trp Arg Gln Asp Pro Leu Thr Pro
 260 265 270
 Cys Glu Thr Leu Pro Asn Ala Thr Ala Gln Glu Ser Glu Gly Trp Tyr
 275 280 285
 Ile Leu Glu Asn Val Asp Leu His Pro Gln Leu Cys Phe Lys Phe Ser
 290 295 300
 Phe Glu Asn Ser Ser His Val Glu Cys Pro His Gln Ser Gly Ser Leu
 305 310 315 320
 Pro Ser Trp Thr Val Ser Met Asp Thr Gln Ala Gln Gln Leu Thr Leu
 325 330 335
 His Phe Ser Ser Arg Thr Tyr Ala Thr Phe Ser Ala Ala Trp Ser Asp
 340 345 350
 Pro Gly Leu Gly Pro Asp Thr Pro Met Pro Pro Val Tyr Ser Ile Ser
 355 360 365
 Gln Thr Gln Gly Ser Val Pro Val Thr Leu Asp Leu Ile Ile Pro Phe
 370 375 380
 Leu Arg Gln Glu Asn Cys Ile Leu Val Trp Arg Ser Asp Val His Phe

385 390 395 400
 Ala Trp Lys His Val Leu Cys Pro Asp Asp Ala Pro Tyr Pro Thr Gln
 405 410 415
 Leu Leu Leu Arg Ser Leu Gly Ser Gly Arg Thr Arg Pro Val Leu Leu
 420 425 430
 Leu His Ala Ala Asp Ser Glu Ala Gln Arg Arg Leu Val Gly Ala Leu
 435 440 445
 Ala Glu Leu Leu Arg Thr Ala Leu Gly Gly Arg Asp Val Ile Val
 450 455 460
 Asp Leu Trp Glu Gly Thr His Val Ala Arg Ile Gly Pro Leu Pro Trp
 465 470 475 480
 Leu Trp Ala Ala Arg Glu Arg Val Ala Arg Glu Gln Gly Thr Val Leu
 485 490 495
 Leu Leu Trp Asn Cys Ala Gly Pro Ser Thr Ala Cys Ser Gly Asp Pro
 500 505 510
 Gln Ala Ala Ser Leu Arg Thr Leu Leu Cys Ala Ala Pro Arg Pro Leu
 515 520 525
 Leu Leu Ala Tyr Phe Ser Arg Leu Cys Ala Lys Gly Asp Ile Pro Arg
 530 535 540
 Pro Leu Arg Ala Leu Pro Arg Tyr Arg Leu Leu Arg Asp Leu Pro Arg
 545 550 555 560
 Leu Leu Arg Ala Leu Asp Ala Gln Pro Ala Thr Leu Ala Ser Ser Trp
 565 570 575
 Ser His Leu Gly Ala Lys Arg Cys Leu Lys Asn Arg Leu Glu Gln Cys
 580 585 590
 His Leu Leu Glu Leu Glu Ala Ala Lys Asp Asp Tyr Gln Gly Ser Thr
 595 600 605
 Asn Ser Pro Cys Gly Phe Ser Cys Leu
 610 615

<210> 304
 <211> 72
 <212> PRT
 <213> Mouse

<400> 304
 Met Ser Ala Ile Phe Asn Phe Gln Ser Leu Leu Thr Val Ile Leu Leu
 1 5 10 15
 Leu Ile Cys Thr Cys Ala Tyr Ile Arg Ser Leu Ala Pro Ser Ile Leu
 20 25 30
 Asp Arg Asn Lys Thr Gly Leu Leu Gly Ile Phe Trp Lys Cys Ala Arg
 35 40 45
 Ile Gly Glu Arg Lys Ser Pro Tyr Val Ala Ile Cys Cys Ile Val Met
 50 55 60
 Ala Phe Ser Ile Leu Phe Ile Gln
 65 70

<210> 305
 <211> 649
 <212> PRT
 <213> Mouse

<400> 305
 Met Ile Ser Pro Ala Trp Ser Leu Phe Leu Ile Gly Thr Lys Ile Gly
 1 5 10 15
 Leu Phe Phe Gln Val Ala Pro Leu Ser Val Val Ala Lys Ser Cys Pro
 20 25 30
 Ser Val Cys Arg Cys Asp Ala Gly Phe Ile Tyr Cys Asn Asp Arg Ser
 35 40 45
 Leu Thr Ser Ile Pro Val Gly Ile Pro Glu Asp Ala Thr Thr Leu Tyr
 50 55 60

Leu Gln Asn Asn Gln Ile Asn Asn Val Gly Ile Pro Ser Asp Leu Lys
 65 70 75 80
 Asn Leu Leu Lys Val Gln Arg Ile Tyr Leu Tyr His Asn Ser Leu Asp
 85 90 95
 Glu Phe Pro Thr Asn Leu Pro Lys Tyr Val Lys Glu Leu His Leu Gln
 100 105 110
 Glu Asn Asn Ile Arg Thr Ile Thr Tyr Asp Ser Leu Ser Lys Ile Pro
 115 120 125
 Tyr Leu Glu Glu Leu His Leu Asp Asp Asn Ser Val Ser Ala Val Ser
 130 135 140
 Ile Glu Glu Gly Ala Phe Arg Asp Ser Asn Tyr Leu Arg Leu Leu Phe
 145 150 155 160
 Leu Ser Arg Asn His Leu Ser Thr Ile Pro Gly Gly Leu Pro Arg Thr
 165 170 175
 Ile Glu Glu Leu Arg Leu Asp Asp Asn Arg Ile Ser Thr Ile Ser Ser
 180 185 190
 Pro Ser Leu His Gly Leu Thr Ser Leu Lys Arg Leu Val Leu Asp Gly
 195 200 205
 Asn Leu Leu Asn Asn His Gly Leu Gly Asp Lys Val Phe Phe Asn Leu
 210 215 220
 Val Asn Leu Thr Glu Leu Ser Leu Val Arg Asn Ser Leu Thr Ala Ala
 225 230 235 240
 Pro Val Asn Leu Pro Gly Thr Ser Leu Arg Lys Leu Tyr Leu Gln Asp
 245 250 255
 Asn His Ile Asn Arg Val Pro Pro Asn Ala Phe Ser Tyr Leu Arg Gln
 260 265 270
 Leu Tyr Arg Leu Asp Met Ser Asn Asn Asn Leu Ser Asn Leu Pro Gln
 275 280 285
 Gly Ile Phe Asp Asp Leu Asp Asn Ile Thr Gln Leu Ile Leu Arg Asn
 290 295 300
 Asn Pro Trp Tyr Cys Gly Cys Lys Met Lys Trp Val Arg Asp Trp Leu
 305 310 315 320
 Gln Ser Leu Pro Val Lys Val Asn Val Arg Gly Leu Met Cys Gln Ala
 325 330 335
 Pro Glu Lys Val Arg Gly Met Ala Ile Lys Asp Leu Ser Ala Glu Leu
 340 345 350
 Phe Asp Cys Lys Asp Ser Gly Ile Val Ser Thr Ile Gln Ile Thr Thr
 355 360 365
 Ala Ile Pro Asn Thr Ala Tyr Pro Ala Gln Gly Gln Trp Pro Ala Pro
 370 375 380
 Val Thr Lys Gln Pro Asp Ile Lys Asn Pro Lys Leu Ile Lys Asp Gln
 385 390 395 400
 Arg Thr Thr Gly Ser Pro Ser Arg Lys Thr Ile Leu Ile Thr Val Lys
 405 410 415
 Ser Val Thr Pro Asp Thr Ile His Ile Ser Trp Arg Leu Ala Leu Pro
 420 425 430
 Met Thr Ala Leu Arg Leu Ser Trp Leu Lys Leu Gly His Ser Pro Ala
 435 440 445
 Phe Gly Ser Ile Thr Glu Thr Ile Val Thr Gly Glu Arg Ser Glu Tyr
 450 455 460
 Leu Val Thr Ala Leu Glu Pro Glu Ser Pro Tyr Arg Val Cys Met Val
 465 470 475 480
 Pro Met Glu Thr Ser Asn Leu Tyr Leu Phe Asp Glu Thr Pro Val Cys
 485 490 495
 Ile Glu Thr Gln Thr Ala Pro Leu Arg Met Tyr Asn Pro Thr Thr Thr
 500 505 510
 Leu Asn Arg Glu Gln Glu Lys Glu Pro Tyr Lys Asn Pro Asn Leu Pro
 515 520 525
 Leu Ala Ala Ile Ile Gly Gly Ala Val Ala Leu Val Ser Ile Ala Leu
 530 535 540
 Leu Ala Leu Val Cys Trp Tyr Val His Arg Asn Gly Ser Leu Phe Ser

545 550 555 560
 Arg Asn Cys Ala Tyr Ser Lys Gly Arg Arg Lys Asp Asp Tyr Ala
 565 570 575
 Glu Ala Gly Thr Lys Lys Asp Asn Ser Ile Leu Glu Ile Arg Glu Thr
 580 585 590
 Ser Phe Gln Met Leu Pro Ile Ser Asn Glu Pro Ile Ser Lys Glu Glu
 595 600 605
 Phe Val Ile His Thr Ile Phe Pro Pro Asn Gly Met Asn Leu Tyr Lys
 610 615 620
 Asn Asn Leu Ser Glu Ser Ser Ser Asn Arg Ser Tyr Arg Asp Ser Gly
 625 630 635 640
 Ile Pro Asp Ser Asp His Ser His Ser
 645

<210> 306

<211> 150

<212> PRT

<213> Rat

<400> 306

Met Ala Ala Pro Met Asp Arg Thr His Gly Gly Arg Ala Ala Arg Ala
 1 5 10 15
 Leu Arg Arg Ala Leu Ala Leu Ala Ser Leu Ala Gly Leu Leu Ser
 20 25 30
 Gly Leu Ala Gly Ala Leu Pro Thr Leu Gly Pro Gly Trp Arg Arg Gln
 35 40 45
 Asn Pro Glu Pro Pro Ala Ser Arg Thr Arg Ser Leu Leu Asp Ala
 50 55 60
 Ala Ser Gly Gln Leu Arg Leu Glu Tyr Gly Phe His Pro Asp Ala Val
 65 70 75 80
 Ala Trp Ala Asn Leu Thr Asn Ala Ile Arg Glu Thr Gly Trp Ala Tyr
 85 90 95
 Leu Asp Leu Gly Thr Asn Gly Ser Tyr Lys Trp Ile Pro Arg Ala Ala
 100 105 110
 Gly Leu Cys Ser Trp Cys Gly Gly Leu Cys Val Arg Gly Ala His
 115 120 125
 Leu His Ala Leu Asp Glu His Gly Gly Gln Leu Arg Pro Leu Arg
 130 135 140
 Val Arg Ser Arg Leu Leu
 145 150

<210> 307

<211> 580

<212> PRT

<213> Rat

<400> 307

Met Ala Ala Ala Met Pro Leu Gly Leu Ser Leu Leu Leu Val Leu
 1 5 10 15
 Val Gly Gln Gly Cys Cys Gly Arg Val Glu Gly Pro Arg Asp Ser Leu
 20 25 30
 Arg Glu Glu Leu Val Ile Thr Pro Leu Pro Ser Gly Asp Val Ala Ala
 35 40 45
 Thr Phe Gln Phe Arg Thr Arg Trp Asp Ser Asp Leu Gln Arg Glu Gly
 50 55 60
 Val Ser His Tyr Arg Leu Phe Pro Lys Ala Leu Gly Gln Leu Ile Ser
 65 70 75 80
 Lys Tyr Ser Leu Arg Glu Leu His Leu Ser Phe Thr Gln Gly Phe Trp
 85 90 95
 Arg Thr Arg Tyr Trp Gly Pro Pro Phe Leu Gln Ala Pro Ser Gly Ala
 100 105 110

Glu Leu Trp Val Trp Phe Gln Asp Thr Val Thr Asp Val Asp Lys Ser
 115 120 125
 Trp Lys Glu Leu Ser Asn Val Leu Ser Gly Ile Phe Cys Ala Ser Leu
 130 135 140
 Asn Phe Ile Asp Ser Thr Asn Thr Val Thr Pro Thr Ala Ser Phe Lys
 145 150 155 160
 Pro Leu Gly Leu Ala Asn Asp Thr Asp His Tyr Phe Leu Arg Tyr Ala
 165 170 175
 Val Leu Pro Arg Glu Val Val Cys Thr Glu Asn Leu Thr Pro Trp Lys
 180 185 190
 Lys Leu Leu Pro Cys Ser Ser Lys Ala Gly Leu Ser Val Leu Leu Lys
 195 200 205
 Ala Asp Arg Leu Phe His Thr Ser Tyr His Ser Gln Ala Val His Ile
 210 215 220
 Arg Pro Ile Cys Arg Asn Ala His Cys Thr Ser Ile Ser Trp Glu Leu
 225 230 235 240
 Arg Gln Thr Leu Ser Val Val Phe Asp Ala Phe Ile Thr Gly Gln Gly
 245 250 255
 Lys Lys Asp Trp Ser Leu Phe Arg Met Phe Ser Arg Thr Leu Thr Glu
 260 265 270
 Ala Cys Pro Leu Ala Ser Gln Ser Lcu Val Tyr Val Asp Ile Thr Gly
 275 280 285
 Tyr Ser Gln Asp Asn Glu Thr Leu Glu Val Ser Pro Pro Thr Ser
 290 295 300
 Thr Tyr Gln Asp Val Ile Leu Gly Thr Arg Lys Thr Tyr Ala Val Tyr
 305 310 315 320
 Asp Leu Phe Asp Thr Ala Met Ile Asn Asn Ser Arg Asn Leu Asn Ile
 325 330 335
 Gln Leu Lys Trp Lys Arg Pro Pro Asp Asn Glu Ala Leu Pro Val Pro
 340 345 350
 Phe Leu His Ala Gln Arg Tyr Val Ser Gly Tyr Gly Leu Gln Lys Gly
 355 360 365
 Glu Leu Ser Thr Leu Leu Tyr Asn Ser His Pro Tyr Arg Ala Phe Pro
 370 375 380
 Val Leu Leu Leu Asp Ala Val Pro Trp Tyr Leu Arg Leu Tyr Val His
 385 390 395 400
 Thr Leu Thr Ile Thr Ser Lys Gly Lys Asp Asn Lys Pro Ser Tyr Ile
 405 410 415
 His Tyr Gln Pro Ala Gln Asp Arg Gln Gln Pro His Leu Leu Glu Met
 420 425 430
 Leu Ile Gln Leu Pro Ala Asn Ser Val Thr Lys Val Ser Ile Gln Phe
 435 440 445
 Glu Arg Ala Leu Leu Lys Trp Thr Glu Tyr Thr Pro Asp Pro Asn His
 450 455 460
 Gly Phe Tyr Val Ser Pro Ser Val Leu Ser Ala Leu Val Pro Ser Met
 465 470 475 480
 Val Ala Ala Lys Pro Val Asp Trp Glu Glu Ser Pro Leu Phe Asn Thr
 485 490 495
 Leu Phe Pro Val Ser Asp Gly Ser Ser Tyr Phe Val Arg Leu Tyr Thr
 500 505 510
 Glu Pro Leu Leu Val Asn Leu Pro Thr Pro Asp Phe Ser Met Pro Tyr
 515 520 525
 Asn Val Ile Cys Leu Thr Cys Thr Val Val Ala Val Cys Tyr Gly Ser
 530 535 540
 Phe Tyr Asn Leu Leu Thr Arg Thr Phe His Ile Glu Glu Pro Lys Ser
 545 550 555 560
 Gly Gly Leu Ala Lys Arg Leu Ala Asn Leu Ile Arg Arg Ala Arg Gly
 565 570 575
 Val Pro Pro Leu
 580

WO 99/55865

PCT/NZ99/00051

<210> 308
<211> 283
<212> PRT
<213> Rat

<400> 308

```

Met Thr Ser Gly Pro Gly Gly Pro Ala Ala Ala Thr Gly Gly Gly Lys
1      5      10      15
Asp Thr His Gln Trp Tyr Val Cys Asn Arg Glu Lys Leu Cys Glu Ser
      20      25      30
Leu Gln Ser Val Phe Val Gln Ser Tyr Leu Asp Gln Gly Thr Gln Ile
      35      40      45
Phe Leu Asn Asn Ser Ile Glu Lys Ser Gly Trp Leu Phe Ile Gln Leu
      50      55      60
Tyr His Ser Phe Val Ser Ser Val Phe Ser Leu Phe Met Ser Arg Thr
      65      70      75      80
Ser Ile Asn Gly Leu Leu Gly Arg Gly Ser Met Phe Val Phe Ser Pro
      85      90      95
Asp Gln Phe Gln Arg Leu Leu Lys Ile Asn Pro Asp Trp Lys Thr His
      100      105      110
Arg Leu Leu Asp Leu Gly Ala Gly Asp Gly Glu Val Thr Lys Ile Met
      115      120      125
Ser Pro His Phe Glu Glu Ile Tyr Ala Thr Glu Leu Ser Glu Thr Met
      130      135      140
Ile Trp Gln Leu Gln Lys Lys Lys Tyr Arg Val Leu Gly Ile Asn Glu
      145      150      155      160
Trp Gln Asn Thr Gly Phe Gln Tyr Asp Val Ile Ser Cys Leu Asn Leu
      165      170      175
Leu Asp Arg Cys Asp Gln Pro Leu Thr Leu Leu Lys Asp Ile Arg Ser
      180      185      190
Val Leu Glu Pro Thr Gln Gly Arg Val Ile Leu Ala Leu Val Leu Pro
      195      200      205
Phe His Pro Tyr Val Glu Asn Val Gly Gly Lys Trp Glu Lys Pro Ser
      210      215      220
Glu Ile Leu Glu Ile Lys Gly Gln Asn Trp Glu Glu Gln Val Asn Ser
      225      230      235      240
Leu Pro Glu Val Phe Arg Lys Ala Gly Phe Val Ile Glu Ala Phe Thr
      245      250      255
Arg Leu Pro Tyr Leu Cys Glu Gly Asp Met Tyr Asn Asp Tyr Tyr Val
      260      265      270
Leu Asp Asp Ala Val Phe Val Leu Arg Pro Val
      275      280

```

<210> 309
<211> 37
<212> PRT
<213> Rat

<400> 309

```

Met Leu Trp Val Leu Leu Ser Leu Thr Pro Leu Leu Ser Pro Leu Ile
1      5      10      15
Phe Phe Pro Val Lys Thr Val Ala Leu Glu Glu Ile Ser Thr Ile Cys
      20      25      30
Arg Ala Asp Val Leu
      35

```

<210> 310
<211> 70
<212> PRT
<213> Mouse

<400> 310
 Met Ala Ala Ser Trp Gly Gln Val Leu Ala Leu Val Leu Val Ala Ala
 1 5 10 15
 Leu Trp Gly Gly Thr Gln Pro Leu Leu Lys Arg Ala Ser Ser Gly Leu
 20 25 30
 Glu Gln Val Arg Glu Arg Thr Trp Ala Trp Gln Leu Leu Gln Glu Ile
 35 40 45
 Lys Ala Leu Phe Gly Asn Thr Glu Val Arg Leu Ala Leu Thr Asp Glu
 50 55 60
 Pro Leu Lys Ile Ser Pro
 65 70

<210> 311
 <211> 58
 <212> PRT
 <213> Human

<400> 311
 Met Leu Leu Ser Ser Leu Val Ser Leu Ala Gly Ser Val Tyr Leu Ala
 1 5 10 15
 Trp Ile Leu Phe Phe Val Leu Tyr Asp Phe Cys Ile Val Cys Ile Thr
 20 25 30
 Thr Tyr Ala Ile Asn Val Ser Leu Met Trp Leu Ser Phe Arg Lys Val
 35 40 45
 Gln Glu Pro Gln Gly Lys Ala Lys Arg His
 50 55

<210> 312
 <211> 52
 <212> PRT
 <213> Human

<400> 312
 Met Gly Thr Pro Gln Gly Glu Asn Trp Leu Ser Trp Met Phe Glu Lys
 1 5 10 15
 Leu Val Val Val Met Val Cys Tyr Phe Ile Leu Ser Ile Ile Asn Ser
 20 25 30
 Met Ala Gln Ser Tyr Ala Lys Arg Ile Gln Gln Arg Leu Asn Ser Glu
 35 40 45
 Glu Lys Thr Lys
 50

<210> 313
 <211> 70
 <212> PRT
 <213> Human

<400> 313
 Met Asn Leu Leu Gly Met Ile Phe Ser Met Cys Gly Leu Met Leu Lys
 1 5 10 15
 Leu Lys Trp Cys Ala Trp Val Ala Val Tyr Cys Ser Phe Ile Ser Phe
 20 25 30
 Ala Asn Ser Arg Ser Ser Glu Asp Thr Lys Gln Met Met Ser Ser Phe
 35 40 45
 Met Leu Ser Ile Ser Ala Val Val Met Ser Tyr Leu Gln Asn Pro Gln
 50 55 60
 Pro Met Thr Pro Pro Trp
 65 70

<210> 314
 <211> 58

<212> PRT
<213> Mouse

<400> 314
Met Phe Ile Thr Pro Phe Lys Ala Phe Leu Pro Leu Tyr Leu Leu Thr
1 5 10 15
Glu Leu Ser Leu Ile Asp Ile Thr Ser Cys Asp Asp Leu Pro His Ser
20 25 30
Val Leu Pro Gln His Leu Ser Phe Glu Phe Val Leu Trp Ser Met Tyr
35 40 45
Leu Leu Ile Cys Cys Phe Val Ile Ile Phe
50 55

<210> 315
<211> 229
<212> PRT
<213> Rat

<400> 315
Met Ala Ser Ala Leu Glu Glu Leu Gln Lys Asp Leu Glu Glu Val Lys
1 5 10 15
Val Leu Leu Glu Lys Ser Thr Arg Lys Arg Leu Arg Asp Thr Leu Thr
20 25 30
Asn Glu Lys Ser Lys Ile Glu Thr Glu Leu Arg Asn Lys Met Gln Gln
35 40 45
Lys Ser Gln Lys Lys Pro Glu Phe Asp Asn Glu Lys Pro Ala Ala Val
50 55 60
Val Ala Pro Leu Thr Thr Gly Tyr Thr Val Lys Ile Ser Asn Tyr Gly
65 70 75 80
Trp Asp Gln Ser Asp Lys Phe Val Lys Ile Tyr Ile Thr Leu Thr Gly
85 90 95
Val His Gln Val Pro Ala Glu Asn Val Gln Val His Phe Thr Glu Arg
100 105 110
Ser Phe Asp Leu Leu Val Lys Asn Leu Asn Gly Lys Asn Tyr Ser Met
115 120 125
Ile Val Asn Asn Leu Leu Lys Pro Ile Ser Val Glu Ser Ser Ser Lys
130 135 140
Lys Val Lys Thr Asp Thr Val Ile Ile Leu Cys Arg Lys Lys Ala Glu
145 150 155 160
Asn Thr Arg Trp Asp Tyr Leu Thr Gln Val Glu Lys Glu Cys Lys Glu
165 170 175
Lys Glu Lys Pro Ser Tyr Asp Thr Glu Ala Asp Pro Ser Glu Gly Leu
180 185 190
Met Asn Val Leu Lys Lys Ile Tyr Glu Asp Gly Asp Asp Met Lys
195 200 205
Arg Thr Ile Asn Lys Ala Trp Val Glu Ser Arg Glu Lys Gln Ala Arg
210 215 220
Glu Asp Thr Glu Phe
225

<210> 316
<211> 128
<212> PRT
<213> Rat

<400> 316
Arg Ala Glu Phe Gly Thr Ser Gly Glu Met Gly Asn Ala Ala Leu Gly
1 5 10 15
Ala Glu Leu Gly Val Arg Val Leu Leu Phe Val Ala Phe Leu Ala Thr
20 25 30
Glu Leu Leu Pro Pro Phe Gln Arg Arg Ile Gln Pro Glu Glu Leu Trp

35 40 45
 Leu Tyr Arg Asn Pro Tyr Val Glu Ala Glu Tyr Phe Pro Thr Gly Pro
 50 55 60
 Met Phe Val Ile Ala Phe Leu Thr Pro Leu Ser Leu Ile Phe Phe Ala
 65 70 75 80
 Lys Phe Leu Arg Lys Ala Asp Ala Thr Asp Ser Lys Gln Ala Cys Leu
 85 90 95
 Ala Ala Ser Leu Ala Leu Ala Leu Asn Gly Val Phe Thr Asn Ile Ile
 100 105 110
 Lys Leu Ile Val Gly Arg Pro Arg Pro Asp Phe Phe Tyr Arg Cys Phe
 115 120 125

<210> 317
 <211> 75
 <212> PRT
 <213> Rat

<400> 317
 Ser Ala Gly Val Met Thr Ala Ala Val Phe Phe Gly Cys Ala Phe Ile
 1 5 10 15
 Ala Phe Gly Pro Ala Leu Ser Leu Tyr Val Phe Thr Ile Ala Thr Asp
 20 25 30
 Pro Leu Arg Val Ile Phe Leu Ile Ala Gly Ala Phe Phe Trp Leu Val
 35 40 45
 Ser Leu Leu Leu Ser Ser Val Phe Trp Phe Leu Val Arg Val Ile Thr
 50 55 60
 Asp Asn Arg Asp Gly Pro Val Gln Asn Tyr Leu
 65 70 75

<210> 318
 <211> 43
 <212> PRT
 <213> Human

<400> 318
 Met Lys Leu Ser Gly Met Phe Leu Leu Leu Ser Leu Ala Leu Phe Cys
 1 5 10 15
 Phe Leu Thr Gly Val Phe Ser Gln Gly Gly Gln Val Asp Cys Gly Glu
 20 25 30
 Ser Arg Thr Pro Arg Pro Thr Ala Leu Gly Asn
 35 40

<210> 319
 <211> 86
 <212> PRT
 <213> Mouse

<400> 319
 Met Leu Gln Gly Pro Ala Pro Ser Cys Phe Trp Val Phe Ser Gly Ile
 1 5 10 15
 Cys Val Phe Trp Asp Phe Ile Phe Ile Phe Phe Asn Val Leu Ser
 20 25 30
 Leu Gly Asn Arg Glu Ile Ser Ala Lys Asp Phe Ala Asp Gln Pro Ala
 35 40 45
 Gly Ala Gln Gly Met Trp Gly Ile Trp Gly His Thr Ile Thr Cys Gly
 50 55 60
 Leu Ala Pro Gly Ala Lys Pro Cys Ser Leu Lys Arg Glu Gly Pro Asp
 65 70 75 80
 Leu Leu Ser Phe Pro Pro
 85

WO 99/55865

PCT/NZ99/00051

<210> 320
<211> 60
<212> PRT
<213> Mouse

<400> 320
Lys Gly Pro Glu Val Ser Cys Cys Ile Lys Tyr Phe Ile Phe Gly Phe
1 5 10 15
Asn Val Ile Phe Trp Phe Leu Gly Ile Thr Phe Leu Gly Ile Gly Leu
20 25 30
Trp Ala Trp Asn Glu Lys Gly Val Leu Ser Asn Ile Ser Ser Ile Thr
35 40 45
Asp Leu Gly Gly Phe Asp Pro Val Trp Leu Phe Leu
50 55 60

<210> 321
<211> 160
<212> PRT
<213> Mouse

<400> 321
Ile Arg His Glu Ala Glu Ala Gly Arg His Gln Pro Glu Gln Leu Ala
1 5 10 15
Ala Asp Ser Arg Thr Glu Thr Val Gly Pro Arg Gln Ser Asn Gly Leu
20 25 30
Thr Gly Pro Gly Leu Pro Thr Trp Gln Leu His Pro Val Leu Phe Pro
35 40 45
Glu Leu Val Leu Trp Val Asn Met Val Pro Cys Phe Leu Leu Ser Leu
50 55 60
Leu Leu Leu Val Arg Pro Ala Pro Val Val Ala Tyr Ser Val Ser Leu
65 70 75 80
Pro Ala Ser Phe Leu Glu Glu Val Ala Gly Ser Gly Glu Ala Glu Gly
85 90 95
Ser Ser Ala Ser Ser Pro Ser Leu Leu Pro Pro Arg Thr Pro Ala Phe
100 105 110
Ser Pro Thr Pro Gly Arg Thr Gln Pro Thr Ala Pro Val Gly Pro Val
115 120 125
Pro Pro Thr Asn Leu Leu Asp Gly Ile Val Asp Phe Phe Arg Gln Tyr
130 135 140
Val Met Leu Ile Ala Val Val Gly Ser Leu Thr Phe Leu Ile Ser Ser
145 150 155 160

<210> 322
<211> 54
<212> PRT
<213> Mouse

<400> 322
Arg Leu Gln Val Asp Thr Ser Gly Ser Lys Val Leu Phe Leu Phe Phe
1 5 10 15
Phe Phe Phe Leu Cys Val Cys Val Leu Val Cys Cys Cys Phe Gly Phe
20 25 30
Pro Gly Thr His Ser Val Asp Gln Ala Ser Pro Lys Leu Arg Asn Leu
35 40 45
Pro Pro Glu Cys Trp Asp
50

<210> 323
<211> 280
<212> PRT
<213> Mouse

<400> 323
 Leu Asp Ser Arg Ala Cys Arg Ser Thr Leu Val Asp Pro Lys Asn Ser
 1 5 10 15
 Ala Arg Glu Asn Ile Arg Glu Tyr Val Arg Trp Met Met Tyr Trp Ile
 20 25 30
 Val Phe Ala Ile Phe Met Ala Ala Glu Thr Phe Thr Asp Ile Phe Ile
 35 40 45
 Ser Trp Ser Gly Pro Arg Ile Gly Arg Pro Trp Gly Trp Glu Gly Pro
 50 55 60
 His His His His His Leu Ala Ser Gly Ser His Lys Pro Leu Pro Leu
 65 70 75 80
 Leu Thr His Arg Phe Pro Phe Tyr Tyr Glu Phe Lys Met Ala Phe Val
 85 90 95
 Leu Trp Leu Leu Ser Pro Tyr Thr Lys Gly Ala Ser Leu Leu Tyr Arg
 100 105 110
 Lys Phe Val His Pro Ser Leu Ser Arg His Glu Lys Glu Ile Asp Ala
 115 120 125
 Cys Ile Val Gln Ala Lys Glu Arg Ser Tyr Glu Thr Met Leu Ser Phe
 130 135 140
 Gly Lys Arg Ser Leu Asn Ile Ala Ala Ser Ala Ala Val Gln Ala Ala
 145 150 155 160
 Thr Lys Ser Gln Gly Ala Leu Ala Gly Arg Leu Arg Ser Phe Ser Met
 165 170 175
 Gln Asp Leu Arg Ser Ile Pro Asp Thr Pro Val Pro Thr Tyr Gln Asp
 180 185 190
 Pro Leu Tyr Leu Glu Asp Gln Val Pro Arg Arg Arg Pro Ile Gly
 195 200 205
 Tyr Arg Pro Gly Gly Leu Gln Gly Ser Asp Thr Glu Asp Glu Cys Trp
 210 215 220
 Ser Asp Asn Glu Ile Val Pro Gln Pro Pro Val Gly Pro Arg Glu Lys
 225 230 235 240
 Pro Leu Gly Arg Ser Gln Ser Leu Arg Val Lys Arg Lys Pro Leu
 245 250 255
 Thr Arg Glu Gly Thr Ser Arg Ser Leu Lys Val Arg Thr Pro Lys Lys
 260 265 270
 Ala Met Pro Ser Asp Met Asp Ser
 275 280

<210> 324

<211> 166

<212> PRT

<213> Rat

<400> 324
 Ala Leu Arg Arg Val Gly Met Glu Leu Pro Ala Val Asn Leu Lys Val
 1 5 10 15
 Ile Leu Leu Val His Trp Leu Leu Thr Trp Gly Cys Leu Ala Phe
 20 25 30
 Ser Gly Ser Tyr Ala Trp Gly Asn Phe Thr Ile Leu Ala Leu Gly Val
 35 40 45
 Trp Ala Val Ala Gln Arg Asp Ser Val Asp Ala Ile Gly Met Phe Leu
 50 55 60
 Gly Gly Leu Val Ala Thr Ile Phe Leu Asp Ile Ile Tyr Ile Ser Ile
 65 70 75 80
 Phe Tyr Ser Ser Val Ala Val Gly Asp Thr Gly Arg Phe Ser Ala Gly
 85 90 95
 Met Ala Ile Phe Ser Leu Leu Leu Lys Pro Phe Ser Cys Cys Leu Val
 100 105 110
 Tyr His Met His Arg Glu Arg Gly Gly Glu Leu Pro Leu Arg Ser Asp
 115 120 125

WO 99/55865

PCT/NZ99/00051

Phe Phe Gly Pro Ser Gln Glu His Ser Ala Tyr Gln Thr Ile Asp Ser
 130 135 140
 Ser Asp Ser Pro Ala Asp Pro Leu Ala Ser Leu Glu Asn Lys Gly Gln
 145 150 155 160
 Ala Ala Pro Arg Gly Tyr
 165

<210> 325
 <211> 338
 <212> PRT
 <213> Rat

<400> 325
 Ile Arg His Glu Ala Glu Ala Gly Arg His Gln Pro Glu Gln Leu Ala
 1 5 10 15
 Ala Asp Ser Arg Thr Glu Thr Val Gly Pro Arg Gln Ser Asn Gly Leu
 20 25 30
 Thr Gly Pro Gly Leu Pro Thr Trp Gln Leu His Pro Val Leu Phe Pro
 35 40 45
 Glu Leu Val Leu Trp Val Asn Met Val Pro Cys Phe Leu Leu Ser Leu
 50 55 60
 Leu Leu Leu Val Arg Pro Ala Pro Val Val Ala Tyr Ser Val Ser Leu
 65 70 75 80
 Pro Ala Ser Phe Leu Glu Glu Val Ala Gly Ser Gly Glu Ala Glu Gly
 85 90 95
 Ser Ser Ala Ser Ser Pro Ser Leu Leu Pro Pro Arg Thr Pro Ala Phe
 100 105 110
 Ser Pro Thr Pro Gly Arg Thr Gln Pro Thr Ala Pro Val Gly Pro Val
 115 120 125
 Pro Pro Thr Asn Leu Leu Asp Gly Ile Val Asp Phe Phe Arg Gln Tyr
 130 135 140
 Val Met Leu Ile Ala Val Val Gly Ser Leu Thr Phe Leu Ile Met Phe
 145 150 155 160
 Ile Val Cys Ala Ala Leu Ile Thr Arg Gln Lys His Lys Ala Thr Ala
 165 170 175
 Tyr Tyr Pro Ser Ser Phe Pro Glu Lys Lys Tyr Val Asp Gln Arg Asp
 180 185 190
 Arg Ala Gly Gly Pro His Ala Phe Ser Glu Val Pro Asp Arg Ala Pro
 195 200 205
 Asp Ser Arg Gln Glu Glu Gly Leu Asp Ser Ser Gln Gln Leu Gln Ala
 210 215 220
 Asp Ile Leu Ala Ala Thr Gln Asn Leu Arg Ser Pro Ala Arg Ala Leu
 225 230 235 240
 Pro Gly Ser Gly Glu Gly Thr Lys Gln Val Lys Gly Gly Ser Glu Glu
 245 250 255
 Glu Glu Glu Lys Glu Glu Glu Val Phe Ser Gly Gln Glu Glu Pro Arg
 260 265 270
 Glu Ala Pro Val Cys Gly Val Thr Glu Glu Lys Pro Ala Val Pro Asp
 275 280 285
 Glu Thr Ala Ser Ala Glu Ala Glu Gly Val Pro Ala Ala Ser Glu Gly
 290 295 300
 Gln Gly Glu Pro Glu Gly Ser Phe Ser Leu Ala Gln Glu Pro Gln Gly
 305 310 315 320
 Ala Ala Gly Pro Ser Glu Arg Ser Cys Ala Cys Asn Arg Ile Ser Pro
 325 330 335
 Asn Val

<210> 326
 <211> 347
 <212> PRT

<213> Human

<400> 326
 Ala Trp Ser Arg Pro Arg Tyr Tyr Arg Leu Cys Asp Lys Ala Glu Ala
 1 5 10 15
 Trp Gly Ile Val Leu Glu Thr Val Ala Thr Ala Gly Val Val Thr Ser
 20 25 30
 Val Ala Phe Met Leu Thr Leu Pro Ile Leu Val Cys Lys Val Gln Asp
 35 40 45
 Ser Asn Arg Arg Lys Met Leu Pro Thr Gln Phe Leu Phe Leu Leu Gly
 50 55 60
 Val Leu Gly Ile Phe Gly Leu Thr Phe Ala Phe Ile Ile Gly Leu Asp
 65 70 75 80
 Gly Ser Thr Gly Pro Thr Arg Phe Phe Leu Phe Gly Ile Leu Phe Ser
 85 90 95
 Ile Cys Phe Ser Cys Leu Leu Ala His Ala Val Ser Leu Thr Lys Leu
 100 105 110
 Val Arg Gly Arg Lys Pro Leu Ser Leu Leu Val Ile Leu Gly Leu Ala
 115 120 125
 Val Gly Phe Ser Leu Val Gln Asp Val Ile Ala Ile Glu Tyr Ile Val
 130 135 140
 Leu Thr Met Asn Arg Thr Asn Val Asn Val Phe Ser Glu Leu Ser Ala
 145 150 155 160
 Pro Arg Arg Asn Glu Asp Phe Val Leu Leu Leu Thr Tyr Val Leu Phe
 165 170 175
 Leu Met Ala Leu Thr Phe Leu Met Ser Ser Phe Thr Phe Cys Gly Ser
 180 185 190
 Phe Thr Gly Trp Lys Arg His Gly Ala His Ile Tyr Leu Thr Met Leu
 195 200 205
 Leu Ser Ile Ala Ile Trp Val Ala Trp Ile Thr Leu Leu Met Leu Pro
 210 215 220
 Asp Phe Asp Arg Arg Trp Asp Asp Thr Ile Leu Ser Ser Ala Leu Ala
 225 230 235 240
 Ala Asn Gly Trp Val Phe Leu Leu Ala Tyr Val Ser Pro Glu Phe Trp
 245 250 255
 Leu Leu Thr Lys Gln Arg Asn Pro Met Asp Tyr Pro Val Glu Asp Ala
 260 265 270
 Phe Cys Lys Pro Gln Leu Val Lys Lys Ser Tyr Gly Val Glu Asn Arg
 275 280 285
 Ala Tyr Ser Gln Glu Glu Ile Thr Gln Gly Phe Glu Glu Thr Gly Asp
 290 295 300
 Thr Leu Tyr Ala Pro Tyr Ser Thr His Phe Gln Leu Gln Asn Gln Pro
 305 310 315 320
 Pro Gln Lys Glu Phe Ser Ile Pro Arg Ala His Ala Trp Pro Ser Pro
 325 330 335
 Tyr Lys Asp Tyr Glu Val Lys Lys Glu Gly Ser
 340 345

<210> 327

<211> 141

<212> PRT

<213> Human

<400> 327
 Lys Asn Ser Lys Cys Leu Leu Phe Trp Cys Arg Lys Ile Val Gly Asn
 1 5 10 15
 Arg Gln Glu Pro Met Trp Glu Phe Asn Phe Lys Phe Lys Lys Gln Ser
 20 25 30
 Pro Arg Leu Lys Ser Lys Cys Thr Gly Gly Leu Gln Pro Pro Val Gln
 35 40 45
 Tyr Glu Asp Val His Thr Asn Pro Asp Gln Asp Cys Cys Leu Leu Gln

50 55 60
 Val Thr Thr Leu Asn Phe Ile Phe Ile Pro Ile Val Met Gly Met Ile
 65 70 75
 Phe Thr Leu Phe Thr Ile Asn Val Ser Thr Asp Met Arg His His Arg
 85 90 95
 Val Arg Leu Val Phe Gln Asp Ser Pro Val His Gly Gly Arg Lys Leu
 100 105 110
 Arg Ser Glu Gln Gly Val Gln Val Ile Leu Asp Gln Cys Thr Ala Phe
 115 120 125
 Gly Ser Leu Thr Gly Gly Ile Leu Ser Thr His Ser Pro
 130 135 140

<210> 328
 <211> 71
 <212> PRT
 <213> Human

<400> 328
 Arg Glu Arg Thr Ser Leu Glu Phe Phe Val Phe Leu Phe Leu Phe Ile
 1 5 10 15
 Cys Cys Cys Leu His Ser Gly Gly Leu Gly Gly Val Pro Leu Pro Pro
 20 25 30
 Phe Pro Pro Gln Ala Gln Arg Gly Glu Gly Pro Gly Lys Trp Met Ser
 35 40 45
 Pro Pro Leu Pro Pro His Pro Val Val Ala Pro Thr Pro Ser Pro
 50 55 60
 Ser Arg Gly Cys Val Leu Leu
 65 70

<210> 329
 <211> 109
 <212> PRT
 <213> Human

<400> 329
 Asp Gly Pro Ser Pro Lys Leu Ala Leu Trp Leu Pro Ser Pro Ala Pro
 1 5 10 15
 Thr Ala Ala Pro Thr Ala Leu Gly Glu Ala Gly Leu Ala Glu His Ser
 20 25 30
 Gln Arg Asp Asp Arg Trp Leu Leu Val Ala Leu Leu Val Pro Thr Cys
 35 40 45
 Val Phe Leu Val Val Leu Leu Ala Leu Gly Ile Val Tyr Cys Thr Arg
 50 55 60
 Cys Gly Pro His Ala Pro Asn Lys Arg Ile Thr Asp Cys Tyr Arg Trp
 65 70 75 80
 Val Ile His Ala Gly Ser Lys Ser Pro Thr Glu Pro Met Pro Pro Arg
 85 90 95
 Gly Ser Leu Thr Gly Val Gln Thr Cys Arg Thr Ser Val
 100 105

<210> 330
 <211> 155
 <212> PRT
 <213> Human

<400> 330
 Ser Val Met Ala Ala Gly Leu Phe Gly Leu Ser Ala Arg Arg Leu Leu
 1 5 10 15
 Ala Ala Ala Ala Thr Arg Gly Leu Pro Ala Ala Arg Val Arg Trp Glu
 20 25 30
 Ser Ser Phe Ser Arg Thr Val Val Ala Pro Ser Ala Val Ala Gly Lys

35 40 45
 Arg Pro Pro Glu Pro Thr Thr Pro Trp Gln Glu Asp Pro Glu Pro Glu
 50 55 60
 Asp Glu Asn Leu Tyr Glu Lys Asn Pro Asp Ser His Gly Tyr Asp Lys
 65 70 75 80
 Asp Pro Val Leu Asp Val Trp Asn Met Arg Leu Val Phe Phe Phe Gly
 85 90 95
 Val Ser Ile Ile Leu Val Leu Gly Ser Thr Phe Val Ala Tyr Leu Pro
 100 105 110
 Asp Tyr Arg Met Lys Glu Trp Ser Arg Arg Glu Ala Glu Arg Leu Val
 115 120 125
 Lys Tyr Arg Glu Ala Asn Gly Leu Pro Ile Met Glu Ser Asn Cys Phe
 130 135 140
 Asp Pro Ser Lys Ile Gln Leu Pro Glu Asp Glu
 145 150 155

<210> 331

<211> 299

<212> PRT

<213> Human

<400> 331

Met Gly Thr Lys Ala Gln Val Glu Arg Lys Leu Leu Cys Leu Phe Ile
 1 5 10 15
 Leu Ala Ile Leu Leu Cys Ser Leu Ala Leu Gly Ser Val Thr Val His
 20 25 30
 Ser Ser Glu Pro Glu Val Arg Ile Pro Glu Asn Asn Pro Val Lys Leu
 35 40 45
 Ser Cys Ala Tyr Ser Gly Phe Ser Ser Pro Arg Val Glu Trp Lys Phe
 50 55 60
 Asp Gln Gly Asp Thr Thr Arg Leu Val Cys Tyr Asn Asn Lys Ile Thr
 65 70 75 80
 Ala Ser Tyr Glu Asp Arg Val Thr Phe Leu Pro Thr Gly Ile Thr Phe
 85 90 95
 Lys Ser Val Thr Arg Glu Asp Thr Gly Thr Tyr Thr Cys Met Val Ser
 100 105 110
 Glu Glu Gly Gly Asn Ser Tyr Gly Glu Val Lys Val Lys Leu Ile Val
 115 120 125
 Leu Val Pro Pro Ser Lys Pro Thr Val Asn Ile Pro Ser Ser Ala Thr
 130 135 140
 Ile Gly Asn Arg Ala Val Leu Thr Cys Ser Glu Gln Asp Gly Ser Pro
 145 150 155 160
 Pro Ser Glu Tyr Thr Trp Phe Lys Asp Gly Ile Val Met Pro Thr Asn
 165 170 175
 Pro Lys Ser Thr Arg Ala Phe Ser Asn Ser Ser Tyr Val Leu Asn Pro
 180 185 190
 Thr Thr Gly Glu Leu Val Phe Asp Pro Leu Ser Ala Ser Asp Thr Gly
 195 200 205
 Glu Tyr Ser Cys Glu Ala Arg Asn Gly Tyr Gly Thr Pro Met Thr Ser
 210 215 220
 Asn Ala Val Arg Met Glu Ala Val Glu Arg Asn Val Gly Val Ile Val
 225 230 235 240
 Ala Ala Val Leu Val Thr Leu Ile Leu Leu Gly Ile Leu Val Phe Gly
 245 250 255
 Ile Trp Phe Ala Tyr Ser Arg Gly His Phe Asp Arg Thr Lys Lys Gly
 260 265 270
 Thr Ser Ser Lys Lys Val Ile Tyr Ser Gln Pro Ser Ala Arg Ser Glu
 275 280 285
 Gly Glu Phe Lys Gln Thr Ser Ser Phe Leu Val
 290 295

WO 99/55865

PCT/NZ99/00051

<210> 332
<211> 299
<212> PRT
<213> Mouse

<400> 332
Ala Arg Ala Gly Ala Cys Tyr Cys Pro Ala Gly Phe Leu Gly Ala Asp
1 5 10 15
Cys Ser Leu Ala Cys Pro Gln Gly Arg Phe Gly Pro Ser Cys Ala His
20 25 30
Val Cys Thr Cys Gly Gln Gly Ala Ala Cys Asp Pro Val Ser Gly Thr
35 40 45
Cys Ile Cys Pro Pro Gly Lys Thr Gly Gly His Cys Glu Arg Gly Cys
50 55 60
Pro Gln Asp Arg Phe Gly Lys Gly Cys Glu His Lys Cys Ala Cys Arg
65 70 75 80
Asn Gly Gly Leu Cys His Ala Thr Asn Gly Ser Cys Ser Cys Pro Leu
85 90 95
Gly Trp Met Gly Pro His Cys Glu His Ala Cys Pro Ala Gly Arg Tyr
100 105 110
Gly Ala Ala Cys Leu Leu Glu Cys Ser Cys Gln Asn Asn Gly Ser Cys
115 120 125
Glu Pro Thr Ser Gly Ala Cys Leu Cys Gly Pro Gly Phe Tyr Gly Gln
130 135 140
Ala Cys Glu Asp Thr Cys Pro Ala Gly Phe His Gly Ser Gly Cys Gln
145 150 155 160
Arg Val Cys Glu Cys Gln Gln Gly Ala Pro Cys Asp Pro Val Ser Gly
165 170 175
Arg Cys Leu Cys Pro Ala Gly Phe Arg Gly Gln Phe Cys Glu Arg Gly
180 185 190
Cys Lys Pro Gly Phe Phe Gly Asp Gly Cys Leu Gln Gln Cys Asn Cys
195 200 205
Pro Thr Gly Val Pro Cys Asp Pro Ile Ser Gly Leu Cys Leu Cys Pro
210 215 220
Pro Gly Arg Ala Gly Thr Thr Cys Asp Leu Asp Cys Arg Arg Gly Arg
225 230 235 240
Phe Gly Pro Gly Cys Ala Leu Arg Cys Asp Cys Gly Gly Gly Ala Asp
245 250 255
Cys Asp Pro Ile Ser Gly Gln Cys His Cys Val Asp Ser Tyr Thr Gly
260 265 270
Pro Thr Cys Arg Glu Val Pro Thr Gln Leu Ser Ser Ile Arg Pro Ala
275 280 285
Pro Gln His Ser Ser Ser Lys Ala Met Lys His
290 295

<210> 333
<211> 109
<212> PRT
<213> Mouse

<400> 333
Gly Thr Arg Val Gly Thr Pro Tyr Tyr Met Ser Pro Glu Arg Ile His
1 5 10 15
Glu Asn Gly Tyr Asn Phe Lys Ser Asp Ile Trp Ser Leu Gly Cys Leu
20 25 30
Leu Tyr Glu Met Ala Ala Leu Gln Ser Pro Phe Tyr Gly Asp Lys Met
35 40 45
Asn Leu Tyr Ser Leu Cys Lys Lys Ile Glu Gln Cys Asp Tyr Pro Pro
50 55 60
Leu Pro Ser Asp His Tyr Ser Glu Glu Leu Arg Gln Leu Val Asn Ile
65 70 75 80

Cys Ile Asn Pro Asp Pro Glu Lys Arg Pro Asp Ile Ala Tyr Val Tyr
 85 90 95
 Asp Val Ala Lys Arg Met His Ala Cys Thr Ala Ser Thr
 100 105

<210> 334

<211> 787

<212> PRT

<213> Mouse

<400> 334

Lys Val Glu Gly Glu Gly Arg Gly Arg Trp Ala Leu Gly Leu Leu Arg
 1 5 10 15
 Thr Phe Asp Ala Gly Glu Phe Ala Gly Trp Glu Lys Val Gly Ser Gly
 20 25 30
 Gly Phe Gly Gln Val Tyr Lys Val Arg His Val His Trp Lys Thr Trp
 35 40 45
 Leu Ala Ile Lys Cys Ser Pro Ser Leu His Val Asp Asp Arg Glu Arg
 50 55 60
 Met Glu Leu Leu Glu Glu Ala Lys Lys Met Glu Met Ala Lys Phe Arg
 65 70 75 80
 Tyr Ile Leu Pro Val Tyr Gly Ile Cys Gln Glu Pro Val Gly Leu Val
 85 90 95
 Met Glu Tyr Met Glu Thr Gly Ser Leu Glu Lys Leu Leu Ala Ser Glu
 100 105 110
 Pro Leu Pro Trp Asp Leu Arg Phe Arg Ile Val His Glu Thr Ala Val
 115 120 125
 Gly Met Asn Phe Leu His Cys Met Ser Pro Pro Leu Leu His Leu Asp
 130 135 140
 Leu Lys Pro Ala Asn Ile Leu Leu Asp Ala His Tyr His Val Lys Ile
 145 150 155 160
 Ser Asp Phe Gly Leu Ala Lys Cys Asn Gly Met Ser His Ser His Asp
 165 170 175
 Leu Ser Met Asp Gly Leu Phe Gly Thr Ile Ala Tyr Leu Pro Pro Glu
 180 185 190
 Arg Ile Arg Glu Lys Ser Arg Leu Phe Asp Thr Lys His Asp Val Tyr
 195 200 205
 Ser Phe Ala Ile Val Ile Trp Gly Val Leu Thr Gln Lys Lys Pro Phe
 210 215 220
 Ala Asp Glu Lys Asn Ile Leu His Ile Met Met Lys Val Val Lys Gly
 225 230 235 240
 His Arg Pro Glu Leu Pro Pro Ile Cys Arg Pro Arg Pro Arg Ala Cys
 245 250 255
 Ala Ser Leu Ile Gly Leu Met Gln Arg Cys Trp His Ala Asp Pro Gln
 260 265 270
 Val Arg Pro Thr Phe Gln Glu Ile Thr Ser Glu Thr Glu Asp Leu Cys
 275 280 285
 Glu Lys Pro Asp Glu Glu Val Lys Asp Leu Ala His Glu Pro Gly Glu
 290 295 300
 Lys Ser Ser Leu Glu Ser Lys Ser Glu Ala Arg Pro Glu Ser Ser Arg
 305 310 315 320
 Leu Lys Arg Ala Ser Ala Pro Pro Phe Asp Asn Asp Cys Ser Leu Ser
 325 330 335
 Glu Leu Leu Ser Gln Leu Asp Ser Gly Ile Ser Gln Thr Leu Glu Gly
 340 345 350
 Pro Glu Glu Leu Ser Arg Ser Ser Ser Glu Cys Lys Leu Pro Ser Ser
 355 360 365
 Ser Ser Gly Lys Arg Leu Ser Gly Val Ser Ser Val Asp Ser Ala Phe
 370 375 380
 Ser Ser Arg Gly Ser Leu Ser Leu Ser Phe Glu Arg Glu Ala Ser Thr
 385 390 395 400

Gly Asp Leu Gly Pro Thr Asp Ile Gln Lys Lys Lys Leu Val Asp Ala
 405 410 415
 Ile Ile Ser Gly Asp Thr Ser Arg Leu Met Lys Ile Leu Gln Pro Gln
 420 425 430
 Asp Val Asp Leu Val Leu Asp Ser Ser Ala Ser Leu Leu His Leu Ala
 435 440 445
 Val Glu Ala Gly Gln Glu Cys Val Lys Trp Leu Leu Leu Asn Asn
 450 455 460
 Ala Asn Pro Asn Leu Thr Asn Arg Lys Gly Ser Thr Pro Leu His Met
 465 470 475 480
 Ala Val Glu Arg Lys Gly Arg Gly Ile Val Glu Leu Leu Leu Ala Arg
 485 490 495
 Lys Thr Ser Val Asn Ala Lys Asp Glu Asp Gln Trp Thr Ala Leu His
 500 505 510
 Phe Ala Ala Gln Asn Gly Asp Glu Ala Ser Thr Arg Leu Leu Leu Glu
 515 520 525
 Lys Asn Ala Ser Val Asn Glu Val Asp Phe Glu Gly Arg Thr Pro Met
 530 535 540
 His Val Ala Cys Gln His Gly Gln Glu Asn Ile Val Arg Thr Leu Leu
 545 550 555 560
 Arg Arg Gly Val Asp Val Gly Leu Gln Gly Lys Asp Ala Trp Leu Pro
 565 570 575
 Leu His Tyr Ala Ala Trp Gln Gly His Leu Pro Ile Val Lys Leu Leu
 580 585 590
 Ala Lys Gln Pro Gly Val Ser Val Asn Ala Gln Thr Leu Asp Gly Arg
 595 600 605
 Thr Pro Leu His Leu Ala Ala Gln Arg Gly His Tyr Arg Val Ala Arg
 610 615 620
 Ile Leu Ile Asp Leu Cys Ser Asp Val Asn Ile Cys Ser Leu Gln Ala
 625 630 635 640
 Gln Thr Pro Leu His Val Ala Ala Glu Thr Gly His Thr Ser Thr Ala
 645 650 655
 Arg Leu Leu Leu His Arg Gly Ala Gly Lys Glu Ala Leu Thr Ser Glu
 660 665 670
 Gly Tyr Thr Ala Leu His Leu Ala Ala Gln Asn Gly His Leu Ala Thr
 675 680 685
 Val Lys Leu Leu Ile Glu Glu Lys Ala Asp Val Met Ala Arg Gly Pro
 690 695 700
 Leu Asn Gln Thr Ala Leu His Leu Ala Ala Ala Arg Gly His Ser Glu
 705 710 715 720
 Val Val Glu Glu Leu Val Ser Ala Asp Leu Ile Asp Leu Ser Asp Glu
 725 730 735
 Gln Gly Leu Ser Ala Leu His Leu Ala Ala Gln Gly Arg His Ser Gln
 740 745 750
 Thr Val Glu Thr Leu Leu Lys His Gly Ala His Ile Asn Leu Gln Ser
 755 760 765
 Leu Lys Phe Gln Gly Gly Gln Ser Ser Ala Ala Thr Leu Leu Arg Arg
 770 775 780
 Ser Lys Thr
 785

<210> 335

<211> 194

<212> PRT

<213> Mouse

<400> 335

Pro Gly Cys Lys Ser Cys Thr Val Cys Arg His Gly Leu Cys Arg Ser
 1 5 10 15
 Val Glu Lys Asp Ser Val Val Cys Glu Cys His Pro Gly Trp Thr Gly
 20 25 30

Pro Leu Cys Asp Gln Glu Ala Arg Asp Pro Cys Leu Gly His Ser Cys
 35 40 45
 Arg His Gly Thr Cys Met Ala Thr Gly Asp Ser Tyr Val Cys Lys Cys
 50 55 60
 Ala Glu Gly Tyr Gly Gly Ala Leu Cys Asp Gln Lys Asn Asp Ser Ala
 65 70 75 80
 Ser Ala Cys Ser Ala Phe Lys Cys His His Gly Gln Cys His Ile Ser
 85 90 95
 Asp Arg Gly Glu Pro Tyr Cys Leu Cys Gln Pro Gly Phe Ser Gly His
 100 105 110
 His Cys Glu Gln Glu Asn Pro Cys Met Gly Glu Ile Val Arg Glu Ala
 115 120 125
 Ile Arg Arg Gln Lys Asp Tyr Ala Ser Cys Ala Thr Ala Ser Lys Val
 130 135 140
 Pro Ile Met Glu Cys Arg Gly Gly Cys Gly Thr Thr Cys Cys Gln Pro
 145 150 155 160
 Ile Arg Ser Lys Arg Arg Lys Tyr Val Phe Gln Cys Thr Asp Gly Ser
 165 170 175
 Ser Phe Val Glu Glu Val Glu Arg His Leu Glu Cys Gly Cys Arg Ala
 180 185 190
 Cys Ser

<210> 336
 <211> 274
 <212> PRT
 <213> Human

<400> 336
 Tyr Arg Tyr Cys Gln His Arg Cys Val Asn Leu Pro Gly Ser Phe Arg
 1 5 10 15
 Cys Gln Cys Glu Pro Gly Phe Gln Leu Gly Pro Asn Asn Arg Ser Cys
 20 25 30
 Val Asp Val Asn Glu Cys Asp Met Gly Ala Pro Cys Glu Gln Arg Cys
 35 40 45
 Phe Asn Ser Tyr Gly Thr Phe Leu Cys Arg Cys His Gln Gly Tyr Glu
 50 55 60
 Leu His Arg Asp Gly Phe Ser Cys Ser Asp Ile Asp Glu Cys Ser Tyr
 65 70 75 80
 Ser Ser Tyr Leu Cys Gln Tyr Arg Cys Val Asn Glu Pro Gly Arg Phe
 85 90 95
 Ser Cys His Cys Pro Gln Gly Tyr Gln Leu Leu Ala Thr Arg Leu Cys
 100 105 110
 Gln Asp Ile Asp Glu Cys Glu Ser Gly Ala His Gln Cys Ser Glu Ala
 115 120 125
 Gln Thr Cys Val Asn Phe His Gly Gly Tyr Arg Cys Val Asp Thr Asn
 130 135 140
 Arg Cys Val Glu Pro Tyr Ile Gln Val Ser Glu Asn Arg Cys Leu Cys
 145 150 155 160
 Pro Ala Ser Asn Pro Leu Cys Arg Glu Gln Pro Ser Ser Ile Val His
 165 170 175
 Arg Tyr Met Thr Ile Thr Ser Glu Arg Ser Val Pro Ala Asp Val Phe
 180 185 190
 Gln Ile Gln Ala Thr Ser Val Tyr Pro Gly Ala Tyr Asn Ala Phe Gln
 195 200 205
 Ile Arg Ala Gly Asn Ser Gln Gly Asp Phe Tyr Ile Arg Gln Ile Asn
 210 215 220
 Asn Val Ser Ala Met Leu Val Leu Ala Arg Pro Val Thr Gly Pro Arg
 225 230 235 240
 Glu Tyr Val Leu Asp Leu Glu Met Val Thr Met Asn Ser Leu Met Ser
 245 250 255

WO 99/55865

PCT/NZ99/00051

Tyr Arg Ala Ser Ser Val Leu Arg Leu Thr Val Phe Val Gly Ala Tyr
 260 265 270
 Thr Phe

<210> 337

<211> 316

<212> PRT

<213> Mouse

<400> 337

His Glu Glu Glu Pro Cys Asn Asn Gly Ser Glu Ile Leu Ala Tyr Asn
 1 5 10 15
 Ile Asp Leu Gly Asp Ser Cys Ile Thr Val Gly Asn Thr Thr His
 20 25 30
 Val Met Lys Asn Leu Leu Pro Glu Thr Thr Tyr Arg Ile Arg Ile Gln
 35 40 45
 Ala Ile Asn Glu Ile Gly Val Gly Pro Phe Ser Gln Phe Ile Lys Ala
 50 55 60
 Lys Thr Arg Pro Leu Pro Pro Ser Pro Pro Arg Leu Glu Cys Ala Ala
 65 70 75 80
 Ser Gly Pro Gln Ser Leu Lys Leu Lys Trp Gly Asp Ser Asn Ser Lys
 85 90
 Thr His Ala Ala Gly Asp Met Val Tyr Thr Leu Gln Leu Glu Asp Arg
 100 105 110
 Asn Lys Arg Phe Ile Ser Ile Tyr Arg Gly Pro Ser His Thr Tyr Lys
 115 120 125
 Val Gln Arg Leu Thr Glu Phe Thr Cys Tyr Ser Phe Arg Ile Gln Ala
 130 135 140
 Met Ser Glu Ala Gly Glu Gly Pro Tyr Ser Glu Thr Tyr Thr Phe Ser
 145 150 155 160
 Thr Thr Lys Ser Val Pro Pro Thr Leu Lys Ala Pro Arg Val Thr Gln
 165 170 175
 Leu Glu Gly Asn Ser Cys Glu Ile Phe Trp Glu Thr Val Pro Pro Met
 180 185 190
 Arg Gly Asp Pro Val Ser Tyr Val Leu Gln Val Leu Val Gly Arg Asp
 195 200 205
 Ser Glu Tyr Lys Gln Val Tyr Lys Gly Glu Glu Ala Thr Phe Gln Ile
 210 215 220
 Ser Gly Leu Gln Ser Asn Thr Asp Tyr Arg Phe Arg Val Cys Ala Cys
 225 230 235 240
 Arg Arg Cys Val Asp Thr Ser Gln Glu Leu Ser Gly Ala Phe Ser Pro
 245 250 255
 Ser Ala Ala Phe Met Leu Gln Gln Arg Glu Val Met Leu Thr Gly Asp
 260 265 270
 Leu Gly Gly Met Glu Glu Ala Lys Met Lys Gly Met Met Pro Thr Asp
 275 280 285
 Glu Gln Phe Ala Ala Leu Ile Val Leu Gly Phe Ala Thr Leu Ser Ile
 290 295 300
 Leu Phe Ala Phe Ile Leu Gln Tyr Phe Leu Met Lys
 305 310 315

<210> 338

<211> 237

<212> PRT

<213> Mouse

<400> 338

Met Leu Ser Leu Arg Ser Leu Leu Pro His Leu Gly Leu Phe Leu Cys
 1 5 10 15
 Leu Ala Leu His Leu Ser Pro Ser Leu Ser Ala Ser Asp Asn Gly Ser

20 25 30
 Cys Val Val Leu Asp Asn Ile Tyr Thr Ser Asp Ile Leu Glu Ile Ser
 35 40 45
 Thr Met Ala Asn Val Ser Gly Gly Asp Val Thr Tyr Thr Val Thr Val
 50 55 60
 Pro Val Asn Asp Ser Val Ser Ala Val Ile Leu Lys Ala Val Lys Glu
 65 70 75 80
 Asp Asp Ser Pro Val Gly Thr Trp Ser Gly Thr Tyr Glu Lys Cys Asn
 85 90 95
 Asp Ser Ser Val Tyr Tyr Asn Leu Thr Ser Gln Ser Gln Ser Val Phe
 100 105
 Gln Thr Asn Trp Thr Val Pro Thr Ser Glu Asp Val Thr Lys Val Asn
 115 120 125
 Leu Gln Val Leu Ile Val Val Asn Arg Thr Ala Ser Lys Ser Ser Val
 130 135 140
 Lys Met Glu Gln Val Gln Pro Ser Ala Ser Thr Pro Ile Pro Glu Ser
 145 150 155 160
 Ser Glu Thr Ser Gln Thr Ile Asn Thr Thr Pro Thr Val Asn Thr Ala
 165 170 175
 Lys Thr Thr Ala Lys Asp Thr Ala Asn Thr Thr Ala Val Thr Thr Ala
 180 185 190
 Asn Thr Thr Ala Asn Thr Thr Ala Val Thr Thr Ala Lys Thr Thr Ala
 195 200 205
 Lys Ser Leu Ala Ile Arg Thr Leu Gly Ser Pro Leu Ala Gly Ala Leu
 210 215 220
 His Ile Leu Leu Val Phe Leu Ile Ser Lys Leu Leu Phe
 225 230 235

<210> 339

<211> 469

<212> PRT

<213> Mouse

<400> 339

Met Leu Cys Leu Cys Leu Tyr Val Pro Ile Ala Gly Ala Ala Gln Thr
 1 5 10 15
 Glu Phe Gln Tyr Phe Glu Ser Lys Gly Leu Pro Ala Glu Leu Lys Ser
 20 25 30
 Ile Phe Lys Leu Ser Val Phe Ile Pro Ser Gln Glu Phe Ser Thr Tyr
 35 40 45
 Arg Gln Trp Lys Gln Lys Ile Val Gln Ala Gly Asp Lys Asp Leu Asp
 50 55 60
 Gly Gln Leu Asp Phe Glu Glu Phe Val His Tyr Leu Gln Asp His Glu
 65 70 75 80
 Lys Lys Leu Arg Leu Val Phe Lys Ser Leu Asp Lys Lys Asn Asp Gly
 85 90 95
 Arg Ile Asp Ala Gln Glu Ile Met Gln Ser Leu Arg Asp Leu Gly Val
 100 105 110
 Lys Ile Ser Glu Gln Gln Ala Glu Lys Ile Leu Lys Ser Met Asp Lys
 115 120 125
 Asn Gly Thr Met Thr Ile Asp Trp Asn Glu Trp Arg Asp Tyr His Leu
 130 135 140
 Leu His Pro Val Glu Asn Ile Pro Glu Ile Ile Leu Tyr Trp Lys His
 145 150 155 160
 Ser Thr Ile Phe Asp Val Gly Glu Asn Leu Thr Val Pro Asp Glu Phe
 165 170 175
 Thr Val Glu Glu Arg Gln Thr Gly Met Trp Trp Arg His Leu Val Ala
 180 185 190
 Gly Gly Gly Ala Gly Ala Val Ser Arg Thr Cys Thr Ala Pro Leu Asp
 195 200 205
 Arg Leu Lys Val Leu Met Gln Val His Ala Ser Arg Ser Asn Asn Met

WO 99/55865

PCT/NZ99/00051

```

210                215                220
Cys Ile Val Gly Gly Phe Thr Gln Met Ile Arg Glu Gly Gly Ala Lys
225                230                235                240
Ser Leu Trp Arg Gly Asn Gly Ile Asn Val Leu Lys Ile Ala Pro Glu
                245                250                255
Ser Ala Ile Lys Phe Met Ala Tyr Glu Gln Met Lys Arg Leu Val Gly
                260                265                270
Ser Asp Gln Glu Thr Leu Arg Ile His Glu Arg Leu Val Ala Gly Ser
                275                280                285
Leu Ala Gly Ala Ile Ala Gln Ser Ser Ile Tyr Pro Met Glu Val Leu
                290                295                300
Lys Thr Arg Met Ala Leu Arg Lys Thr Gly Gln Tyr Ser Gly Met Leu
                305                310                315                320
Asp Cys Ala Arg Arg Ile Leu Ala Lys Glu Gly Val Ala Ala Phe Tyr
                325                330                335
Lys Gly Tyr Ile Pro Asn Met Leu Gly Ile Ile Pro Tyr Ala Gly Ile
                340                345                350
Asp Leu Ala Val Tyr Glu Thr Leu Lys Asn Thr Trp Leu Gln Arg Tyr
                355                360                365
Ala Val Asn Ser Ala Asp Pro Gly Val Phe Val Leu Leu Ala Cys Gly
                370                375                380
Thr Ile Ser Ser Thr Cys Gly Gln Leu Ala Ser Tyr Pro Leu Ala Leu
                385                390                395                400
Val Arg Thr Arg Met Gln Ala Gln Ala Ser Ile Glu Gly Ala Pro Glu
                405                410                415
Val Thr Met Ser Ser Leu Phe Lys Gln Ile Leu Arg Thr Glu Gly Ala
                420                425                430
Phe Gly Leu Tyr Arg Gly Leu Ala Pro Asn Phe Met Lys Val Ile Pro
                435                440                445
Ala Val Ser Ile Ser Tyr Val Val Tyr Glu Asn Leu Lys Ile Thr Leu
                450                455                460
Gly Val Gln Ser Arg
465

```

<210> 340

<211> 99

<212> PRT

<213> Mouse

<400> 340

```

Met Arg Leu Leu Ala Ala Ala Leu Leu Leu Leu Leu Ala Leu Cys
1          5          10          15
Ala Ser Arg Val Asp Gly Ser Lys Cys Lys Cys Ser Arg Lys Gly Pro
20          25          30
Lys Ile Arg Tyr Ser Asp Val Lys Lys Leu Glu Met Lys Pro Lys Tyr
35          40          45
Pro His Cys Glu Glu Lys Met Val Ile Val Thr Thr Lys Ser Met Ser
50          55          60
Arg Tyr Arg Gly Gln Glu His Cys Leu His Pro Lys Leu Gln Ser Thr
65          70          75          80
Lys Arg Phe Ile Lys Trp Tyr Asn Ala Trp Asn Glu Lys Arg Arg Val
85          90          95
Tyr Glu Glu

```

<210> 341

<211> 431

<212> PRT

<213> Mouse

<400> 341

```

Met Asp Ala Arg Trp Trp Ala Val Val Val Leu Ala Thr Leu Pro Ser
1      5      10      15
Leu Gly Ala Gly Gly Glu Ser Pro Glu Ala Pro Pro Gln Ser Trp Thr
20      25      30
Gln Leu Trp Leu Phe Arg Phe Leu Leu Asn Val Ala Gly Tyr Ala Ser
35      40      45
Phe Met Val Pro Gly Tyr Leu Leu Val Gln Tyr Leu Arg Arg Lys Asn
50      55      60
Tyr Leu Glu Thr Gly Arg Gly Leu Cys Phe Pro Leu Val Lys Ala Cys
65      70      75      80
Val Phe Gly Asn Glu Pro Lys Ala Pro Asp Glu Val Leu Leu Ala Pro
85      90      95
Arg Thr Glu Thr Ala Glu Ser Thr Pro Ser Trp Gln Val Leu Lys Leu
100      105      110
Val Phe Cys Ala Ser Gly Leu Gln Val Ser Tyr Leu Thr Trp Gly Ile
115      120      125
Leu Gln Glu Arg Val Met Thr Gly Ser Tyr Gly Ala Thr Ala Thr Ser
130      135      140
Pro Gly Glu His Phe Thr Asp Ser Gln Phe Leu Val Leu Met Asn Arg
145      150      155      160
Val Leu Ala Leu Val Val Ala Gly Leu Tyr Cys Val Leu Arg Lys Gln
165      170      175
Pro Arg His Gly Ala Pro Met Tyr Arg Tyr Ser Phe Ala Ser Leu Ser
180      185      190
Asn Val Leu Ser Ser Trp Cys Gln Tyr Glu Ala Leu Lys Phe Val Ser
195      200      205
Phe Pro Thr Gln Val Leu Ala Lys Ala Ser Lys Val Ile Pro Val Met
210      215      220
Met Met Gly Lys Leu Val Ser Arg Arg Ser Tyr Glu His Trp Glu Tyr
225      230      235      240
Leu Thr Ala Gly Leu Ile Ser Ile Gly Val Ser Met Phe Leu Leu Ser
245      250      255
Ser Gly Pro Glu Pro Arg Ser Ser Pro Ala Thr Thr Leu Ser Gly Leu
260      265      270
Val Leu Leu Ala Gly Tyr Ile Ala Phe Asp Ser Phe Thr Ser Asn Trp
275      280      285
Gln Asp Ala Leu Phe Ala Tyr Lys Met Ser Ser Val Gln Met Met Phe
290      295      300
Gly Val Asn Leu Phe Ser Cys Leu Phe Thr Val Gly Ser Leu Leu Glu
305      310      315      320
Gln Gly Ala Leu Leu Glu Gly Ala Arg Phe Met Gly Arg His Ser Glu
325      330      335
Phe Ala Leu His Ala Leu Leu Ser Ile Cys Ser Ala Phe Gly Gln
340      345      350
Leu Phe Ile Phe Tyr Thr Ile Gly Gln Phe Gly Ala Ala Val Phe Thr
355      360      365
Ile Ile Met Thr Leu Arg Gln Ala Ile Ala Ile Leu Leu Ser Cys Leu
370      375      380
Leu Tyr Gly His Thr Val Thr Val Val Gly Gly Leu Gly Val Ala Val
385      390      395      400
Val Phe Thr Ala Leu Leu Leu Arg Val Tyr Ala Arg Gly Arg Lys Gln
405      410      415
Arg Gly Lys Lys Ala Val Pro Thr Glu Pro Pro Val Gln Lys Val
420      425      430

```

<210> 342
 <211> 51
 <212> PRT
 <213> Mouse
 <400> 342

Leu Lys Phe Ser His Pro Cys Leu Glu Asp His Asn Ser Tyr Cys Ile
 1 5 10 15
 Asn Gly Ala Cys Ala Phe His His Glu Leu Lys Gln Ala Ile Cys Arg
 20 25 30
 Cys Phe Thr Gly Tyr Thr Gly Gln Arg Cys Glu His Leu Thr Leu Thr
 35 40 45
 Ser Tyr Ala
 50

<210> 343
 <211> 51
 <212> PRT
 <213> Human
 <400> 343

Leu Lys Phe Ser His Leu Cys Leu Glu Asp His Asn Ser Tyr Cys Ile
 1 5 10 15
 Asn Gly Ala Cys Ala Phe His His Glu Leu Lys Ala Ile Cys Arg
 20 25 30
 Cys Phe Thr Gly Tyr Thr Gly Glu Arg Cys Glu His Leu Thr Leu Thr
 35 40 45
 Ser Tyr Ala
 50

<210> 344
 <211> 95
 <212> PRT
 <213> Human

<400> 344
 Ala Ala Ala Leu Leu Leu Leu Ala Leu Tyr Thr Ala Arg Val
 1 5 10 15
 Asp Gly Ser Lys Cys Lys Cys Ser Arg Lys Gly Pro Lys Ile Arg Tyr
 20 25 30
 Ser Asp Val Lys Lys Leu Glu Met Lys Pro Lys Tyr Pro His Cys Glu
 35 40 45
 Glu Lys Met Val Ile Ile Thr Thr Lys Ser Val Ser Arg Tyr Arg Gly
 50 55 60
 Gln Glu His Cys Leu His Pro Lys Leu Gln Ser Thr Lys Arg Phe Ile
 65 70 75 80
 Lys Trp Tyr Asn Ala Trp Asn Glu Lys Arg Val Tyr Glu Glu
 85 90 95

<210> 345
 <211> 77
 <212> PRT
 <213> Mouse

<400> 345
 Ser Lys Cys Lys Cys Ser Arg Lys Gly Pro Lys Ile Arg Tyr Ser Asp
 1 5 10 15
 Val Lys Lys Leu Glu Met Lys Pro Lys Tyr Pro His Cys Glu Glu Lys
 20 25 30
 Met Val Ile Val Thr Thr Lys Ser Met Ser Arg Tyr Arg Gly Gln Glu
 35 40 45
 His Cys Leu His Pro Lys Leu Gln Ser Thr Lys Arg Phe Ile Lys Trp
 50 55 60
 Tyr Asn Ala Trp Asn Glu Lys Arg Arg Val Tyr Glu Glu
 65 70 75

<210> 346
 <211> 77

WO 99/55865

PCT/NZ99/00051

<212> PRT
<213> Human

<400> 346
Ser Lys Cys Lys Cys Ser Arg Lys Gly Pro Lys Ile Arg Tyr Ser Asp
1 5 10 15
Val Lys Lys Leu Glu Met Lys Pro Lys Tyr Pro His Cys Glu Glu Lys
20 25 30
Met Val Ile Ile Thr Thr Lys Ser Val Ser Arg Tyr Arg Gly Gln Glu
35 40 45
His Cys Leu His Pro Lys Leu Gln Ser Thr Lys Arg Phe Ile Lys Trp
50 55 60
Tyr Asn Ala Trp Asn Glu Lys Arg Arg Val Tyr Glu Glu
65 70 75

<210> 347
<211> 215
<212> PRT
<213> Mouse

<400> 347
Met Leu Ser Leu Arg Ser Leu Leu Pro His Leu Gly Leu Phe Leu Cys
1 5 10 15
Leu Ala Leu His Leu Ser Pro Ser Leu Ser Ala Ser Asp Asn Gly Ser
20 25 30
Cys Val Val Leu Asp Asn Ile Tyr Thr Ser Asp Ile Leu Glu Ile Ser
35 40 45
Thr Met Ala Asn Val Ser Gly Gly Asp Val Thr Tyr Thr Val Thr Val
50 55 60
Pro Val Asn Asp Ser Val Ser Ala Val Ile Leu Lys Ala Val Lys Glu
65 70 75 80
Asp Asp Ser Pro Val Gly Thr Trp Ser Gly Thr Tyr Glu Lys Cys Asn
85 90 95
Asp Ser Ser Val Tyr Tyr Asn Leu Thr Ser Gln Ser Gln Ser Val Phe
100 105 110
Gln Thr Asn Trp Thr Val Pro Thr Ser Glu Asp Val Thr Lys Val Asn
115 120 125
Leu Gln Val Leu Ile Val Val Asn Arg Thr Ala Ser Lys Ser Ser Val
130 135 140
Lys Met Glu Gln Val Gln Pro Ser Ala Ser Thr Pro Ile Pro Glu Ser
145 150 155 160
Ser Glu Thr Ser Gln Thr Ile Asn Thr Thr Pro Thr Val Asn Thr Ala
165 170 175
Lys Thr Thr Ala Lys Asp Thr Ala Asn Thr Thr Ala Val Thr Thr Ala
180 185 190
Asn Thr Thr Ala Asn Thr Thr Ala Val Thr Thr Ala Lys Thr Thr Ala
195 200 205
Lys Ser Leu Ala Ile Arg Thr
210 215

<210> 348
<211> 21
<212> PRT
<213> Mouse

<400> 348
Gly Tyr Ser Asp Gly Tyr Gln Val Cys Ser Arg Phe Gly Ser Lys Val
1 5 10 15
Pro Gln Phe Leu Asn

<210> 349

<211> 417
 <212> DNA
 <213> Mouse

<400> 349

gctagccgtg	caccagctgc	tccggagcgc	gtgcaggcga	gccgagcgcc	ccgtcccgcg	60
ttctcgggca	ggcgtctgag	gctccccgcg	tcctccgcgt	cccggcgacc	cggcgggcg	120
atgcgcggcg	cttagagcgt	agccgcgcgc	atgcgcgtcc	cgctgctgct	cgccgcgctc	180
tgccctcgcc	cctccccgcg	gccgcgcgcg	gctcgccagc	tgccgtcgga	gtggagagcc	240
ctgagcaag	gctgcgcgcg	cgagctagcc	gagaccatcg	tgatagccaa	ggtagctggc	300
ctgacccccc	aggtgctctg	cctctacaac	tacctgcgct	ggcagtagca	agctggagag	360
ggagggctct	cttactccgc	cgaggtggag	atgcttgtgt	gaccaaggcg	tggggca	417

<210> 350
 <211> 1837
 <212> DNA
 <213> Mouse

<400> 350

ccccaccctg	cccagccaag	cagagtgcgc	ccggttttgt	tcgctttgtc	ctcgcgcacc	60
taaacgctgg	gctgggaaga	acgccatccc	ggagagcgca	cgccggcgctg	caccaggtctc	120
aacacacatg	ctccactctc	gctcttacc	gccatctaca	tgctcctgtt	cttcagagtg	180
tcctccagaca	ttctctttca	ggaagtgc	gtgaaccggg	agaccatggg	gaagatcgct	240
gtggccagca	aattaatgtg	gtgctcagcc	gcggctgaca	tcctgtttct	gttagatggc	300
ttctcacgca	ctgggaagg	gagcttcgag	aggctccaagc	cgttcgcgat	cgctcccatc	360
gatgcccggg	acatcagccc	tgccaggggtc	agagctcgag	ccttgacgtt	tggttccatc	420
ctctatctcg	aattccccct	ggactccttc	tcaactcgac	aggaagtga	ggaaagcatc	480
aaggggatag	ttcttcaagg	tgggcgcaac	gagacgggcc	tacgctcgaa	acgcttgagc	540
agagggcttc	ccggaggcag	aaatggctct	gtgcccacga	ttcttatcat	cgctcagcat	600
ggcaagctcc	aggggccctg	ggctctcccc	gctaagcagc	tgagagaaga	gggcacgtgc	660
gtgtttgcgc	taggatccgc	ttttcccagg	tgggacagac	tgctcacgct	ggccagtgag	720
ccgaaggacc	ggcatgtgct	gttgctgag	caagtggagg	atgccaccac	tgccctcttc	780
agcaccctca	gcagctccgc	actctgacc	actgtgatc	cagactcgac	ggtagaacct	840
catccctgtg	agcggaggac	gctggagacc	gtcaggagac	tcgctggcaa	tgccctgtgc	900
tggaaggatg	caaggcaagc	agacactgtg	ctggctctgc	ccgtcccttc	ctacagcttg	960
aagagagtgt	ttcagacaca	ccctgccaac	tgctacagaa	ccatctgtcc	agccctctgt	1020
gactcccagc	cctgccaaaa	tgagggcacg	tgcatccag	aaggtgtgga	taggtaccac	1080
tgctcttgcc	cactggcatt	cggaggggaa	gtcaactgtg	cccgaagct	gagcctggaa	1140
tgcaagaatg	atgtctcttc	cctgctggac	agttctgac	gcaccacatt	ggggggcttc	1200
cggaggggca	agccctttgt	caagcgtctt	gtgcagcgcc	tgctgaggga	ggactcccca	1260
gcccgcgctg	tttagccagg	tttcggcagg	aattcaatgg	tgccgtgtcc	ctgtcgggga	1320
gtaccagatg	tgctgcggac	ctgatcgagc	gctctgagc	catctcttc	agcggcggtc	1380
cgaccctaac	cggaggtgcc	ttgctccagg	tgccagagca	cggtcttggg	agtcgcagca	1440
ggagctggta	ggacaggcca	cgcagagttag	tagttctgct	cactgaatca	cgctcccaag	1500
atgaggtgtc	tgggccagca	gctcacgcaa	gggctcgsga	gctactcttc	ctggcgctgg	1560
cgagtgagat	cctgcaggcg	gagctgtgta	agatcacccg	tagcccgaa	catgtgatgg	1620
ttcacacaga	ccctcaggac	ctgtcaccca	aatcacagac	tgcaaggag	gctatgcagc	1680
cagccacggc	caggttgcca	ggcacagtca	ctggacctgg	ttctctgtg	gatgctctgc	1740
ctctgtggga	ctgagaaact	ttgcccacaa	cgacagcttc	atcaggaat	gcaccctccg	1800
gtttgatgtg	aatccctgatg	tgacacaagt	tgccctg			1837

<210> 351
 <211> 941
 <212> DNA
 <213> Mouse

<400> 351

taagccctca	ggccctccta	atgctatccc	cctttgttcc	tgacgcgtgg	accagctcag	60
cagccaggcc	atggagctct	ctgatgtcac	cctcattgag	ggtgtgggta	acagagtgat	120
gggtgtagca	ggcgtgggtg	cgctgactct	agcccttggtc	ctagctggc	ttctccatca	180
tgtagcagac	aggtgtaaca	accagctgct	gggcaccatt	gtgtcagcag	gtgacacgtc	240

tgtctccac	ctgggccatg	tggaccagct	ggtaaaccac	ggcactccag	agccaacgga	300
acaccccacat	ccatcagggg	gcaatgatga	caaggctgaa	gagaccagtg	acagtggggg	360
agacgcccat	ggagaacctg	gagctagggg	agagatggag	cccagcctgg	agcatctccct	420
ggacatccaa	ggcctgccta	aaaggcaagc	aggcctgggg	agcagtcgcc	cagaagcccc	480
gctgggggta	gatgatggct	ccctgcctctc	teccagcccc	agcctcatca	atgttcgcct	540
caagtctctc	aatgacacgg	aggagctagc	tgtggccagg	ccagaggata	ctgtgggtac	600
ctctaaaagg	tgagtgggc	ggagagaggc	cagttgctcg	tgactgtctc	ctcagatgat	660
ggtttctctga	agaagctgtg	catatatgtg	agcacaggag	ggattttaag	gggaatgga	720
gacttccata	gacagacctt	cagtgctctt	catgtccagg	ccttgatctc	ctcagcctca	780
ttctttatcc	agctcttctc	ttcatctctg	tagcaaatac	ttccctggag	aagagaacca	840
aatgaagtgt	atctaccagg	gtcgctgctc	gcaggaccac	gcacgcacac	tgagtctcct	900
gaacattacc	aacaactcgc	tgatccactg	ccaccgctca	c		941

<210> 352

<211> 571

<212> DNA

<213> Mouse

<400> 352

gctgactgtga	ccataaatcc	accatgaatt	acgtctgtga	gttaacctccg	tgagctctca	60
ttgggatttg	agatgatgtg	catgtgggtg	gggctcagct	gctgtgcgcc	tgacatccac	120
atttgagatg	cttttggttc	cgtgacaacg	tagaaattgc	atgtgtctac	cggtagacagt	180
gtgggtgac	tgggacctgc	gggtggctca	cttaacctctg	attccgtctg	tggaagaatc	240
ccagtgtacc	caaatgtggc	attgtgtgat	gctgtgggtg	tgtgtgggag	attgtctctg	300
ttctctcagac	cttttgggc	ttgtctgtt	gaagagaca	gagacccctt	gtgtgttct	360
cagctgagaa	ccctccctcc	tgggatgttg	gggtgaaact	taactgcttt	gcataagcctg	420
ccctctctca	tgctgacctc	tcaatatctg	gcagtgcatt	gttcccaagc	ccccctgtc	480
tatgggaatg	tcagggtctc	ctcaccctga	cagctgataa	ttccattctc	cgactcttga	540
gaactggccc	ttgctttgtt	ttctctgctc	g			571

<210> 353

<211> 467

<212> DNA

<213> Rat

<400> 353

cggagaatga	cggggtggcc	gtggctcgag	ctgctggccc	ggcactgaca	ggacacgaac	60
tctatgcttt	tccgtgtctt	tatcccgctc	ggcctcgtgt	gcctgtgctt	gccccctgac	120
catggtgcgc	cagcgcacca	aggacacggc	cccgaccctg	cccaactacg	ggagcagctc	180
aaggccatgt	tctacacggc	ctacgacagt	tacctggaaa	atgcctttcc	ctacgatgat	240
ctgagacctc	tcaactgtga	cgggcacgac	acctggggga	gtttttctct	gacactgatt	300
gatgcccttg	acaccttgc	gatattgggg	aatacctctg	aattccaaag	agtgggtggg	360
gtttctccag	acaaacgtgg	actttgatat	cgacgtcaat	gcctctgtgt	tcgaaccaca	420
catccgagtg	gtaggaggac	tctctttctg	tcatctcttg	tcaaga		467

<210> 354

<211> 528

<212> DNA

<213> Rat

<400> 354

gtgactctgt	ctgtaggacc	ctccaggaag	cactggcctc	tctacagag	tctctcaact	60
agcacggccc	ttaagtctaa	agccaaatgt	ggtttctgcc	ctgcagggtg	ccctcggtaa	120
tctcgagtgt	ccactcccaa	gccagccccc	actggccata	tggcatcata	ctcggaggtc	180
aggaggccct	gtgcaggctt	tgagacacca	cttgccacag	cagaggagag	agtgaggttt	240
ccaggagcag	caggaaaggaa	gacccccaga	ttccccaggg	ctctttgagt	ggtaattgtg	300
actctctggag	agctctgccc	ctctgtgctc	acacaaagcat	ggacaggaca	ctgggacttt	360
tatcctgttg	ttaagctgtt	tccacagaag	cccgttcagg	tagttacttc	acccacattt	420
gccctatagc	cagaggagtg	ccctgcctaa	ctgcagtggt	agcttggtaa	caacagaagt	480
gccccaggagc	tgacccccaaa	ggccagggaag	gctcgagctt	gccacttt		528

<210> 355	
<211> 473	
<212> DNA	
<213> Mouse	
<400> 355	
ggcagcaggga cccgcggtcac tgagcctctg cagggtgtcaa caaggctcaa ggagcaggat	60
ggatctcgat gtgggttaaca tgtttgtgat tgcgggtggg accctggcca ttccaatcct	120
ggcatttgtt gcgtcttttcc tcccttgggc ttacgacctg ataagaatct atttatcgta	180
ctggcggagg acactgggca tgcgaagtgc ctacgcacac catgaggact atcagttctg	240
ttactccttc cggggcaggc caggacacaa gccatccatc ctatgtctcc atggattctc	300
cgcacacaag gacatgtggc tcagcgtggg caagttccct ccgaagaacc tgcacttggt	360
ctgtgtggac atgcctgggc atgaaggcac caccgcctcc tccctggatg acctgtccat	420
agtggggcaa gttaaaagga tacatcagtt tgtagaatgc cttaagctga aca	473
<210> 356	
<211> 431	
<212> DNA	
<213> Rat	
<400> 356	
cttaactagc gcccccattcc accatgtttc ctgacggatt ctagccttgt ttgttttttt	60
caacctaaac caaatggaa atggccggag agctccaggg cacttaggtt ccccggtctc	120
ggcttcggct gggctaaagc gcgagtgtag tgggactatc ctaggagggt ttccctggag	180
gagaggcgat ggcgtcaagt agtaactggc tgtccggagt gaatgtctgt cttgtgtatg	240
cgtacgggag cctgttattc gtattgcctg ttatttttgt gaagagacaa atcatgcgtc	300
ttgcaatgaa atctagaagg ggaacctatg tccctgtggg acacaatgcc ccgaaggact	360
taaaaggaga attgatattt cggctatcca gagtcaagg catcaagtat gaaccgcagc	420
tccctgcaga t	431
<210> 357	
<211> 1206	
<212> DNA	
<213> Mouse	
<400> 357	
ccaacactcg ceatgcgttc tggggcaactg tggccgctgc ttggggagc cctggctctg	60
acagtgggat ccgtggggcg cgtgatgggc tccgaggatt ctgtgcccg tggcgtgtgc	120
tggctccagc agggcagaga ggccaactgc agtctggtag tgaagactcg tgtcagcccg	180
gaggagtgtc gtgcttcggg caacatcaac accgcctggt ccaactcac ccaccaccgc	240
aataaaatca gccctgctagg gttcctgggc ctgcctccact gccctccctg caaagattcc	300
tgcgacggag tggagtgccg ccccgccaa gctgcgcga tgcgtggggg gcgtccacaa	360
ctgcgaagtt gcgtgcccac ctgcggaggg yttcccgagg gcttccagg tgcggctctc	420
gatgagccca cctacccggg cgaatcgaaa cgcgcgacgc cgcgtgtcg cggacaccca	480
gaactggcgc tcatgtaccy cggcgcgtgt caaagttctt gcgtcaggt agtgtgcgg	540
cgtccccagt cgtgccttgt ggaatgagcc ggacgcgac actgcgtgtg gtgtcgcgtc	600
gcgcctctgc cagtaccttc caaccccgcc caagaaactct gtggcaacaa caacgtatcc	660
tacatctcgt cgtgtcaact gcgccagccc acttgctccc tgggcgcgtc cattgggggt	720
cggcaccacg gacatctgac aggtggcccc aaagtaccag cagaggaagg agagaactc	780
gtgtgagctg cagccactgg cctctggcatt tgagcccatc ccgattttat ttattgttat	840
agaaaatatc taattttatg tcacatggac atttcccaaa cctggcctgg aaccacttg	900
ggatccccct gggatcctga gcacgtatca caaggactga agggagatt ttataatagt	960
tggtatgtgc catcacccar gtactgggat caaagttaga acccaagacc cctgctgcc	1020
agggatggca gctcatgga gatccccctg ctatgatctc cccactgctc ttctagcctg	1080
gagctgtgc agggcacagc cgtatgaattg gtgtttgcat atggctggcc tcagaccaga	1140
ggggcaaca tcaggtcaga gaaacactg gctcatcct gtttggtcca ctacgggtga	1200
aacctg	1206
<210> 358	
<211> 1052	
<212> DNA	

<213> Rat

<400> 358

ccagaaagaa	cgatttagat	gacagttttt	agaaagggtga	ccaccatgat	ctctctggatg	60
ctctctggcct	gtgcccctcc	gtgtgctgtct	gacccaatgc	ttggctgctt	tgctcgcagg	120
gactctcaga	aggggtggctc	tcaactgggtg	tgcagctctgc	ctggctcccca	agggccaactg	180
gcctctccagg	agccaccagga	tcctccaggaa	tgggtgggaag	aattgggtttt	ctctggtaagg	240
atggccaagga	cgcccgaggac	ggagaccgag	gggacagtgg	agaagaaagt	ccacctcgcca	300
ggagcaggcaa	ccgagaaaaa	caaggaccaa	agggcaaaagc	tgggggccatt	gggagagcgg	360
gtctctcagag	acccaagggg	gtcagtggta	ccccgggaa	acatgggtata	ccgggcaaga	420
agggacctaa	gggcaagaaa	ggggaacctg	ggctcccagg	ccctctgtagc	tgccggcagta	480
gcccagccaa	gtgggcccctt	tcggctggcgg	taaccaagag	ttaccacgtg	gagcgactgc	540
ccatcaagtt	tgacaagatt	ctgatgaatg	agggaggccca	ctacaaatgca	tcacagtggca	600
agtcgtctgt	cagcgtgccca	gggatctact	actttaccta	cgacattacg	ctggccaaca	660
aacacctggc	catcgggcta	gtgcacaaatg	gccagtaccg	catctcgact	ttgacgcga	720
acacocggaa	ccaagcagtg	gctctgggct	ccacctacct	agctctcaag	gagggtgatg	780
aagtctggtt	acagatttct	tactcggagc	agaaatggact	cttctacgac	ctttatttga	840
ccgacagcct	gttcaccggc	ttctctcatct	acgtgatca	aggagaccoc	aatgaggtat	900
agacaagctg	gggttgagcg	tccaggcagg	gactaaagatt	ccgcaagggt	gctgatagaa	960
gaggatctct	gaactgagcg	tggggactcg	cagtctctgg	gagcttttat	tcctcaggcaa	1020
gcttctctctg	gtgctgcttt	aaaaaaaaaa	aa			1052

<210> 359

<211> 1134

<212> DNA

<213> Rat

<400> 359

aattcggcac	gagggcggtca	gaacccgggc	ttctctgttg	tcctgaacgg	cactaccagg	60
gcggtggaa	cagagaaggc	ggaggcggt	ggggaggagag	gcgtctagtc	ttgctggctc	120
agcaagcccg	ataagcatga	agctgctgtg	tttggtggct	gtggtggggg	gcttgctggg	180
acccccggct	caagccaaca	agagctctga	agatatccgg	tgcaaatgca	tcgtctcccc	240
ttacagaaac	atcagcgggc	acattttaca	ccagaatgtg	tttcagaagg	actgcaactg	300
ctctcatgtg	gtggagccca	tgcccggtgct	tggccatgat	gtggaagcct	actgctctgct	360
ctctgagtg	aggtatgagg	agcgacgac	cacaaccatc	aaggtcatta	tcgtcatcta	420
ctctgtctgt	gtaggggccc	tccttactcta	catggccttc	ctgatgctgg	tggaacctct	480
catcogaagg	ccggatgctc	atactgagca	gctgcacaat	gaagaagaga	atgaggatgc	540
ccgctccatg	gctgcggccc	ccgcatccat	tggaaggacc	cgagcaaca	ccgctcctga	600
goggggtgaa	ggcgctcagc	agcgatggaa	gctacaggtg	caggagcagc	ggaagacggg	660
cttcgatcga	cacaagatgc	tcagtttagat	gattgccatg	gcagtgctcag	ggaccaccag	720
ctcgccatac	agcttctggg	gcagctcttc	ctgggtcttc	cttccaaatg	cccgctggcat	780
tgctctctct	ccctctctct	agaaatgtac	tcgactgtta	taactaggga	gtgggatttg	840
gctctctgtc	tcctgtctct	ctgtaggtct	ctggggtaga	agggaaagga	aggaaggcag	900
aagagaaacg	agatggctga	gcagggcaca	cyattgggtga	aaatccctcc	tcctgtctcc	960
gcgctctctc	acagctccac	atcttaagga	tgtttatagc	tccttgggag	acggagctgt	1020
gcgctcaata	gctcgtgggg	tgcgacgaaa	gtgtgaccca	gcctccagcc	tggtctctac	1080
gatgcgctgg	cccccatcc	cactttttnca	gtgcataatc	tttagcttgg	ctgt	1134

<210> 360

<211> 876

<212> DNA

<213> Mouse

<400> 360

tgccagctgc	cccttcgagt	gcttatcatc	agcaacaaca	agttaggagc	ctgctctcca	60
gacatcagca	cccttggaag	ctctcggcag	ctgtgatgtga	gcagcaatga	gctgcagctc	120
ctgcggcggy	agctgtgtag	ctctcgtctc	ctgcgggagt	tcacagcttcg	aaggaaccag	180
ctcagacacc	tgcttgatga	gctgggagac	ctgtctctcgg	ccgcctcgga	ttctctcctg	240
accgcgctctc	ccgaaatccc	cgctctcttc	tgccgctctc	ggacactgca	gtgtgctctg	300
ctggatagca	accccttaca	gagtccatcc	gccagatat	gctcgaaggg	gaaactctac	360
atcttcaagt	acctacaacat	ggaagctggc	cggaggggag	ccgcctctcg	ggaactcgtc	420

ccttccegc	ccccaaagtt	tagtccctgc	cctgccgaag	atttatttcc	gggagctcgt	480
tatgatggtg	gctctggactc	aggcttccac	agcgttgaca	gtggcagcaa	gagtggtcca	540
ggaaatgagt	ccacagatga	tttttccagag	ctgtcttccc	ggatctcgga	gctggctcgt	600
gatcccccggg	ggcctagaca	accctaggga	gatggcgctg	gcgatggaga	cctggagcag	660
attgacttta	ttgacagcca	cgttcctggg	gaagatgaag	atcgaagtgc	agctgaggag	720
cagctgcctt	ctgaattaag	ccttgtagca	ggggatgtgg	agaagccatc	tagcagcagg	780
cgagaggagc	ctgcaggggg	ggagaggcgg	cgccacagca	ctttgcagtt	gtggcaggaa	840
cgggagcgga	agcaacagca	acagagtggg	ggatgg			876

<210> 361

<211> 495

<212> DNA

<213> Mouse

<400> 361

gtcgcgccag	ctgagagccc	ctaggtttga	ccctcgtcgg	ggattccacg	cggaggggcaa	60
ggacagagcc	ccctctgttc	cccagggcct	gctgaaggca	gcgagaagca	gcggccaact	120
caactctggc	ggaaggaaac	tcggggaaat	ccctcagctg	gtttggagaa	taaatgtgga	180
catctctgaa	gaggctaata	agaatctttc	attcagttct	actgaacgat	ggtgggatca	240
gacagatctg	accaaaactca	tcaatctccg	caataaaact	cagtcctctc	ctgatgacct	300
ccgactcttg	cctgccttta	ctgtttctga	tatacatgat	aatcagctga	catctcttcc	360
ttcagctata	agagagctag	acaatcttca	gaaacttaat	gtcagccata	acaaactgaa	420
aatactgctt	gaagaaatta	caagcttaaa	aaactctgag	acgctgcacc	tccagcacaa	480
tgagctgact	tgcat					495

<210> 362

<211> 349

<212> DNA

<213> Mouse

<400> 362

tctctgtcta	tcttgccctgc	tgtgagggtg	tcaccaggc	ccacttatcc	atctacagcg	60
agtagtatgg	cggccttccct	tgtaacaggc	tttttttttt	ctctcttcgt	ggtgcttccc	120
atggaaacca	gggctttgtt	taggcctgac	aaggctctgc	ccctgagctg	tgccaagccc	180
acctccctct	gtgtacaaaag	ctcctttctt	gggtgaccaa	catctctcgt	tcttttgagca	240
accaaggcca	gatgcgagcc	accagaagt	taattaaacc	aggttcacg	ggagtttgc	300
gaaatgttaa	gcatactctg	ttctagagag	ggagtgaaga	aagggggcca		349

<210> 363

<211> 380

<212> DNA

<213> Mouse

<400> 363

gagtagaag	ccagagtctt	agagaagtca	ctgagaaaaa	aatccagaaa	caaagagacc	60
gacaagtgga	agctgacctg	gagggaccga	ttcccagcct	atttcaccaa	tcttgctccc	120
atcatcttca	tgatcgagct	gacatttgca	atcgtctctg	gagttatcat	ctatagaatc	180
tccacagctg	cagccttggc	catgaactcc	tcccctctg	tgccgtccaa	catccggggt	240
acagtcacgg	ccaccgcgtg	tatcatcaac	ctcgtgtgca	tcatctcgt	ggatgaagtt	300
tacggctgca	ttgcaggctg	gctcatccaag	attggtgagt	gccatgtgca	ggacagcata	360
ggcagcatgg	gcctagggca					380

<210> 364

<211> 351

<212> DNA

<213> Mouse

<400> 364

gcggcagaga	acgagatgcc	ggtaggctgtg	ggctccctacg	ggcagtccca	gccagagctgc	60
ttcgaccgcg	tgaagatggg	ctttgtcatg	gggtgcgcgc	tggtgaaggc	ggccggggcc	120
ctgttcggca	ccttctctctg	tctcaggatc	ggaaatgcgg	gtcgggagct	gatggggcgc	180

WO 99/55865

PCT/NZ99/00051

attgggaaaa	ccatgatgca	gagtgccggt	acctttggca	ctttcatggc	catcggaatg	240
ggcatcacgat	gctaattagg	gcaaggatgc	cctgctacac	ccaaacttcc	tcattccattt	300
cgaaactctgt	acaataaagt	ttttttcttc	ttgttaaaaa	aaaaaaaaaa	a	351

<210> 365

<211> 854

<212> DNA

<213> Rat

<400> 365

gcgggtggctc	ctctgtgtcc	cacgtccctga	ggggctcagg	acaagaaagg	agcccccccc	60
cagccagatg	gcagccgccc	tggggcctgt	cgctccctct	gctgctcccc	tgggtggcag	120
gtggagtagg	gaccagccca	cgggattatt	ggttgccagc	actggcacac	cagcctgggg	180
tcgtgcaact	cggaactaag	acggcctgct	gctatggctg	gaaaaggaaac	agcaaaaggag	240
tatgtgaagc	tgtgtgtgag	cccagatgca	agtttggtga	gtgtgtggga	ccgaataaaat	300
gtagatgctt	tccaggatac	accgggaaga	cctgcagatc	agacgtgaat	gagttgtgcat	360
tcaaaccccg	gccatgccag	cacagatgtg	tgaatacacac	cggtagctac	aaatgctttt	420
gcctcagcgg	ccacatgctt	ctaccagacg	ccacatgttc	aaactccagg	acatgtgccca	480
gaataaaact	ccagtagact	tgtgaagaca	cagcagaagg	gccacgatgt	gtgtgtccat	540
cctctggcct	cgccctgggt	ccaaatggaa	gagtgctgct	agatctcgat	gaatgtgctt	600
ctagcaaaag	agclgtccct	tccaatagaa	gatgtgtgaa	cacatttggg	agctactact	660
gcaaatgtca	catgtgtttt	gaactgaaat	atatcagtcg	ccgatatgat	tgtgtagata	720
taaatgagtg	caactgtgat	accgtgaagt	gcagcccccac	tgccaattgc	ctcaataccc	780
aaggatctct	caagtgcaaa	tgcaagcagg	gatacagggg	gaatggagctg	cagtgctctg	840
tgatctctga	acat					854

<210> 366

<211> 257

<212> DNA

<213> Rat

<400> 366

ggcgacccca	tgtactctcag	cgagggccga	gagagaggca	aggtgtatgt	ctacaacctg	60
agacagaacc	gggttggttt	taatggcact	ctgaaggatt	cccacagcta	ccagaacgcc	120
cggttcgggt	catcgatctg	ctccgttcaa	gacctcaacc	aagattcccta	caatgacgtg	180
gtggtggggg	ccctcaggga	ggacagccac	agagggggca	tctacatctt	ccatggcttc	240
caaacacaaca	tcctgaa					257

<210> 367

<211> 475

<212> DNA

<213> Rat

<400> 367

cttccaaacc	aacatccctga	agaagccgct	gcagagaata	tcagcctcag	agctggctcc	60
cggtcttcag	catcttggct	gcagcatcca	cggaacaact	gacctcaatg	aggacgggct	120
tgtggaacta	gcagtgggcg	ccctggggcaa	cgctgtggtt	ttgtggggcg	gtcccgtagt	180
tcagatcaac	gccagccctc	actttgagcc	ttccaagatc	aacatcttcc	acaaaggactg	240
caagcgcaat	ggcaggggatg	ccacctgcct	ggctgccttc	ctctgcttcg	gacctatctt	300
cctgcacccc	caacttccaca	cagcaaacgt	cggtcatcag	tacaatgcaa	ccatggatgat	360
gagacgggat	atggcacggg	cacatctgga	tgaggggtgca	gaccaagtcca	ccaaacagggc	420
tgtcctactc	tcctctggct	aggaacaactg	tcaaaggatc	aacttccacg	tcctg	475

<210> 368

<211> 392

<212> DNA

<213> Mouse

<400> 368

ggccgcgagc	aggaagcgag	cagccggcgg	aggcgcgggc	gcgcggggcc	ggccttggtt	60
tcctcagggt	cgctccgctc	tgagccgcag	cctcgcttgc	ctcagggtgc	ctctcgggcc	120

cggcctctct	tctctcaagg	tgggtgcggg	ccttgcttgt	cccaggcttg	ctccccggcc	180
gctctcgctc	tctctccaag	ctcgctctgc	ggcggttccc	acctctctcc	aggctcgctc	240
ccccccaccg	cattctctct	ctctctccca	ggctcgctcc	cgggcgccgc	ccccccagcc	300
gcccagcgctg	cgccggtgct	cgcgtagggc	cttgttgcgt	ttcagctcgg	ggctcgccga	360
ggggcggggc	gctgagcggg	ctgcgcgggc	ct			392

<210> 369

<211> 824

<212> DNA

<213> Rat

<400> 369

cgggcactgt	gactgcacaag	ccggctatgg	gggcgagggc	tgtggccagt	gtggccttgg	60
ctacttttag	gcagagcgca	acagcagcca	tctggatatg	tcgccgtgct	ttggctcccc	120
tgcccgcctg	acaggaccgg	aggaatccca	ctgtctgcag	tgcaggaaag	gctgggcccc	180
gcataccctc	aatggcgtag	acatcgatga	gtgtggcaca	gagcaagcta	cctgtggagc	240
cgacacagtc	tgtgtgaaca	cggaaagggt	ctatgagtgc	cgagatttgt	caaaaggcctg	300
ctcgggctgt	atcggaagcag	ggccaggggc	ctgcacaaaa	tgcacgcgtg	gctaccagca	360
ggtggcgctc	aagtgcctag	atgtggatga	gtgtgagaca	gtggtgtgtc	caggagagaa	420
cgagcaggtg	gaaacacagg	aagtgacta	ccgctgtgtc	tgtgctgaa	gctcagacga	480
ggagagcggc	atctgtgtga	aggagcagat	cccagagtgc	cgggcgctct	ctcgcgagat	540
gaacagaggac	gaaatggttg	tctctgcaga	gatgtttctt	ggtgtgatca	tctgtgcact	600
ggccacacct	gctgtcaagg	gggacttggt	gttcaccgct	atcttcattg	gagctgtggc	660
agctatgact	gggtactggt	gtgcagagcg	cagtgaccgt	gtgctggagg	gcttcatcaa	720
gggtagataa	tctctgccac	cacttacagg	atttctctcc	accagggctg	ccccatggct	780
ttatttctct	ctcccgctgg	acacctggga	cagcattggt	tctc		824

<210> 370

<211> 1663

<212> DNA

<213> Mouse

<400> 370

gcagcaccga	ggcccaagcg	caccaggcac	cgcgacagac	ggcaggagca	cccactcgacg	60
ggcgctactgg	agcgagccga	gcagagcaga	gagaggcggt	ctrgaaaccg	agaaccaagg	120
cgggcgggcat	ccccggccg	ccgcacgcac	aggcgggcgc	ctccttgcgc	tcctcgctcc	180
ccaccgcggc	ctccggccca	gcatagggct	cctggcgccc	ggctgtctcc	tgctgtctct	240
ggcgctgtgc	gcttccgctg	tggaggggtc	caagtgtgaa	tgctcccgga	agggggcccaa	300
gatccgctac	agcgacgtga	agaagcttga	aatgaagcca	aagtaccac	actgcagga	360
gaagatgggt	atcgtaacca	ccaagagcat	gtccaggtac	ggggccagg	agcactgcct	420
gcaccctaa	ctgcagagca	ccaagcgtt	catcaagtgg	tacaatgct	ggaacagaa	480
gcgcagggct	tacgaagaat	agggtggagc	atcatggaaa	gaaaaactcc	aggccagtgt	540
agagacttca	gcagaggact	ttgcagatta	aaataaaagc	ctttcttttc	tcacaagact	600
aagacaaatt	atatatttgt	atgaagctct	tcttaccagg	gtcagttttt	acattttata	660
gtgtgtgtgt	aaaggtctcc	agatgtgaga	tccagctcgc	ctgcgaccca	gacttcatta	720
caagtggctt	tttgtggggc	ggtttggggg	gggggggggg	acctcaagcc	ttcctttttt	780
aaataaagg	gttttgtatt	gttccatatg	tcacacacaa	cttgagcttt	ataagcgctt	840
gggaggaaca	gtgagcatgg	ttgagaccgt	tcacagcact	actgtccgc	tcacagctta	900
caaaagcttc	gctcagagag	cttggcgctt	gtgtgcagct	gccacaggct	ctctgggctt	960
tatgactggg	cacagtttca	gtgtgactcc	actgtggccc	ctgttgcagg	gcaattggga	1020
gcaggctcct	ctacatctgt	gcttagagga	actcagttca	cttaccagaa	ggagctcgat	1080
ccccacccca	ccccaccgg	caccaccagt	cattccctgt	tcacgaccag	gcaagtgtac	1140
cttaaaagg	ctgggtcttt	ttcttgcaca	ctgagggttt	ctgaagggtc	ggctgtgttg	1200
gtagaagtg	ctcttgaggg	atccaaagtc	cccagcagtg	tgagaaaatg	attctcgatg	1260
ttcgggagga	caagggaaga	tgcaggatta	gatgcaggag	acacagccag	agctacacat	1320
ctctttggca	atgggagctc	cccccccaca	aagcttttgt	tttttccctc	acccccaaac	1380
aaagtgcact	ccccctcagt	gaataagcaa	acagcactgt	ttcttgagtt	aggatgttag	1440
ggcgtacctg	cgccctgcgc	tctctctgtg	acatatttgc	ttcagtcacc	ctccccccac	1500
ccatgcacca	cactgcgcct	cattagaggg	cgcatgtgat	ggctgtgtat	ctgctatgta	1560
aatgctgaga	ccccgtgagt	ctgcacagcg	gtttcatgtt	ctttctaa	tgaaaagaga	1620
aagtaataaa	atatatttga	agttccccca	aaaaaaaaaa	aaa		1663

<210> 371
 <211> 568
 <212> DNA
 <213> Human

<400> 371
 ccgtcagtcct aagaaggataa gagaaagaaa gttaaagcaac tacaggaat ggccttggga 60
 gtctccaatat cagctctatct ttatttcaac gcaatgacag cactgaccga agaggcagcc 120
 gtgactgttaa cactccaat cacagccag caaggttaact ggacagttaa caaaacagaa 180
 gctgacaaca tagaaggacc catagccttg aagctctcac accttgcctt ggaagatcat 240
 aacagttact gcatcaacgg tgcctgtgca tccacccct agctagagaa agccatctgc 300
 aggtgtctaa aattgaaac gcttcaaat gtctgtcttg gagaaagac accactgtga 360
 ggccttcttg aagaatttcc atcaaggcat ctgtagagat cagtgaagcc aaattttaa 420
 ttttcagatg aaacaacaaa acttgcacag ctgactagac tcgaaataa tgaagtgtg 480
 gatcacatg aatgagaag ataaaattca gcgttggcct ttgactcttg ccactcttaa 540
 ggagtgtatg aagccaatg aacaagcc 568

<210> 372
 <211> 5583
 <212> DNA
 <213> Rat

<400> 372
 ctggtgcaga gcgtcgccaa ggacgccgg agggaggcgg gattgccaa atactctcca 60
 gtgaagtcca tctgtgtgtg caaacatccc ttggctgtcg cgaagcagag aagacggcct 120
 gggagctgtc gtgtgcgcga ggagtggaaga gacccctgga gctgagccct gcgcccgca 180
 tcacgcgtcg gcgcgcccaa ggctgcttga ataccgggtg cgtcccgccg cggacataga 240
 coagctctcc cgaaggctct gctttggaac tgcacggcct tgcgccttc tagcttggg 300
 gggaatccac ttgtatcagg gccacatata ctgttaagc cccctctca gcttctact 360
 tctccactcg gaatcgattt tgcataaggg tgcgttgaaa tcggaagtcc tcccttctcc 420
 tcaagcaacc agcctctgca tcttcgcgga cactgcaagt aggaagctct taccaccaa 480
 gttgaagtgc cgtctgtctc tcacagctgc ttccgggtct accccaagcc tgagtggcg 540
 ctaattgata tcaggacctg aagttgcaca cggactctgt gctctgtag aaaggcttgg 600
 agagcggagg aaagacgtgt gcttctgtct gctctcctgc cccatcatc tgttccatat 660
 tactgtgtga gcatctctcc gggtgctgtg ggctgcaaga ccagcggcag gaactggggc 720
 ttggacaccg tccacttttc acgcaacaga aagctaaagt cccctcaagc aaggggctcg 780
 tgggaagat gagtggcatt ggctggcaga cactgtccct atctctggcg ttagtgttgt 840
 cgatcttgaa caaggtggcg cctcatgctg gcccgcccca gtgctcctgt tcaggacaga 900
 cagtggactg tcatgggctg gcaactgcga gtgtgccag gaatatcccc cgcaacacgg 960
 agagactcga tttgaatgga aataacatca caaggtatcc gaagacagat tttgggggtc 1020
 tcagacacga cagactctct cagctcatgg agaacaagat cagaccatc gagaggggag 1080
 cattccagga tcttaaggag ctgaaagac tgcgtttaaa cagaataaac ctctagttgt 1140
 ttcttgagct gctgttctt gggaactgca agctctacgg ctgtgactc agtgaatac 1200
 agattcaagg aattccaagg aagctcttcc gtgtgcagt tgacataaa aatctgcagt 1260
 tggattacaa ccagatcagc tgcattgaag atggggcctt ccgagctctg ccagattctg 1320
 aagctgtcac tgcgaacat acaatatta ctagactctc agtggcaagt ttcaacata 1380
 tgcctaaact taggacattt cgaactccac ccaacaacct atactcgac tgccactctg 1440
 cctggctctc ggaactggctt ccgcaaaagg caccgggtgg cttgtacat cagtgtatgg 1500
 gccatccca cctgaggggc cataatgtag cagaggttca aaaaagagag tttgtctgca 1560
 gtgttcaaca gtcatctatg gctccctctc gcaagtgtgc gcactgcccg attgcttgta 1620
 ccttgagcaa caactattga gactgccgag ggaagggtct cactgagatc cccacaactc 1680
 tgcctgagac catcacagaa atagtttgg aacagaactc cataagggtc atccctccag 1740
 gagcatctcc accatacaaa aagctctgac gactacagat gactaatac cagatctcgg 1800
 aacttgcctc agatgccttc caaggactgc ttctctgaa tctctctgtc ctgtatggaa 1860
 ataaactcac agaactccca aaaagtctat tgaaggact gttttctcta cagctactat 1920
 cattgaatgc caacaagata aactgccttc gggatgtgc tttccaaggac ctgcacaact 1980
 tgaactctct ctctctatcc gacaataagc ttcaagactgt tgcgaagggt acctctcag 2040
 ctctcagagc catccaact atgcatttgg cccagaatcc ttctatttgt gactgcatc 2100
 tcaagtggct agcggattat ctccacacca acccaattga cccagcgggt gccgttgtca 2160
 ccagctcccc cgccttgctt aacaaaagaa ttggacagat caaaagcaag aaattcogtt 2220

gttcagctaa agagcagtag ttcatctccag gtacagaaga ttatcgatca aaattaagtg 2280
gagactgct tcgacagcttg gcttgctcctg aaaaatgtcg ctgtgaaggg accacagtag 2340
actgctccaa tcaaaaactc acaaaaatcc cagaccatatt tccccagtag acagcagtag 2400
tggctctcaa taataatgaa ttcacagctgt tagaagccac gggaaatattt aagaaaacttc 2460
ctcaattgag taaaatcaac cttagcaaca ataagatcac tgatatcgag gagggggagct 2520
tcgaagggtg ctctggtgtg aatgagattc tgcttaccag taaccgttg gaaaaatttc 2580
agcataagat gttcacaagg tggagagacc tcaaaaacatt gatgtcgaga agtaatacgaa 2640
taagctgtgt gggaaaacgac agtttccag gactcgggtc tggctgctgt ctctctttat 2700
atgacaatca aattaccaca gttgcaccag gagcatttgg tactctccat tcaattatca 2760
cactaaaact ctctggccaat cctttcaact gtaactgtga ctctggctgg ctggaggaat 2820
ggctcagaag gaaaaaattt gtaacaggaa atctctgatg ccaaaaaccc tacttctga 2880
aggaaaatcc aatctcagat gtacgcattc agactctcac ctgtgatgac ggaacagtag 2940
ataatagctg ctctccactc tcccggtgtc ctccggaatg tacttgctgt gatacagtag 3000
tacagtgtag caacaagggtc ttgaaggtct tacctaaagg cattccaaga gatgtcacg 3060
aactgtatct ggatgggaac cagtttaacac tggctccgaa ggaactctcc aactacaac 3120
atttaaacat tatagactta agtaacaaca gaataagcac cctttccaac caaagcttca 3180
gcaacatgac ccaactcttc accctaatte tcagttacaa ccgtctgaga tgtatccctc 3240
caggcagctt tggatggattg aaatctcttc gtttactgtc tctacatgga aatgacattt 3300
ctgtcgtggc tgaaggtgcc ttgtgtgacc ttacagcttt tctacacta gcaattggag 3360
ccacccctct tactctgtgat tgtaacatgc agtggtttatc cgcactgggt aagtcggaa 3420
ataaggaaac tgyaaactgc cgctgtgccc gtcccggaag acgtgcagat aaattgttac 3480
tcacaactcc cctccaaaaa ttacatgttc aaggtcctgt ggaatgttact attcaacgca 3540
agtgtaaccc ctgcttgtaa aatccatgta aaaaatgatg cactgtaac aatgacccg 3600
tggattttta tcatgaccc tgcccatatg gtttcaaggg ccaggactgt gatgtcccca 3660
ttcatgctgt tatcagtaac ccatgtaaac atggaggaaac ttgccaatta aagaagaagg 3720
agaaatgatg attcctgggt acttgtgctg atgggttga aggagaagc tgcgacatca 3780
ataatcgaga ttgcgaagat aatgtattgtg aaaaataatt tacatcggtt gatggaaat 3840
acaactacac gtgctttg ccaacggaa acacaggcga actgtgtgag gaaaaactcg 3900
acttctgtgc acaagacctg aatccctgcc agcatgactc caagtgcac ctgacgcaa 3960
agggaatcaa gtgtgactgc actccgggat acatgggtga gcactgtac atcgactttg 4020
atgactgcca agatacaag tgcaaaaacg gtgctcattg cacagatgca gtgacagat 4080
acacatgtgt ctgctctgaa ggctacagt gcttgtttct tgagtttct ccacactgat 4140
tctctcttgc caccagcccc tgtgataatt ttgattgtca gaatggagcc cagtgatca 4200
tcagggtgaa tgaaccaata tgccagtgtt tgccctggcta ctgtggagag aagttgtag 4260
aattgggtcag tgtgaatttt gtaaacaaag agtctatct tcagattctc tcagccaagg 4320
ttcgacctca gacaaacatc acacttcaga ttgccacaga tgaagacag ggcactctct 4380
tgtacaaggg tgacaaggac cacattgctg tggaaactca tcgagggcga gtctgagca 4440
gctatgacac cggctctcac ccggctctg ccatttacag ttggaagaca atcaatgatg 4500
gaaacttcca tactgtagag ctactgacc ttgattcgag tcttccctc tctgtggatg 4560
gaggagcccc taaaactatc accaattgt caaaaactc tactctgaat ttgcagctc 4620
cacrttaagt agaggtatg cctgggaaaa ataactggc ttgcgtgcg caggccctgt 4680
ggcagaacgg caccagcttc catggctgta tccggaaact ttcattaaac agtgaactgc 4740
aggactctcg gaaagtgcct atgcaaacgg gaattctgccc tggctgtgaa ccatgcaca 4800
agaaagtgtg tgccccatgg acatgccagc ccagcagcca atcaggcttc acctgtgaat 4860
gtgaggaaag gtggatgggg cccctctgtg accagagaac caatgatccc tgtctcgaa 4920
acaaatgtgt acatgggacc tgcttgccca tcaacgctct ctctacagc tgaactgtcc 4980
tggagagcca cggcggggtc ctctgtgatg aagaagaaga tctgtttaa cctgtccagg 5040
tgatcaagtg caagcagcgg aagtgcagcg tctctgggct cgggagcccc tatgttgaa 5100
gcagcagtg atttccoggg gacagctgtg acagagaat tcttgttga ggggacagga 5160
taagggatta ttacaaaaag cagcagggtt acgctgcctg tcaaacagat aagaaagat 5220
ctcgtctggg tgcgagaggc ggggtgtgctg gggggcagtg ctgtggacct ctgagagca 5280
agggggggaa atactcttct gaatgcacag atggatcttc atttgaggc gaggctcaga 5340
aggtgggaa gtaggtgag acagagatgt cctctaatg gcagctcgag aagcttctgt 5400
gttctggaa gtgtgtaac ttcttgaca ttgtgacga atctatgct caaatggaa 5460
atatrtgaaa tatattgtaa aatcacagac agacttatt ttattatgat aataaagat 5520
tgtctgcatt tggaaaaaaa ataaaaata agacacgctt gtaactaaaa aaaaaaaa 5580
aaa

WO 99/55865

PCT/NZ99/00051

<211> 83
<212> PRT
<213> Mouse

<400> 373
Met Pro Leu Pro Leu Leu Leu Ala Ala Leu Cys Leu Ala Ala Ser Pro
1 5 10 15
Ala Pro Ala Arg Ala Cys Gln Leu Pro Ser Glu Trp Arg Pro Leu Ser
20 25 30
Glu Gly Cys Arg Ala Glu Leu Ala Glu Thr Ile Val Tyr Ala Lys Val
35 40 45
Leu Ala Leu His Pro Glu Val Pro Gly Leu Tyr Asn Tyr Leu Pro Trp
50 55 60
Gln Tyr Gln Ala Gly Glu Gly Gly Leu Phe Tyr Ser Ala Glu Val Glu
65 70 75 80
Met Leu Val

<210> 374
<211> 405
<212> PRT
<213> Mouse

<400> 374
Met Pro Pro Leu Leu Leu Leu Pro Ala Ile Tyr Met Leu Leu Phe Phe
1 5 10 15
Arg Val Ser Pro Thr Ile Ser Leu Gln Glu Val His Val Asn Arg Glu
20 25 30
Thr Met Gly Lys Ile Ala Val Ala Ser Lys Leu Met Trp Cys Ser Ala
35 40 45
Ala Val Asp Ile Leu Phe Leu Leu Asp Gly Ser His Ser Ile Gly Lys
50 55 60
Gly Ser Phe Glu Arg Ser Lys Arg Phe Ala Ile Ala Ala Cys Asp Ala
65 70 75 80
Leu Asp Ile Ser Pro Gly Arg Val Arg Val Gly Ala Leu Gln Phe Gly
85 90 95
Ser Thr Pro His Leu Glu Phe Pro Leu Asp Ser Phe Ser Thr Arg Gln
100 105 110
Glu Val Lys Glu Ser Ile Lys Gly Ile Val Phe Lys Gly Gly Arg Thr
115 120 125
Glu Thr Gly Leu Ala Leu Lys Arg Leu Ser Arg Gly Phe Pro Gly Gly
130 135 140
Arg Asn Gly Ser Val Pro Gln Ile Leu Ile Val Thr Asp Gly Lys
145 150 155 160
Ser Gln Gly Pro Val Ala Leu Pro Ala Lys Gln Leu Arg Glu Arg Gly
165 170 175
Ile Val Val Phe Ala Val Gly Val Arg Phe Pro Arg Trp Asp Glu Leu
180 185 190
Leu Thr Leu Ala Ser Glu Pro Lys Asp Arg His Val Leu Leu Ala Glu
195 200 205
Gln Val Glu Asp Ala Thr Asn Gly Leu Leu Ser Thr Leu Ser Ser Ser
210 215 220
Ala Leu Cys Thr Thr Ala Asp Pro Asp Cys Arg Val Glu Pro His Pro
225 230 235 240
Cys Glu Arg Arg Thr Leu Glu Thr Val Arg Glu Leu Ala Gly Asn Ala
245 250 255
Leu Cys Trp Arg Gly Ser Arg Gln Ala Asp Thr Val Leu Ala Leu Pro
260 265 270
Cys Pro Phe Tyr Ser Trp Lys Arg Val Phe Gln Thr His Pro Ala Asn
275 280 285
Cys Tyr Arg Thr Ile Cys Pro Gly Pro Cys Asp Ser Gln Pro Cys Gln

290 295 300
 Asn Gly Gly Thr Cys Ile Pro Glu Gly Val Asp Arg Tyr His Cys Leu
 305 310 315 320
 Cys Pro Leu Ala Phe Gly Gly Glu Val Asn Cys Ala Pro Lys Leu Ser
 325 330 335
 Leu Glu Cys Arg Ile Asp Val Leu Phe Leu Leu Asp Ser Ser Ala Gly
 340 345 350
 Thr Thr Leu Gly Gly Phe Arg Arg Ala Lys Ala Phe Val Lys Arg Phe
 355 360 365
 Val Gln Ala Val Leu Arg Glu Asp Ser Arg Ala Arg Val Gly Ile Ala
 370 375 380
 Ser Tyr Gly Arg Asn Leu Met Val Ala Val Pro Cys Arg Gly Val Pro
 385 390 395 400
 Ala Leu Cys Arg Thr
 405

<210> 375
 <211> 180
 <212> PRT
 <213> Mouse

<400> 375
 Met Glu Leu Ser Asp Val Thr Leu Ile Glu Gly Val Gly Asn Glu Val
 1 5 10 15
 Met Val Val Ala Gly Val Val Ala Leu Thr Leu Ala Leu Val Leu Ala
 20 25 30
 Trp Leu Ser Thr Tyr Val Ala Asp Ser Gly Asn Asn Gln Leu Leu Gly
 35 40 45
 Thr Ile Val Ser Ala Gly Asp Thr Ser Val Leu His Leu Gly His Val
 50 55 60
 Asp Gln Leu Val Asn Gln Gly Thr Pro Glu Pro Thr Glu His Pro His
 65 70 75 80
 Pro Ser Gly Gly Asn Asp Asp Lys Ala Glu Thr Ser Asp Ser Gly
 85 90 95
 Gly Asp Ala Thr Gly Glu Pro Gly Ala Arg Gly Glu Met Glu Pro Ser
 100 105 110
 Leu Glu His Leu Leu Asp Ile Gln Gly Leu Pro Lys Arg Gln Ala Gly
 115 120 125
 Leu Gly Ser Ser Arg Pro Glu Ala Pro Leu Gly Leu Asp Asp Gly Ser
 130 135 140
 Cys Leu Ser Pro Ser Pro Ser Leu Ile Asn Val Arg Leu Lys Phe Leu
 145 150 155 160
 Asn Asp Thr Glu Glu Leu Ala Val Ala Arg Pro Glu Asp Thr Val Gly
 165 170 175
 Thr Leu Lys Arg
 180

<210> 376
 <211> 68
 <212> PRT
 <213> Mouse

<400> 376
 Met Cys Leu Pro Val Thr Val Trp Cys His Trp Ala Leu Trp Val Ala
 1 5 10 15
 His Leu Pro Leu Ile Pro Ser Val Gly Lys Ser Gln Cys Thr Gln Met
 20 25 30
 Trp His Cys Cys Met Pro Trp Val Cys Val Gly Asp Cys Leu Cys Leu
 35 40 45
 Ser Asp Pro Leu Trp Leu Cys Leu Leu Lys Glu Thr Glu Thr Pro Cys
 50 55 60

Gly Phe Leu Ser
65

<210> 377
<211> 107
<212> PRT
<213> Rat

<400> 377
Met Pro Phe Arg Leu Leu Ile Pro Leu Gly Leu Val Cys Val Leu Leu
1 5 10 15
Pro Leu His His Gly Ala Pro Gly Pro Glu Gly Thr Ala Pro Asp Pro
20 25 30
Ala His Tyr Arg Glu Arg Val Lys Ala Met Phe Tyr His Ala Tyr Asp
35 40 45
Ser Tyr Leu Glu Asn Ala Phe Pro Tyr Asp Glu Leu Arg Pro Leu Thr
50 55 60
Cys Asp Gly His Asp Thr Trp Gly Ser Phe Ser Leu Thr Leu Ile Asp
65 70 75 80
Ala Leu Asp Thr Leu Leu Ile Leu Gly Asn Thr Ser Glu Phe Gln Arg
85 90 95
Val Val Glu Val Leu Gln Asp Lys Arg Gly Leu
100 105

<210> 378
<211> 95
<212> PRT
<213> Rat

<400> 378
Met Trp Phe Leu Pro Cys Ser Val Pro Leu Val Ile Ser Ser Cys His
1 5 10 15
Ser Gln Ala Ser Pro His Trp Pro Tyr Gly Ile Ile Ser Gly Gly Gln
20 25 30
Glu Gly Leu Cys Arg Leu Trp Thr Ala Thr Cys His Ser Arg Gly Glu
35 40 45
Ser Glu Val Ser Arg Ser Ser Arg Lys Glu Asp Pro Arg Ile Pro Gln
50 55 60
Gly Ser Leu Ser Gly Asn Val Asp Phe Trp Arg Val Cys Pro Pro Cys
65 70 75 80
Ala His Thr Ser Met Asp Arg Thr Leu Gly Leu Leu Ser Cys Cys
85 90 95

<210> 379
<211> 138
<212> PRT
<213> Mouse

<400> 379
Met Asp Leu Asp Val Val Asn Met Phe Val Ile Ala Gly Gly Thr Leu
1 5 10 15
Ala Ile Pro Ile Leu Ala Phe Val Ala Ser Phe Leu Leu Trp Pro Ser
20 25 30
Ala Leu Ile Arg Ile Tyr Tyr Trp Trp Arg Arg Thr Leu Gly Met
35 40 45
Gln Val Arg Tyr Ala His His Glu Asp Tyr Gln Phe Cys Tyr Ser Phe
50 55 60
Arg Gly Arg Pro Gly His Lys Pro Ser Ile Leu Met Leu His Gly Phe
65 70 75 80
Ser Ala His Lys Asp Met Trp Leu Ser Val Lys Phe Leu Pro Lys
85 90 95

Asn Leu His Leu Val Cys Val Asp Met Pro Gly His Glu Gly Thr Thr
 100 5 105 110
 Arg Ser Ser Leu Asp Asp Leu Ser Ile Val Gly Gln Val Lys Arg Ile
 115 120 125
 His Gln Phe Val Glu Cys Leu Lys Leu Asn
 130 135

<210> 380
 <211> 81
 <212> PRT
 <213> Rat

<400> 380
 Met Ala Ser Ser Ser Asn Trp Leu Ser Gly Val Asn Val Val Leu Val
 1 5 10 15
 Met Ala Tyr Gly Ser Leu Val Phe Val Leu Leu Phe Ile Phe Val Lys
 20 25 30
 Arg Gln Ile Met Arg Phe Ala Met Lys Ser Arg Arg Gly Pro His Val
 35 40 45
 Pro Val Gly His Asn Ala Pro Lys Asp Leu Lys Glu Glu Ile Asp Ile
 50 55 60
 Arg Leu Ser Arg Val Gln Asp Ile Lys Tyr Glu Pro Gln Leu Leu Ala
 65 70 75 80
 Asp

<210> 381
 <211> 257
 <212> PRT
 <213> Mouse

<400> 381
 Met Arg Ser Gly Ala Leu Trp Pro Leu Leu Trp Gly Ala Leu Val Trp
 1 5 10 15
 Thr Val Gly Ser Val Gly Ala Val Met Gly Ser Glu Asp Ser Val Pro
 20 25 30
 Gly Gly Val Cys Trp Leu Gln Gln Gly Arg Glu Ala Thr Cys Ser Leu
 35 40 45
 Val Leu Lys Thr Arg Val Ser Arg Glu Glu Cys Cys Ala Ser Gly Asn
 50 55 60
 Ile Asn Thr Ala Trp Ser Asn Phe Thr His Pro Gly Asn Lys Ile Ser
 65 70 75 80
 Leu Leu Gly Phe Leu Gly Leu Val His Cys Leu Pro Cys Lys Asp Ser
 85 90 95
 Cys Asp Gly Val Glu Cys Gly Pro Gly Lys Ala Cys Arg Met Leu Gly
 100 105 110
 Gly Arg Pro Thr Leu Arg Ser Cys Val Pro Asn Cys Glu Gly Leu Pro
 115 120 125
 Ala Gly Phe Gln Val Cys Gly Ser Asp Gly Ala Thr Tyr Arg Asp Glu
 130 135 140
 Cys Glu Leu Arg Thr Ala Arg Cys Arg Gly His Pro Asp Leu Arg Val
 145 150 155 160
 Met Tyr Arg Gly Arg Cys Gln Lys Ser Cys Ala Gln Val Val Cys Pro
 165 170 175
 Arg Pro Gln Ser Cys Leu Val Asp Gln Thr Gly Ser Ala His Cys Val
 180 185 190
 Val Cys Arg Ala Ala Pro Cys Pro Val Pro Ser Asn Pro Gly Gln Glu
 195 200 205
 Leu Cys Gly Asn Asn Asn Val Thr Tyr Ile Ser Ser Cys His Leu Arg
 210 215 220
 Gln Ala Thr Cys Phe Leu Gly Arg Ser Ile Gly Val Arg His Pro Gly

225
Ile Cys Thr Gly Gly 230
245 Pro Lys Val Pro Ala 235
250 Glu Glu Glu Glu Asn Phe
255
Val

<210> 382

<211> 285

<212> PRT

<213> Rat

<400> 382

Met Ile Ser Trp Met Leu Leu Ala Cys Ala Leu Pro Cys Ala Ala Asp
1 5 10 15
Pro Met Leu Gly Ala Phe Ala Arg Arg Asp Phe Gln Lys Gly Gly Pro
20 25 30
Gln Leu Val Cys Ser Leu Pro Gly Pro Gln Gly Pro Pro Gly Pro Pro
35 40 45
Gly Ala Pro Gly Ser Ser Gly Met Val Gly Arg Met Gly Phe Pro Gly
50 55 60
Lys Asp Gly Gln Asp Gly Gln Asp Gly Asp Arg Gly Asp Ser Gly Glu
65 70 75 80
Glu Gly Pro Pro Gly Arg Thr Gly Asn Arg Gly Lys Gln Gly Pro Lys
85 90 95
Gly Lys Ala Gly Ala Ile Gly Arg Ala Gly Pro Arg Gly Pro Lys Gly
100 105 110
Val Ser Gly Thr Pro Gly Lys His Gly Ile Pro Gly Lys Lys Gly Pro
115 120 125
Lys Gly Lys Lys Gly Glu Pro Gly Leu Pro Gly Pro Cys Ser Cys Gly
130 135 140
Ser Ser Arg Ala Lys Ser Ala Phe Ser Val Ser Val Thr Lys Ser Tyr
145 150 155 160
Pro Arg Glu Arg Leu Pro Ile Lys Phe Asp Lys Ile Leu Met Asn Glu
165 170 175
Gly Gly His Tyr Asn Ala Ser Ser Gly Lys Phe Val Cys Ser Val Pro
180 185 190
Gly Ile Tyr Tyr Phe Thr Tyr Asp Ile Thr Leu Ala Asn Lys His Leu
195 200 205
Ala Ile Gly Leu Val His Asn Gly Gln Tyr Arg Ile Arg Thr Phe Asp
210 215 220
Ala Asn Thr Gly Asn His Asp Val Ala Ser Gly Ser Thr Ile Leu Ala
225 230 235 240
Leu Lys Glu Gly Asp Glu Val Trp Leu Gln Ile Phe Tyr Ser Glu Gln
245 250 255
Asn Gly Leu Phe Tyr Asp Pro Tyr Trp Thr Asp Ser Leu Phe Thr Gly
260 265 270
Phe Leu Ile Tyr Ala Asp Gln Gly Asp Pro Asn Glu Val
275 280 285

<210> 383

<211> 183

<212> PRT

<213> Rat

<400> 383

Met Lys Leu Leu Cys Leu Val Ala Val Val Gly Cys Leu Leu Val Pro
1 5 10 15
Pro Ala Gln Ala Asn Lys Ser Ser Glu Asp Ile Arg Cys Lys Cys Ile
20 25 30
Cys Pro Pro Tyr Arg Asn Ile Ser Gly His Ile Tyr Asn Gln Asn Val
35 40 45

Ser Gln Lys Asp Cys Asn Cys Leu His Val Val Glu Pro Met Pro Val
 50 55 60
 Pro Gly His Asp Val Glu Ala Tyr Cys Leu Cys Glu Cys Arg Tyr
 65 70 75 80
 Glu Glu Arg Ser Thr Thr Thr Ile Lys Val Ile Ile Val Ile Tyr Leu
 85 90 95
 Ser Val Val Glu Ala Leu Leu Leu Tyr Met Ala Phe Leu Met Leu Val
 100 105 110
 Asp Pro Leu Ile Arg Lys Pro Asp Ala Tyr Thr Glu Gln Leu His Asn
 115 120 125
 Glu Glu Glu Asn Glu Asp Ala Arg Ser Met Ala Ala Ala Ala Ser
 130 135 140
 Ile Gly Gly Pro Arg Ala Asn Thr Val Leu Glu Arg Val Glu Gly Ala
 145 150 155 160
 Gln Gln Arg Trp Lys Leu Gln Val Gln Glu Arg Lys Thr Val Phe
 165 170 175
 Asp Arg His Lys Met Leu Ser
 180

<210> 384

<211> 292

<212> PRT

<213> Mouse

<400> 384

Cys Gln Leu Pro Leu Arg Val Leu Ile Ile Ser Asn Asn Lys Leu Gly
 1 5 10 15
 Ala Leu Pro Pro Asp Ile Ser Thr Leu Gly Ser Leu Arg Gln Leu Asp
 20 25 30
 Val Ser Ser Asn Glu Leu Gln Ser Leu Pro Val Glu Leu Cys Ser Leu
 35 40 45
 Arg Ser Leu Arg Asp Leu Asn Val Arg Arg Asn Gln Leu Ser Thr Leu
 50 55 60
 Pro Asp Glu Leu Gly Asp Leu Pro Leu Val Arg Leu Asp Phe Ser Cys
 65 70 75 80
 Asn Arg Ile Ser Arg Ile Pro Val Ser Phe Cys Arg Leu Arg His Leu
 85 90 95
 Gln Val Val Leu Leu Asp Ser Asn Pro Leu Gln Ser Pro Pro Ala Gln
 100 105 110
 Ile Cys Leu Lys Gly Lys Leu His Ile Phe Lys Tyr Leu Thr Met Glu
 115 120 125
 Ala Gly Arg Arg Gly Ala Ala Leu Gly Asp Leu Val Pro Ser Arg Pro
 130 135 140
 Pro Ser Phe Ser Pro Cys Pro Ala Glu Asp Leu Phe Pro Gly Arg Arg
 145 150 155 160
 Tyr Asp Gly Gly Leu Asp Ser Gly Phe His Ser Val Asp Ser Gly Ser
 165 170 175
 Lys Arg Trp Ser Gly Asn Glu Ser Thr Asp Asp Phe Ser Glu Leu Ser
 180 185 190
 Phe Arg Ile Ser Glu Leu Ala Arg Asp Pro Arg Gly Pro Arg Gln Pro
 195 200 205
 Arg Glu Asp Gly Ala Gly Asp Gly Asp Leu Glu Gln Ile Asp Phe Ile
 210 215 220
 Asp Ser His Val Pro Gly Glu Asp Glu Asp Arg Ser Ala Ala Glu Glu
 225 230 235 240
 Gln Leu Pro Ser Glu Leu Ser Leu Val Ala Gly Asp Val Glu Lys Pro
 245 250 255
 Ser Ser Ser Arg Arg Glu Glu Pro Ala Gly Glu Glu Arg Arg Arg Pro
 260 265 270
 Asp Thr Leu Gln Leu Trp Gln Glu Arg Glu Arg Lys Gln Gln Gln Gln
 275 280 285

WO 99/55865

PCT/NZ99/00051

Ser Gly Gly Trp
290

<210> 385
<211> 164
<212> PRT
<213> Mouse

<400> 385
Ser Arg Gln Leu Arg Ala Pro Arg Phe Asp Pro Arg Ala Gly Phe His
1 5 10 15
Ala Glu Gly Lys Asp Arg Gly Pro Ser Val Pro Gln Gly Leu Lys
20 25 30
Ala Ala Arg Ser Ser Gly Gln Leu Asn Leu Ala Gly Arg Asn Leu Gly
35 40 45
Glu Val Pro Gln Cys Val Trp Arg Ile Asn Val Asp Ile Pro Glu Glu
50 55 60
Ala Asn Gln Asn Leu Ser Phe Ser Ser Thr Glu Arg Trp Trp Asp Gln
65 70 75 80
Thr Asp Leu Thr Lys Leu Ile Ile Ser Ser Asn Lys Leu Gln Ser Leu
85 90 95
Ser Asp Asp Leu Arg Leu Leu Pro Ala Leu Thr Val Leu Asp Ile His
100 105 110
Asp Asn Gln Leu Thr Ser Leu Pro Ser Ala Ile Arg Glu Leu Asp Asn
115 120 125
Leu Gln Lys Leu Asn Val Ser His Asn Lys Leu Lys Ile Leu Pro Glu
130 135 140
Glu Ile Thr Ser Leu Lys Asn Leu Arg Thr Leu His Leu Gln His Asn
145 150 155 160
Glu Leu Thr Cys

<210> 386
<211> 71
<212> PRT
<213> Mouse

<400> 386
Ser Leu Ser Ile Leu Pro Ala Val Arg Val Ser Pro Arg Pro Thr Tyr
1 5 10 15
Pro Ser Thr Ala Ser Ser Met Ala Ala Phe Leu Val Thr Gly Phe Phe
20 25 30
Phe Ser Leu Phe Val Val Leu Gly Met Glu Pro Arg Ala Leu Phe Arg
35 40 45
Pro Asp Lys Ala Leu Pro Leu Ser Cys Ala Lys Pro Thr Ser Leu Cys
50 55 60
Val Gln Ser Ser Phe Leu Gly
65 70

<210> 387
<211> 126
<212> PRT
<213> Mouse

<400> 387
Glu Tyr Glu Ala Arg Val Leu Glu Lys Ser Leu Arg Lys Glu Ser Arg
1 5 10 15
Asn Lys Glu Thr Asp Lys Val Lys Leu Thr Trp Arg Asp Arg Phe Pro
20 25 30
Ala Tyr Phe Thr Asn Leu Val Ser Ile Ile Phe Met Ile Ala Val Thr
35 40 45

Phe Ala Ile Val Leu Gly Val Ile Ile Tyr Arg Ile Ser Thr Ala Ala
 50 55 60
 Ala Leu Ala Met Asn Ser Ser Pro Ser Val Arg Ser Asn Ile Arg Val
 65 70 75 80
 Thr Val Thr Ala Thr Ala Val Ile Ile Asn Leu Val Val Ile Ile Leu
 85 90 95
 Leu Asp Glu Val Tyr Gly Cys Ile Ala Arg Trp Leu Thr Lys Ile Gly
 100 105 110
 Glu Cys His Val Gln Asp Ser Ile Gly Ser Met Gly Leu Gly
 115 120 125

<210> 388

<211> 84

<212> PRT

<213> Rat

<400> 388

Ala Ala Glu Asn Glu Met Pro Val Ala Val Gly Pro Tyr Gly Gln Ser
 1 5 10 15
 Gln Pro Ser Cys Phe Asp Arg Val Lys Met Gly Phe Val Met Gly Cys
 20 25 30
 Ala Val Gly Met Ala Ala Gly Ala Leu Phe Gly Thr Phe Ser Cys Leu
 35 40 45
 Arg Ile Gly Met Arg Gly Arg Glu Leu Met Gly Gly Ile Gly Lys Thr
 50 55 60
 Met Met Gln Ser Gly Gly Thr Phe Gly Thr Phe Met Ala Ile Gly Met
 65 70 75 80
 Gly Ile Arg Cys

<210> 389

<211> 284

<212> PRT

<213> Rat

<400> 389

Gly Gly Ser Ser Val Ser His Val Leu Arg Gly Ser Gly Gln Glu Arg
 1 5 10 15
 Ser Pro Pro Pro Ala Ser Met Gln Pro Pro Trp Gly Leu Ala Leu Pro
 20 25 30
 Leu Leu Leu Pro Trp Val Ala Gly Gly Val Gly Thr Ser Pro Arg Asp
 35 40 45
 Tyr Trp Leu Pro Ala Leu Ala His Gln Pro Gly Val Cys His Tyr Gly
 50 55 60
 Thr Lys Thr Ala Cys Cys Tyr Gly Trp Lys Arg Asn Ser Lys Gly Val
 65 70 75 80
 Cys Glu Ala Val Cys Glu Pro Arg Cys Lys Phe Gly Glu Cys Val Gly
 85 90 95
 Pro Asn Lys Cys Arg Cys Phe Pro Gly Tyr Thr Gly Lys Thr Cys Ser
 100 105 110
 Gln Asp Val Asn Glu Cys Ala Phe Lys Pro Arg Pro Cys Gln His Arg
 115 120 125
 Cys Val Asn Thr His Gly Ser Tyr Lys Cys Phe Cys Leu Ser Gly His
 130 135 140
 Met Leu Leu Pro Asp Ala Thr Cys Ser Asn Ser Arg Thr Cys Ala Arg
 145 150 155 160
 Ile Asn Cys Gln Tyr Ser Cys Glu Asp Thr Ala Glu Gly Pro Arg Cys
 165 170 175
 Val Cys Pro Ser Ser Gly Leu Arg Leu Gly Pro Asn Gly Arg Val Cys
 180 185 190
 Leu Asp Ile Asp Glu Cys Ala Ser Ser Lys Ala Val Cys Pro Ser Asn

PCT/NZ.99/00051

```
<210> 390
<211> 85
<212> PRT
<213> Rat
```

```
<210> 391
<211> 158
<212> PRT
<213> Rat
```

```
<210> 392
<211> 124
<212> PRT
```

<213> Mouse

<400> 392
 Ala Ala Glu Gln Glu Ala Ser Ser Arg Arg Arg Arg Gly Gly Ala Gly
 1 5 10 15
 Pro Ala Leu Phe Ser Ser Gly Ser Leu Arg Ser Glu Pro Gln Pro Arg
 20 25 30
 Leu Pro Gln Ala Arg Ser Arg Pro Arg Pro Ser Phe Leu Gln Ala Arg
 35 40 45
 Ser Arg Pro Cys Leu Ser Gln Ala Cys Ser Pro Ala Ala Ser Val Leu
 50 55 60
 Ser Ser Ser Ser Leu Cys Gly Arg Ser His Leu Leu Pro Gly Ser Leu
 65 70 75 80
 Pro Ala Thr Ala Phe Leu Leu Leu Leu Pro Gly Ser Leu Pro Gly Arg
 85 90 95
 Arg Pro Ser Ala Ala Gln Ala Ala Pro Val Leu Ala Trp Gly Leu Val
 100 105 110
 Ala Phe Gln Leu Gly Val Ala Ala Gly Ala Gly Arg
 115 120

<210> 393

<211> 242

<212> PRT

<213> Rat

<400> 393
 Gly His Cys Asp Cys Gln Ala Gly Tyr Gly Gly Glu Ala Cys Gly Gln
 1 5 10 15
 Cys Gly Leu Gly Tyr Phe Glu Ala Glu Arg Asn Ser Ser His Leu Val
 20 25 30
 Cys Ser Ala Cys Phe Gly Pro Cys Ala Arg Cys Thr Gly Pro Glu Glu
 35 40 45
 Ser His Cys Leu Gln Cys Arg Lys Gly Trp Ala Leu His His Leu Lys
 50 55 60
 Cys Val Asp Ile Asp Glu Cys Gly Thr Glu Gln Ala Thr Cys Gly Ala
 65 70 75 80
 Asp Gln Phe Cys Val Asn Thr Glu Gly Ser Tyr Glu Cys Arg Asp Cys
 85 90 95
 Ala Lys Ala Cys Leu Gly Cys Met Gly Ala Gly Pro Gly Pro Cys Lys
 100 105 110
 Lys Cys Ser Arg Gly Tyr Gln Gln Val Gly Ser Lys Cys Leu Asp Val
 115 120 125
 Asp Glu Cys Glu Thr Val Val Cys Pro Gly Glu Asn Glu Gln Cys Glu
 130 135 140
 Asn Thr Glu Gly Ser Tyr Arg Cys Val Cys Ala Glu Gly Phe Arg Gln
 145 150 155 160
 Glu Asp Gly Ile Cys Val Lys Glu Gln Ile Pro Glu Ser Ala Gly Phe
 165 170 175
 Phe Ala Glu Met Thr Glu Asp Glu Met Val Val Leu Gln Gln Met Phe
 180 185 190
 Phe Gly Val Ile Ile Cys Ala Leu Ala Thr Leu Ala Ala Lys Gly Asp
 195 200 205
 Leu Val Phe Thr Ala Ile Phe Ile Gly Ala Val Ala Ala Met Thr Gly
 210 215 220
 Tyr Trp Leu Ser Glu Arg Ser Asp Arg Val Leu Glu Gly Phe Ile Lys
 225 230 235 240
 Gly Arg

<210> 394

<211> 99

<212> PRT
<213> Mouse

<400> 394
Met Arg Leu Leu Ala Ala Leu Leu Leu Leu Leu Ala Leu Cys
1 5 10 15
Ala Ser Arg Val Asp Gly Ser Lys Cys Lys Cys Ser Arg Lys Gly Pro
20 25 30
Lys Ile Arg Tyr Ser Asp Val Lys Lys Leu Glu Met Lys Pro Lys Tyr
35 40 45
Pro His Cys Glu Glu Lys Met Val Ile Val Thr Thr Lys Ser Met Ser
50 55 60
Arg Tyr Arg Gly Gln Glu His Cys Leu His Pro Lys Leu Gln Ser Thr
65 70 75 80
Lys Arg Phe Ile Lys Trp Tyr Asn Ala Trp Asn Glu Lys Arg Val
85 90 95
Tyr Glu Glu

<210> 395
<211> 103
<212> PRT
<213> Human

<400> 395
Met Ala Leu Gly Val Pro Ile Ser Val Tyr Leu Leu Phe Asn Ala Met
1 5 10 15
Thr Ala Leu Thr Glu Glu Ala Ala Val Thr Val Thr Pro Pro Ile Thr
20 25 30
Ala Gln Gln Gly Asn Trp Thr Val Asn Lys Thr Glu Ala Asp Asn Ile
35 40 45
Glu Gly Pro Ile Ala Leu Lys Phe Ser His Cys Leu Glu Asp His
50 55 60
Asn Ser Tyr Cys Ile Asn Gly Ala Cys Ala Phe His His Glu Leu Glu
65 70 75 80
Lys Ala Ile Cys Arg Cys Leu Lys Leu Lys Ser Pro Tyr Asn Val Cys
85 90 95
Ser Gly Glu Arg Arg Pro Leu
100

<210> 396
<211> 1529
<212> PRT
<213> Rat

<400> 396
Met Ser Gly Ile Gly Trp Gln Thr Leu Ser Leu Ser Leu Ala Leu Val
1 5 10 15
Leu Ser Ile Leu Asn Lys Val Ala Pro His Ala Cys Pro Ala Gln Cys
20 25 30
Ser Cys Ser Gly Ser Thr Val Asp Cys His Gly Leu Ala Leu Arg Ser
35 40 45
Val Pro Arg Asn Ile Pro Arg Asn Thr Glu Arg Leu Asp Leu Asn Gly
50 55 60
Asn Asn Ile Thr Arg Ile Thr Lys Thr Asp Phe Ala Gly Leu Arg His
65 70 75 80
Leu Arg Val Leu Gln Leu Met Glu Asn Lys Ile Ser Thr Ile Glu Arg
85 90 95
Gly Ala Phe Gln Asp Leu Lys Glu Leu Glu Arg Leu Arg Leu Asn Arg
100 105 110
Asn Asn Leu Gln Leu Phe Pro Glu Leu Leu Phe Leu Gly Thr Ala Lys

115 120 125
 Leu Tyr Arg Leu Asp Leu Ser Glu Asn Gln Ile Gln Ala Ile Pro Arg
 130 135 140
 Lys Ala Phe Arg Gly Ala Val Asp Ile Lys Asn Leu Gln Leu Asp Tyr
 145 150 155
 Asn Gln Ile Ser Cys Ile Glu Asp Gly Ala Phe Arg Ala Leu Arg Asp
 165 170 175
 Leu Glu Val Leu Thr Leu Asn Asn Asn Asn Ile Thr Arg Leu Ser Val
 180 185 190
 Ala Ser Phe Asn His Met Pro Lys Leu Arg Thr Phe Arg Leu His Ser
 195 200 205
 Asn Asn Leu Tyr Cys Asp Cys His Leu Ala Trp Leu Ser Asp Trp Leu
 210 215 220
 Arg Gln Arg Pro Arg Val Gly Leu Tyr Thr Gln Cys Met Gly Pro Ser
 225 230 235
 His Leu Arg Gly His Asn Val Ala Glu Val Gln Lys Arg Glu Phe Val
 245 250 255
 Cys Ser Gly His Gln Ser Phe Met Ala Pro Ser Cys Ser Val Leu His
 260 265 270
 Cys Pro Ile Ala Cys Thr Cys Ser Asn Asn Ile Val Asp Cys Arg Gly
 275 280 285
 Lys Gly Leu Thr Glu Ile Pro Thr Asn Leu Pro Glu Thr Ile Thr Glu
 290 295 300
 Ile Arg Leu Glu Gln Asn Ser Ile Arg Val Ile Pro Pro Gly Ala Phe
 305 310 315
 Ser Pro Tyr Lys Lys Leu Arg Arg Leu Asp Leu Ser Asn Asn Gln Ile
 325 330 335
 Ser Glu Leu Ala Pro Asp Ala Phe Gln Gly Leu Arg Ser Leu Asn Ser
 340 345 350
 Leu Val Leu Tyr Gly Asn Lys Ile Thr Glu Leu Pro Lys Ser Leu Phe
 355 360 365
 Glu Gly Leu Phe Ser Leu Gln Leu Leu Leu Leu Ala Asn Lys Ile
 370 375 380
 Asn Cys Leu Arg Val Asp Ala Phe Gln Asp Leu His Asn Leu Asn Leu
 385 390 395
 Leu Ser Leu Tyr Asp Asn Lys Leu Gln Thr Val Ala Lys Gly Thr Phe
 405 410 415
 Ser Ala Leu Arg Ala Ile Gln Thr Met His Leu Ala Gln Asn Pro Phe
 420 425 430
 Ile Cys Asp Cys His Leu Lys Trp Leu Ala Asp Tyr Leu His Thr Asn
 435 440 445
 Pro Ile Glu Thr Ser Gly Ala Arg Cys Thr Ser Pro Arg Arg Leu Ala
 450 455 460
 Asn Lys Arg Ile Gly Gln Ile Lys Ser Lys Lys Phe Arg Cys Ser Ala
 465 470 475
 Lys Glu Gln Tyr Phe Ile Pro Gly Thr Glu Asp Tyr Arg Ser Lys Leu
 485 490 495
 Ser Gly Asp Cys Phe Ala Asp Leu Ala Cys Pro Glu Lys Cys Arg Cys
 500 505 510
 Glu Gly Thr Thr Val Asp Cys Ser Asn Gln Lys Leu Asn Lys Ile Pro
 515 520 525
 Asp His Ile Pro Gln Tyr Thr Ala Glu Leu Arg Leu Asn Asn Asn Glu
 530 535 540
 Phe Thr Val Leu Glu Ala Thr Gly Ile Phe Lys Lys Leu Pro Gln Leu
 545 550 555
 Arg Lys Ile Asn Leu Ser Asn Asn Lys Ile Thr Asp Ile Glu Glu Gly
 565 570 575
 Ala Phe Glu Gly Ala Ser Gly Val Asn Glu Ile Leu Leu Thr Ser Asn
 580 585 590
 Arg Leu Glu Asn Val Gln His Lys Met Phe Lys Gly Leu Glu Ser Leu
 595 600 605

Lys Thr Leu Met Leu Arg Ser Asn Arg Ile Ser Cys Val Gly Asn Asp
 610 615 620
 Ser Phe Thr Gly Leu Gly Ser Val Arg Leu Leu Ser Leu Tyr Asp Asn
 625 630 635 640
 Gln Ile Thr Thr Val Ala Pro Gly Ala Phe Gly Thr Leu His Ser Leu
 645 650 655
 Ser Thr Leu Asn Leu Leu Ala Asn Pro Phe Asn Cys Asn Cys His Leu
 660 665 670
 Ala Trp Leu Gly Glu Trp Leu Arg Arg Lys Arg Ile Val Thr Gly Asn
 675 680 685
 Pro Arg Cys Gln Lys Pro Tyr Phe Leu Lys Glu Ile Pro Ile Gln Asp
 690 700 705
 Val Ala Ile Gln Asp Phe Thr Cys Asp Asp Gly Asn Asp Asp Asn Ser
 710 715 720
 Cys Ser Pro Leu Ser Arg Cys Pro Ser Glu Cys Thr Cys Leu Asp Thr
 725 730 735
 Val Val Arg Cys Ser Asn Lys Gly Leu Lys Val Leu Pro Lys Gly Ile
 740 745 750
 Pro Arg Asp Val Thr Glu Leu Tyr Leu Asp Gly Asn Gln Phe Thr Leu
 755 760 765
 Val Pro Lys Glu Leu Ser Asn Tyr Lys His Leu Thr Leu Ile Asp Leu
 770 775 780
 Ser Asn Asn Arg Ile Ser Thr Leu Ser Asn Gln Ser Phe Ser Asn Met
 785 790 795 800
 Thr Gln Leu Leu Thr Leu Ile Leu Ser Tyr Asn Arg Leu Arg Cys Ile
 805 810 815
 Pro Pro Arg Thr Phe Asp Gly Leu Lys Ser Leu Arg Leu Ser Leu
 820 825 830
 His Gly Asn Asp Ile Ser Val Val Pro Glu Gly Ala Phe Gly Asp Leu
 835 840 845
 Ser Ala Leu Ser His Leu Ala Ile Gly Ala Asn Pro Leu Tyr Cys Asp
 850 855 860
 Cys Asn Met Gln Trp Leu Ser Asp Trp Val Lys Ser Glu Tyr Lys Glu
 865 870 875 880
 Pro Gly Ile Ala Arg Cys Ala Gly Pro Gly Glu Met Ala Asp Lys Leu
 885 890 895
 Leu Leu Thr Thr Pro Ser Lys Lys Phe Thr Cys Gln Gly Pro Val Asp
 900 905 910
 Val Thr Ile Gln Ala Lys Cys Asn Pro Cys Leu Ser Asn Pro Cys Lys
 915 920 925
 Asn Asp Gly Thr Cys Asn Asn Asp Pro Val Asp Phe Tyr Arg Cys Thr
 930 935 940
 Cys Pro Tyr Gly Phe Lys Gly Gln Asp Cys Asp Val Pro Ile His Ala
 945 950 955 960
 Cys Ile Ser Asn Pro Cys Lys His Gly Gly Thr Cys His Leu Lys Glu
 965 970 975
 Gly Glu Asn Asp Gly Phe Trp Cys Thr Cys Ala Asp Gly Phe Glu Gly
 980 985 990
 Glu Ser Cys Asp Ile Asn Ile Asp Asp Cys Glu Asp Asn Asp Cys Glu
 995 1000 1005
 Asn Asn Ser Thr Cys Val Asp Gly Ile Asn Asn Tyr Thr Cys Leu Cys
 1010 1015 1020
 Pro Pro Glu Tyr Thr Gly Glu Leu Cys Glu Glu Lys Leu Asp Phe Cys
 1025 1030 1035 104
 Ala Gln Asp Leu Asn Pro Cys Gln His Asp Ser Lys Cys Ile Leu Thr
 1045 1050 1055
 Pro Lys Gly Phe Lys Cys Asp Cys Thr Pro Gly Tyr Ile Gly Glu His
 1060 1065 1070
 Cys Asp Ile Asp Phe Asp Asp Cys Gln Asp Asn Lys Cys Lys Asn Gly
 1075 1080 1085
 Ala His Cys Thr Asp Ala Val Asn Gly Tyr Thr Cys Val Cys Pro Glu

1090 1095 1100
 Gly Tyr Ser Gly Leu Phe Cys Glu Phe Ser Pro Pro Met Val Leu Leu
 1105 1110 1115 112
 Arg Thr Ser Pro Cys Asp Asn Phe Asp Cys Gln Asn Gly Ala Gln Cys
 1125 1130 1135
 Ile Ile Arg Val Asn Glu Pro Ile Cys Gln Cys Leu Pro Gly Tyr Leu
 1140 1145 1150
 Gly Glu Lys Cys Glu Lys Leu Val Ser Val Asn Phe Val Asn Lys Glu
 1155 1160 1165
 Ser Tyr Leu Gln Ile Pro Ser Ala Lys Val Arg Pro Gln Thr Asn Ile
 1170 1175 1180
 Thr Leu Gln Ile Ala Thr Asp Glu Asp Ser Gly Ile Leu Leu Tyr Lys
 1185 1190 1195 120
 Gly Asp Lys Asp His Ile Ala Val Glu Leu Tyr Arg Gly Arg Val Arg
 1205 1210 1215
 Ala Ser Tyr Asp Thr Gly Ser His Pro Ala Ser Ala Ile Tyr Ser Val
 1220 1225 1230
 Glu Thr Ile Asn Asp Gly Asn Phe His Ile Val Glu Leu Leu Thr Leu
 1235 1240 1245
 Asp Ser Ser Leu Ser Leu Ser Val Asp Gly Gly Ser Pro Lys Ile Ile
 1250 1255 1260
 Thr Asn Leu Ser Lys Gln Ser Thr Leu Asn Phe Asp Ser Pro Leu Tyr
 1265 1270 1275 128
 Val Gly Gly Met Pro Gly Lys Asn Asn Val Ala Ser Leu Arg Gln Ala
 1285 1290 1295
 Pro Gly Gln Asn Gly Thr Ser Phe His Gly Cys Ile Arg Asn Leu Tyr
 1300 1305 1310
 Ile Asn Ser Glu Leu Gln Asp Phe Arg Lys Val Pro Met Gln Thr Gly
 1315 1320 1325
 Ile Leu Pro Gly Cys Glu Pro Cys His Lys Lys Val Cys Ala His Gly
 1330 1335 1340
 Thr Cys Gln Pro Ser Ser Gln Ser Gly Phe Thr Cys Glu Cys Glu Glu
 1345 1350 1355 136
 Gly Trp Met Gly Pro Leu Cys Asp Gln Arg Thr Asn Asp Pro Cys Leu
 1365 1370 1375
 Gly Asn Lys Cys Val His Gly Thr Cys Leu Pro Ile Asn Ala Phe Ser
 1380 1385 1390
 Tyr Ser Cys Lys Cys Leu Glu Gly His Gly Gly Val Leu Cys Asp Glu
 1395 1400 1405
 Glu Glu Asp Leu Phe Asn Pro Cys Gln Val Ile Lys Cys Lys His Gly
 1410 1415 1420
 Lys Cys Arg Leu Ser Gly Leu Gly Gln Pro Tyr Cys Glu Cys Ser Ser
 1425 1430 1435 144
 Gly Phe Thr Gly Asp Ser Cys Asp Arg Glu Ile Ser Cys Arg Gly Glu
 1445 1450 1455
 Arg Ile Arg Asp Tyr Tyr Gln Lys Gln Gln Gly Tyr Ala Ala Cys Gln
 1460 1465 1470
 Thr Thr Lys Lys Val Ser Arg Leu Glu Cys Arg Gly Gly Cys Ala Gly
 1475 1480 1485
 Gly Gln Cys Cys Gly Pro Leu Arg Ser Lys Arg Arg Lys Tyr Ser Phe
 1490 1495 1500
 Glu Cys Thr Asp Gly Ser Ser Phe Val Asp Glu Val Glu Lys Val Val
 1505 1510 1515 152
 Lys Cys Gly Cys Thr Arg Cys Ala Ser
 1525

<210> 397

<211> 8

<212> PRT

<213> Mouse

<400> 397
 Trp Tyr Asn Ala Trp Asn Glu Lys
 1 5

<210> 398
 <211> 7
 <212> PRT
 <213> Mouse

<400> 398
 Met Val Ile Ile Thr Thr Lys
 1 5

<210> 399
 <211> 2206
 <212> DNA
 <213> Rat

<400> 399
 gtcttcgtctt aagccctctt ctgcgtttggc agaactggcc gtgggtctccc gctggtagcca 60
 tggaaactct cagcccccac agactaagcg gagactgat ttggtggcgt tctctcgagc 120
 atccgcggtg actgcaagta ccggtctcct gtggaagaag gctcaccgac aatctccacc 180
 gagctctaac agcaagaaga ctgacgctgg agataagggg aagagcaagg acaccgggga 240
 agtgtccaac catgaaggaa cgcctgcaga cactcgggac gagccttacc ataggagaaa 300
 gaagaagaag cgttctggat tcagagacag aaaagtaatg gagtatgaga ataggatccg 360
 agcctactcc acaccagaca aaatcttccg gtattttgac accttgaaag taatcaacca 420
 acccggtgaa actgaagtgt tcatgacccc acaggacttt gtgcgctcca taacacccaa 480
 tgaagaagcag ccagaacact tgggctgga tcagtacata ataaagcgct tcatgtagaaa 540
 gaaaaattgcc caggaacagag aaaagtttgc tgacgaagcg agcatctct ataccttgg 600
 agagtgtgga tctatctcct tctctgacta catctttccc acaacgggtc tctccactcc 660
 tcagagaagt ttogaattg ctttcaagat gtttgacttg aatggagatg gagaagtaga 720
 catggaggag tttagcagg ttcaaacgat cattcgctcc cagaccagca tgggcatgcy 780
 tcacagagat cgtccaaacta ctgggaacac cctcaagtct ggcttatgtt cggccctcac 840
 gacctacttt ttggagctg atctcaaagg gaaactgacc attaaaaact tctctgaatt 900
 tcagcgtaaa ctgacgcatg acgtttctaa gctggagttt gaacgccatg acccggtaga 960
 cgggagaatc tctgagaggc agttcgggtg catgctgctg gcctacagtg gactgcagtc 1020
 caagaagctg accgccatgc agaggcagct gaagaagcac ttcaaggatg ggaaggcgct 1080
 gactttccag gaggtggaga actcttccac tttcctgaag aacattaatg acgtggacac 1140
 tgcgttaagc tttttaccaca tggcgtggag atccctcgat aaagtgaaca tgcagcaagt 1200
 ggcaggaca gtggcgaaag tggagctgtc ggaccacgtg tgtgacgtgg tgtttgcaat 1260
 ctttgactgc gaagcgaaat gggagctgag caataaggag ttgtgtccca tcatgaagca 1320
 cggcgtgatg agagcgtgg agaagcccaa ggaactgacc tttaaccggt tcaagcagcg 1380
 catgtggaaa tgtgcccaag aaaccgcctg ggaactttgt ctaccacaaat agtccaccac 1440
 cctctgcacc ttgaccccc gcaatcctgg agtggccttc atgctgctga tgcctctggg 1500
 agtagctgcc acatccccat ctttctggaa gtgacctctg gcctcagctg gctgacctct 1560
 ccacctctcc ctgaccccatg cagtgttccg ctaggctctg aatctgcaat cagatcaaa 1620
 gtctaagaca ggaacaagtc ttcaaaagcag agaccatagc tcccttaacc agtgcctcag 1680
 gggtaaatgc gggggagccct cccacactgg cagcccccag aggcattctct gcagctctctc 1740
 actgtggatt taagtaaac aacgcctcct gccattcttc tccactgttt ttaaagctgc 1800
 aagtttggaa atactctggc aggcacaagg aagtctgtga tgaacggtaa tgcagatgac 1860
 cctggtacc tgaatctggca gggcacctgg tcaggggaag ggtctgcgtc agacacccag 1920
 ggacaccagga aggctctttg ccacacgac agctcccgat tcaaatgctc tgccttgagc 1980
 ggtctctccg aactctctgc tctttttttt ttctctccgg ctccctcgga tgcctctctc 2040
 ggagactctg ttaactagag caagggctga gctctgtctc ctgtgtctct gtccctctct 2100
 tataagacct cagagcgcac ctacagacct atctgacct tgtctaatac actcgtaaat 2160
 atcactttaa ttatagcact ttgcaggaaa taccctcaaaa aaaaaa 2206

<210> 400
 <211> 160
 <212> DNA
 <213> Mouse

<400> 400
 tgcgaggagc ctcactggac agcttgggct tttttcagtt gattttatgg tttgcatctt 60
 tctctttctc tttttctgtt tcttgtctcc ctttccccct tctctgttga gaaagcacat 120
 attactgagc catctgaagc aatgggaggg gtccacaatg 160

<210> 401

<211> 430

<212> DNA

<213> Rat

<400> 401
 ggcaccagcc cggtctctgt gctccgctca gtctccagcg atccctccct acctccgccc 60
 tccatggcgt cgctcctgtg ctgtgggccc aagctggcgg cctgtggcat cgctcctcagc 120
 gcctggggag tgatcatgtt gataatgtct gggatatttt tcaatgtcca tctctgtgtg 180
 ttaattgagg atgtccctct cacagagaaa gattttgaga acggccctca gaacatatac 240
 aacctgtacg agcaagtcag ctacaactgt ttcacgcgcy cgggcctcta cctcctcctc 300
 gggggctctt cctcttgcca agttcgtctc aataagcgca aggaatacat ggtgcgctag 360
 agcgcaatcg gactctcccc attccccctc ttatttaaaag actcctcagt ccatctgttc 420
 cactcatctg 430

<210> 402

<211> 190

<212> DNA

<213> Rat

<400> 402
 ccgaatacgc ggccgcgctg acatactgcc tgtagagtta gtattttctgt tttttatatg 60
 ttgcacactg aattgaagaa atgttgggtt tctctgtttt ttttttagttt gtttctttgg 120
 tttgtttttt gtttttgcctt tttactcccc aggtttgact atttgccaat gcgcgtgagc 180
 cgccgcgcaa 190

<210> 403

<211> 1774

<212> DNA

<213> Mouse

<400> 403
 ccaaagtggg gggcgagggg cggggccggg gggtctctgg gctgctgcgc accttcgagc 60
 ccggcgaaat cgcaggctgg gagaagtggg gctcggggcg cttcgggagc gtgtacaagg 120
 tgcgcgatgt gcactggagg acgtggctcg cgaatcaagt cctccccagt ctgcacgtcg 180
 acgacaggga acgaatggag ctccctggag aagctaagaa gatggagatg gccaaagtcc 240
 gatacatctt acctgtgtac ggcataatgcc aggaacctgt cggcttggtc atggagtaca 300
 tggagacagg ctccctggag aagctgctgg cctcagagcc attgctctgg gacctcgctc 360
 ttcgcatcgt ccaacgagaca gccgtgggca tgaacttctc gcattgcatg tctccgccac 420
 tgctgcacct agacctgaag ccagcgcaaca tctctgctgga tgcccactac catgtcaaga 480
 tttctgactt tgggtgtggc aagtgcacat gcatgtccca ctctcatgac ctacgactgg 540
 atggcctgtt tggtaacaat gcttacctcc ctccagagcg aattcgtgag aagagccgct 600
 ttgtttgacac caaactgat gtatcacagct tcgcccattgt gatctggggg gtgctctaac 660
 agaagaagcc atttgagatg gaaaagaaca tctctacacat catgatgaaa gtgtttaaag 720
 gccacgcgcc agagcttgcca cccatgtgca gaccccgccc gcgtgctctg gccagcctga 780
 tagggataat gcaacgggtgc tggcatgagc acccaaggt gcggcccacc ttccaagaaa 840
 ttaaccttga acgagaagac ctttgttaga agcctgatga gggaggtgaaa gacctggctc 900
 atgagccagg cgagaaaagc tctctagagt ccaagagtg gggcaggccc gagtctctac 960
 gcctcaagcg cgcctctgct ccccctctcg ataaagactg cagttctctc gagtgcgtgt 1020
 cacagttgga ctctgggact tcccagactc ttgaaggccc cgaagagctc agccgaagtt 1080
 cctctgaatg caagctccca tctgtccagca gtggccaagc gctctcgggg gtgtctctag 1140
 tggactcaag ctttctctcc agaggatcgc tgtcactgtc ttttgagcgg gaagtctcaa 1200
 caggcgacct gggcccacac gacatccaga agaagaagc atgtgactgc atcatatcag 1260
 gggacaccag caggctgatg aagatccatc agcccccaag tgtggacttg gttctagaca 1320
 gcagtgccag cctgctgcac ctggctgttg aggcgggaca ggaggagtggt gtcaagtggc 1380

tgctgcttaa	caatgccaac	cccaacctga	ccaacaggaa	gggctctaca	ccactgcata	1440
tggctgtgga	gcggaaggga	cgtggaattg	tggagctact	gctagcccg	aagaccagtg	1500
tcaatgccaa	ggatgaagac	cagtggactg	ccctgcactt	tgacgcccag	aatggggatg	1560
aggccagcac	aagctcgtg	ctagagaaga	atgcttctgt	caatgaggtg	gacttttgag	1620
gcggaacacc	catgcatgta	gctgcacag	arggacagga	gaacattctg	cgaccctgc	1680
tcgcgcgtgg	tgtggatgtg	ggcctgcagg	gaaaaggatg	ctgggtgctt	ctgcactatg	1740
ctgcctgcga	aggccacctt	cccattggta	agct			1774

<210> 404
 <211> 372
 <212> DNA
 <213> Mouse

ccacagcaca	tcgtcctgac	tgctctcttc	ccaggggacca	agagctagag	accggcgtgt	60
gactgcgcgc	ctctggggct	tccttttagag	gagacagctc	ttaccatct	agactcctgc	120
ccacctgact	cttgacttac	agctatgagg	tcccggcttc	tgctgcccgt	gcccattctg	180
ccaacgattc	gggaaatgtc	agaagagctg	tcacatgggg	cgctgggcca	ggaaccccca	240
gcgtccccca	gctctggatga	ctacgtcagg	tgtatctgtc	agctggcaca	gcccacctca	300
tcgtcggaca	aggtcacagc	ccagagccgt	cccaacagac	cctcccgccc	agcctggact	360
cgagagaaga	gg					372

<210> 405
 <211> 396
 <212> DNA
 <213> Mouse

gagcttcgaa	gctttctccg	tcttccaaga	cgacaggttt	ctggggccac	aagaggccga	60
gcctcttcat	ttgtttttct	tctccaggct	gaagacctga	acgtcaagtt	ggaaggggag	120
ccttccatgc	ggaaacaaaa	gcagcgccgc	cgccggagac	ccctcatcat	ccccaccaag	180
gcgggcactt	tcatacgccc	tctgtcttac	tccaacatca	cccttaccga	gagccacctg	240
cgctctcccg	tcgcctctgc	tgaccacccc	ctgagcgcca	gctttgaccc	ccccctttac	300
acacaccccc	ccattctcag	cccgcctcgg	gaaggctctg	gcctctactt	caatgccatc	360
atatcaacca	gcaacatccc	ggccctctct	gtatca			396

<210> 406
 <211> 444
 <212> PRT
 <213> Rat

<400> 406															
Met	Leu	Val	Ala	Phe	Leu	Gly	Ala	Ser	Ala	Val	Thr	Ala	Ser	Thr	Gly
1			5					10					15		
Leu	Leu	Trp	Lys	Lys	Ala	His	Ala	Glu	Ser	Pro	Pro	Ser	Val	Asn	Ser
			20					25					30		
Lys	Lys	Thr	Asp	Ala	Gly	Asp	Lys	Gly	Lys	Ser	Lys	Asp	Thr	Arg	Glu
			35					40				45			
Val	Ser	Ser	His	Glu	Gly	Ser	Ala	Ala	Asp	Thr	Ala	Ala	Glu	Pro	Tyr
			50					55				60			
Pro	Glu	Glu	Lys	Lys	Lys	Arg	Ser	Gly	Phe	Arg	Asp	Arg	Lys	Val	
			65					70				75		80	
Met	Glu	Tyr	Glu	Asn	Arg	Ile	Arg	Ala	Tyr	Ser	Thr	Pro	Asp	Lys	Ile
			85					90				95			
Phe	Arg	Tyr	Phe	Ala	Thr	Leu	Lys	Val	Ile	Asn	Glu	Pro	Gly	Glu	Thr
			100					105				110			
Glu	Val	Phe	Met	Thr	Pro	Gln	Asp	Phe	Val	Arg	Ser	Ile	Thr	Pro	Asn
			115					120				125			
Glu	Lys	Gln	Pro	Glu	His	Leu	Gly	Leu	Asp	Gln	Tyr	Ile	Ile	Lys	Arg
			130					135				140			
Phe	Asp	Gly	Lys	Lys	Ile	Ala	Gln	Glu	Arg	Glu	Lys	Phe	Ala	Asp	Glu

145 150 155 160
 Gly Ser Ile Phe Tyr Thr Leu Gly Glu Cys Gly Leu Ile Ser Phe Ser
 165 170 175
 Asp Tyr Ile Phe Leu Thr Thr Val Leu Ser Thr Pro Gln Arg Asn Phe
 180 185 190
 Glu Ile Ala Phe Lys Met Phe Asp Leu Asn Gly Asp Gly Glu Val Asp
 195 200 205
 Met Glu Glu Phe Glu Gln Val Gln Ser Ile Ile Arg Ser Gln Thr Ser
 210 215 220
 Met Gly Met Arg His Arg Asp Arg Pro Thr Thr Gly Asn Thr Leu Lys
 225 230 235 240
 Ser Gly Leu Cys Ser Ala Leu Thr Thr Tyr Phe Phe Gly Ala Asp Leu
 245 250 255
 Lys Gly Lys Leu Thr Ile Lys Asn Phe Leu Glu Phe Gln Arg Lys Leu
 260 265 270
 Gln His Asp Val Leu Lys Leu Glu Phe Glu Arg His Asp Pro Val Asp
 275 280 285
 Gly Arg Ile Ser Glu Arg Gln Phe Gly Gly Met Leu Leu Ala Tyr Ser
 290 295 300
 Glu Val Gln Ser Lys Lys Leu Thr Ala Met Gln Arg Gln Leu Lys Lys
 305 310 315 320
 His Phe Lys Asp Gly Lys Gly Leu Thr Phe Gln Glu Val Glu Asn Phe
 325 330 335
 Phe Thr Phe Leu Lys Asn Ile Asn Asp Val Asp Thr Ala Leu Ser Phe
 340 345 350
 Tyr His Met Ala Gly Ala Ser Leu Asp Lys Val Thr Met Gln Gln Val
 355 360 365
 Ala Arg Thr Val Ala Lys Val Glu Leu Ser Asp His Val Cys Asp Val
 370 375 380
 Val Phe Ala Leu Phe Asp Cys Asp Gly Asn Gly Glu Leu Ser Asn Lys
 385 390 395 400
 Glu Phe Val Ser Ile Met Lys Gln Arg Leu Met Arg Gly Leu Glu Lys
 405 410 415
 Pro Lys Asp Met Gly Phe Thr Arg Leu Met Gln Ala Met Trp Lys Cys
 420 425 430
 Ala Gln Glu Thr Ala Trp Asp Phe Ala Leu Pro Lys
 435 440

<210> 407
 <211> 53
 <212> PRT
 <213> Mouse

<400> 407
 Arg Arg Thr Leu Thr Gly Gln Leu Gly Leu Phe Ser Val Asp Phe Met
 1 5 10 15
 Val Cys Ile Phe Leu Phe Leu Phe Cys Phe Leu Phe Pro Phe Pro
 20 25 30
 Leu Phe Leu Val Arg Lys His Ile Leu Leu Ser His Cys Lys Gln Trp
 35 40 45
 Glu Gly Ser Thr Met
 50

<210> 408
 <211> 119
 <212> PRT
 <213> Rat

<400> 408
 Gly Thr Ser Pro Ala Ser Val Leu Arg Ser Val Ser Ser Asp Pro Ser
 1 5 10 15

Leu Pro Pro Pro Ser Met Ala Ser Leu Leu Cys Cys Gly Pro Lys Leu
 20 25 30
 Ala Ala Cys Gly Ile Val Leu Ser Ala Trp Gly Val Ile Met Leu Ile
 35 40 45
 Met Leu Gly Ile Phe Phe Asn Val His Ser Ala Val Leu Ile Glu Asp
 50 55 60
 Val Pro Phe Thr Glu Lys Asp Phe Glu Asn Gly Pro Gln Asn Ile Tyr
 65 70 75 80
 Asn Leu Tyr Glu Gln Val Ser Tyr Asn Cys Phe Ile Ala Ala Gly Leu
 85 90 95
 Tyr Leu Leu Leu Gly Gly Phe Ser Phe Cys Gln Val Arg Leu Asn Lys
 100 105 110
 Arg Lys Glu Tyr Met Val Arg
 115

<210> 409

<211> 590

<212> PRT

<213> Mouse

<400> 409

Lys Val Glu Gly Glu Gly Arg Gly Arg Trp Ala Leu Gly Leu Leu Arg
 1 5 10 15
 Thr Phe Asp Ala Gly Glu Phe Ala Gly Trp Glu Lys Val Gly Ser Gly
 20 25 30
 Gly Phe Gly Gln Val Tyr Lys Val Arg His Val His Trp Lys Thr Trp
 35 40 45
 Leu Ala Ile Lys Cys Ser Pro Ser Leu His Val Asp Asp Arg Glu Arg
 50 55 60
 Met Glu Leu Leu Glu Glu Ala Lys Lys Met Glu Met Ala Lys Phe Arg
 65 70 75 80
 Tyr Ile Leu Pro Val Tyr Gly Ile Cys Gln Glu Pro Val Gly Leu Val
 85 90 95
 Met Glu Tyr Met Glu Thr Gly Ser Leu Glu Lys Leu Leu Ala Ser Glu
 100 105 110
 Pro Leu Pro Trp Asp Leu Arg Phe Arg Ile Val His Glu Thr Ala Val
 115 120 125
 Gly Met Asn Phe Leu His Cys Met Ser Pro Pro Leu Leu His Leu Asp
 130 135 140
 Leu Lys Pro Ala Asn Ile Leu Leu Asp Ala His Tyr His Val Lys Ile
 145 150 155 160
 Ser Asp Phe Gly Leu Ala Lys Cys Asn Gly Met Ser His Ser His Asp
 165 170 175
 Leu Ser Met Asp Gly Leu Phe Gly Thr Ile Ala Tyr Leu Pro Pro Glu
 180 185 190
 Arg Ile Arg Glu Lys Ser Arg Leu Phe Asp Thr Lys His Asp Val Tyr
 195 200 205
 Ser Phe Ala Ile Val Ile Trp Gly Val Leu Thr Gln Lys Lys Pro Phe
 210 215 220
 Ala Asp Glu Lys Asn Ile Leu His Ile Met Met Lys Val Val Lys Gly
 225 230 235 240
 His Arg Pro Glu Leu Pro Pro Ile Cys Arg Pro Arg Pro Arg Ala Cys
 245 250 255
 Ala Ser Leu Ile Gly Ile Met Gln Arg Cys Trp His Ala Asp Pro Gln
 260 265 270
 Val Arg Pro Thr Phe Gln Glu Ile Thr Ser Glu Thr Glu Asp Leu Cys
 275 280 285
 Glu Lys Pro Asp Glu Glu Val Lys Asp Leu Ala His Glu Pro Gly Glu
 290 295 300
 Lys Ser Ser Leu Glu Ser Lys Ser Glu Ala Arg Pro Glu Ser Ser Arg
 305 310 315 320

Leu Lys Arg Ala Ser Ala Pro Pro Phe Asp Asn Asp Cys Ser Leu Ser
 325 330 335
 Glu Leu Leu Ser Gln Leu Asp Ser Gly Ile Ser Gln Thr Leu Glu Gly
 340 345 350
 Pro Glu Glu Leu Ser Arg Ser Ser Ser Glu Cys Lys Leu Pro Ser Ser
 355 360 365
 Ser Ser Gly Lys Arg Leu Ser Gly Val Ser Ser Val Asp Ser Ala Phe
 370 375 380
 Ser Ser Arg Gly Ser Leu Ser Leu Ser Phe Glu Arg Glu Ala Ser Thr
 385 390 395 400
 Gly Asp Leu Gly Pro Thr Asp Ile Gln Lys Lys Lys Leu Val Asp Ala
 405 410 415
 Ile Ile Ser Gly Asp Thr Ser Arg Leu Met Lys Ile Leu Gln Pro Gln
 420 425 430
 Asp Val Asp Leu Val Leu Asp Ser Ser Ala Ser Leu Leu His Leu Ala
 435 440 445
 Val Glu Ala Gly Gln Glu Glu Cys Val Lys Trp Leu Leu Asn Asn
 450 455 460
 Ala Asn Pro Asn Leu Thr Asn Arg Lys Gly Ser Thr Pro Leu His Met
 465 470 475 480
 Ala Val Glu Arg Lys Gly Arg Gly Ile Val Glu Leu Leu Ala Arg
 485 490 495
 Lys Thr Ser Val Asn Ala Lys Asp Glu Asp Gln Trp Thr Ala Leu His
 500 505 510
 Phe Ala Ala Gln Asn Gly Asp Glu Ala Ser Thr Arg Leu Leu Leu Glu
 515 520 525
 Lys Asn Ala Ser Val Asn Glu Val Asp Phe Glu Gly Arg Thr Pro Met
 530 535 540
 His Val Ala Cys Gln His Gly Gln Glu Asn Ile Val Arg Thr Leu Leu
 545 550 555 560
 Arg Arg Gly Val Asp Val Gly Leu Gln Gly Lys Asp Ala Trp Leu Pro
 565 570 575
 Leu His Tyr Ala Trp Gln Gly His Leu Pro Ile Gly Lys
 580 585 590

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NZ 99/00051

A. CLASSIFICATION OF SUBJECT MATTER		
Int Cl ⁶ : C12N 15/12, 15/18, 15/19		
According to International Patent Classification (IPC) or to both national classification and IPC		
B. FIELDS SEARCHED		
Minimum documentation searched (classification system followed by classification symbols) C12N 15/12, 15/18, 15/19		
Documentation searched other than minimum documentation to the extent that such documents are included in the fields searched		
Electronic data base consulted during the international search (name of data base and, where practicable, search terms used) GenBank, GenBank (ESTs), EMBL, EMBL (ESTs), SwissProt, TREMBL, PIR.		
C. DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GenBank (ESTs) Accession no A1412233	SEQ ID NO 119 Claims 1-17, 19, 21, 23, 25, 27, 28
X	GenBank (ESTs) Accession no AA850731	SEQ ID NO 119 Claims 1-17, 19, 21, 23, 25, 27, 28
X	GenBank (ESTs) Accession no A1299847	SEQ ID NO 119 Claims 1-17, 19, 21, 23, 25, 27, 28
<input checked="" type="checkbox"/> Further documents are listed in the continuation of Box C <input type="checkbox"/> See patent family annex		
* Special categories of cited documents: "A" document defining the general state of the art which is not considered to be of particular relevance "E" earlier application or patent but published on or after the international filing date "L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified) "O" document referring to an oral disclosure, use, exhibition or other means "P" document published prior to the international filing date but later than the priority date claimed "T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention "X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step when the document is taken alone "Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art "&" document member of the same patent family		
Date of the actual completion of the international search 8 September 1999		Date of mailing of the international search report 15 SEP 1999
Name and mailing address of the ISA/AU AUSTRALIAN PATENT OFFICE PO BOX 200 WOODEN ACT 2606 AUSTRALIA Facsimile No.: (02) 6285 3929		Authorized officer GILLIAN ALLEN Telephone No.: (02) 6283 2266

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NZ 99/00051

Box I Observations where certain claims were found unsearchable (Continuation of item 1 of first sheet)

This international search report has not been established in respect of certain claims under Article 17(2)(a) for the following reasons:

1. ☐ Claims Nos.:
because they relate to subject matter not required to be searched by this Authority, namely:

2. ☒ Claims Nos.: 1-28
because they relate to parts of the international application that do not comply with the prescribed requirements to such an extent that no meaningful international search can be carried out, specifically:
It is not economically feasible to carry out a full search on all sequences of the claims. Search has been limited to sequences from each of the Examples, namely: -
SEQ ID NOs 68, 118 and 196 from Example 3; SEQ ID NOs 119 and 197 from Example 5; SEQ ID NOs 263, 270 and 344 from Example 5; SEQ ID NOs 273 and 347 from Example 6; SEQ ID NO 129 from Example 7
3. ☐ Claims Nos.:
because they are dependent claims and are not drafted in accordance with the second and third sentences of Rule 6.4(a)

Box II Observations where unity of invention is lacking (Continuation of item 2 of first sheet)

This International Searching Authority found multiple inventions in this international application, as follows:

1. ☐ As all required additional search fees were timely paid by the applicant, this international search report covers all searchable claims
2. ☐ As all searchable claims could be searched without effort justifying an additional fee, this Authority did not invite payment of any additional fee.
3. ☐ As only some of the required additional search fees were timely paid by the applicant, this international search report covers only those claims for which fees were paid, specifically claims Nos.:

4. ☐ No required additional search fees were timely paid by the applicant. Consequently, this international search report is restricted to the invention first mentioned in the claims; it is covered by claims Nos.:

Remark on Protest ☐ The additional search fees were accompanied by the applicant's protest.
☐ No protest accompanied the payment of additional search fees.

INTERNATIONAL SEARCH REPORT

International application No.

PCT/NZ 99/00051

C (Continuation). DOCUMENTS CONSIDERED TO BE RELEVANT		
Category*	Citation of document, with indication, where appropriate, of the relevant passages	Relevant to claim No.
X	GenBank (ESTs) Accession no W97325	SEQ ID NO 263 Claim nos 1-9, 11, 13, 16, 17, 19, 21, 22-28
X	GenBank (ESTs) Accession no AA111146	SEQ ID NO 263 Claim nos 1-9, 11, 13, 16, 17, 19, 21, 22-28
X	GenBank (ESTs) Accession no A1037414	SEQ ID NO 263 Claim nos 1-9, 11, 13, 16, 17, 19, 21, 22-28
X	GenBank (ESTs) Accession no A1282114	SEQ ID NO 270 Claim nos Claim nos 1-9, 11, 13, 16, 17, 19, 21, 22-28
X	GenBank (ESTs) Accession no AA865643	SEQ ID NO 270 Claim nos 1-9, 11, 13, 16, 17, 19, 21, 22-28
X	GenBank (ESTs) Accession no A1140104	SEQ ID NO 270 Claim nos 1-9, 11, 13, 16, 17, 19, 21, 22-28
X	GenBank (ESTs) Accession no AA726580	SEQ ID NO 273 Claim nos 1-9, 11, 17, 19, 21, 23, 25, 27
X	GenBank (ESTs) Accession no AA407924	SEQ ID NO 273 Claim nos 1-9, 11, 17, 19, 21, 23, 25, 27
X	GenBank (ESTs) Accession no AA498629	SEQ ID NO 273 Claim nos 1-9, 11, 17, 19, 21, 23, 25, 27